N96095 AR.000391 NWIRP CALVERTON NY 5090.3a

Phase 2 RCRA Facility Investigation for Site 7- Fuel Depot Area

Naval Weapons Industrial Reserve Plant Calverton, New York



Northern Division Naval Facilities Engineering Command Contract Number N62472-90-D-1298 Contract Task Order 0270

January 2000

PHASE 2 RCRA FACILITY INVESTIGATION FOR SITE 7 – FUEL DEPOT AREA

NAVAL WEAPONS INDUSTRIAL RESERVE PLANT CALVERTON, NEW YORK

COMPREHENSIVE LONG-TERM ENVIRONMENTAL ACTION NAVY (CLEAN) CONTRACT

Submitted to:
Northern Division
Environmental Branch Code 18
Naval Facilities Engineering Command
10 Industrial Highway, Mail Stop #82
Lester, Pennsylvania 19113-2090

Submitted by:
Tetra Tech NUS Corporation
600 Clark Avenue, Suite 3
King of Prussia, Pennsylvania 19406-1433

CONTRACT NUMBER N62472-90-D-1298 CONTRACT TASK ORDER 0270

JANUARY 2000

SUBMITTED BY:

DAVID D. BRAYACK PROJECT MANAGER

PITTSBURGH, PENNSYLVANIA

APPROVED FOR SUBMISSION BY:

JOHN J. TREPANOWSKI PROGRAM MANAGER

KING OF PRUSSIA, PENNSYLVANIA

TABLE OF CONTENTS

SECT	ION		PAGE NO.
LIST	OF ACRO	NYMS AND ABBREVIATIONS	iv
1.0	INTROE	DUCTION	1-1
	1.1	PURPOSE	1-1
	1.2	FACILITY LOCATION	1-2
	1.3	FACILITY HISTORY	1-7
	1.4	SURFACE WATER HYDROLOGY	1-7
	1.5	HYDROGEOLOGY	1-11
	1.6	GENERAL ECOLOGICAL SETTING OF NWIRP CALVERTON	1-12
	1.7	PREVIOUS INVESTIGATIONS	1-13
	1.8	SUMMARY OF FIELD ACTIVITIES	1-13
	1.9	QUALITY ASSURANCE/QUALITY CONTROL (QA/QC) SAMPLES	1-13
2.0	SITE B	ACKGROUND	2-1
	2.1	SITE DESCRIPTION AND PHYSICAL SETTING	2-1
	2.2	SITE HISTORY	
	2.3	ECOLOGICAL SETTING	2-3
	2.3.1	Vegetation	2-3
	2.3.2	Wildlife	2-3
	2.3.3	Wetlands	2-3
	2.3.4	Aquatic Biota	2-3
	2.4	GEOLOGY	2-4
	2.5	HYDROGEOLOGY	
	2.6	PREVIOUS INVESTIGATIONS	2-5
	2.6.1	Initial Assessment Study (IAS)	2-5
	2.6.2	Site Investigation (SI)	2-5
	2.6.3	RCRA Field Investigation (RFI)	2-5
	2.6.4	Baseline Human Health Risk Assessment	2-6
	2.7	DATA GAPS	2-10
3.0	PHASE	2 SOIL AND GROUNDWATER INVESTIGATION	3-1
	3.1	TEMPORARY MONITORING WELLS	3-1
	3.2	PERMANENT MONITORING WELLS	3-5
	3.3	SUMMARY OF GROUNDWATER CONTAMINATION	3-11
	3.4	SOIL TESTING	3-21
4.0	ECOLO	OGICAL RISK EVALUATION	4-1
5.0	CONC	LUSIONS	5-1
	FDENOFO		R-1

TABLE OF CONTENTS (Continued)

APP	ΕN	DICE	S

Α	ANALYTICAL LABORATORY DATA SHEETS
	A.1 GROUNDWATER FROM TEMPORARY WELLS
	A.2 GROUNDWATER FROM PERMANENT MONIOTIRNG WELL
	A.3 SOIL BORING
В	SAMPLE LOG SHEETS
С	CHAIN OF CUSTODY FORMS
D	MONITORING WELL CONSTRUCTION SHEETS
E	IEUBK MODELING

TABLES

<u>BER</u>	PAGE NO.
Downgradient Temporary Monitoring Well Analytical Results	3-2
	Downgradient Temporary Monitoring Well Analytical Results

FIGURES

<u>NUM</u>	<u>BER</u>	PAGE NO.		
1-1	General Location Map	1-3		
1-2	Site Location			
1-3	Surface Water Hydrology and Groundwater Contour Map	1-9		
2-1	Fuel Depot			
3-1	Groundwater Data			
3-2	Groundwater Sample Results Exceeding Criteria	3-9		
3-3	BTEX Exceeding 0.7 ug/L Plan View			
3-4	BTEX Exceeding 0.7 ug/L Cross-Section A-A'	3-15		
3-5	Chlorinated Organics Exceeding 5 ug/L	3-17		
3-6	Freon Exceeding 5 ug/l			
3-7	August 1997 Soil Sample Location Map	3-22		

LIST OF ACRONYMS AND ABBREVIATIONS

ARARs applicable or relevant and appropriate requirements

bgs below ground surface

bwt below water table

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act

CFB CF Braun

CFR Code of Federal Regulations

CLEAN Comprehensive Long-term Environmental Action Navy

CLP Contract Laboratory Program
CMS Corrective Measure Study

COCs chemicals of concern

CRDLs contract-required detection limits

CSFs Cancer Slope Factors
CTO Contract Task Order
DO dissolved oxygen

DOH Department of Health (New York)

EPA U.S. Environmental Protection Agency
EVS Environmental Visualization System

FS Feasibility Study
ft/day foot or feet per day
ft/min foot or feet per minute

GC gas chromatography

GOCO government-owned, contractor-operated

HI hazard index
HQ hazard quotient

HNUS Halliburton NUS Corporation

IAS Initial Assessment Study
ICR incremental cancer risk

IRP Installation Restoration Program (Navy)
KOCs organic carbon partitioning coefficients
MCLs Maximum Contaminant Levels (EPA's)

μg/kg microgram per kilogram
 μg/L microgram per liter
 mg/kg milligram per kilogram
 MPC Marine Pollution Control

msl mean sea level

010001/P

iv

NAVFAC Naval Facilities Engineering Command

Navy U.S. Department of the Navy

NEESA Naval Energy and Environmental Activity

NTU nephelometric turbidity unit

NWIRP Naval Weapons Industrial Reserve Plant

NYSDEC New York State Department of Environmental Conservation

PA Preliminary Assessment

PAHs polynuclear aromatic hydrocarbons

PCBs polychlorinated biphenyls

QA quality assurance

QC quality control

RCRA Resource Conservation and Recovery Act

RFA RCRA Facility Assessment
RFI RCRA Facility Investigation
RGH Rogers, Golden, & Halpein

RI Remedial Investigation

RPDs relative percent differences

SI Site Investigation

SOPs standard operating procedures

STARS Spill Technology And Remediation Series

SVOCs semi-volatile organic compounds

TAGM Technical and Administrative Guidance Memorandum

TAL Target Analyte List TBCs to-be-considered

TCL Target Compound List

TIC tentatively identified compound

TtNUS Tetra Tech NUS, Inc.
USCOE U.S. Corps of Engineers

USDOI U.S. Department of the Interior

USGS U.S. Geological Survey
UST underground storage tank
VOCs volatile organic compounds

1.0 INTRODUCTION

1.1 PURPOSE

The Northern Division of the Naval Facilities Engineering Command (NAVFAC) has issued Contract Task Order (CTO) 0270 to Tetra Tech NUS, Inc. (TtNUS) under the Comprehensive Long-Term Environmental Action Navy (CLEAN) Contract N62472-90-D-1298 to perform a Phase 2 Resource Conservation and Recovery Act (RCRA) Facility Investigation (RFI) for Site 7 - Fuel Depot Area at the Naval Weapons Industrial Reserve Plant (NWIRP), located in Calverton, New York.

This work is part of the Navy's Installation Restoration (IR) Program, which is designed to identify contamination of Navy and Marine Corps lands/facilities resulting from past operations and to institute corrective measures, as needed. There are typically four distinct stages. Stage 1 is the Preliminary Assessment (PA), which was formerly known as the Initial Assessment Study (IAS). Stage 2 is a RCRA Facility Assessment -Sampling Visit (RFA), which is also referred to as a Site Investigation (SI), which augments the information collected in the Preliminary Assessment. Stage 3 is the RCRA Facility Investigation/Corrective Measures Study (RFI/CMS) (also referred to as Investigation/Feasibility Study [RI/FS]), which characterizes the contamination at a facility and develops options for remediation of the site. Stage 4 is the Corrective Action, which results in the control or cleanup of contamination at sites. This report has been prepared under Stage 3 and serves as a supplemental report to the RFI report and Addendum for NWIRP Calverton, New York, (Halliburton NUS [HNUS], 1995a; HNUS, 1995b).

This report specifically addresses Site 7, the Fuel Depot Area. Data from the Site 10A - Jet Fuel Systems Laboratory investigation area is also included as relevant. Based on test results presented in this and previous reports (See Section 1.4), the nature and extent of contamination at this site have been adequately characterized. Therefore, the remediation process can proceed to the CMS step. Additional data collection would be conducted during the Corrective Measure Study and Corrective Action stages, as required.

In addition to Site 7, Phase 2 RFI testing is continuing at several other RFI sites. The results from the investigation at the other sites will be presented in supplemental Phase 2 RFI reports.

This RFI was conducted in accordance with the requirements of the New York State RCRA Hazardous Waste Permit for the facility (New York State Department of Environmental Conservation [NYSDEC] 1-4730-00013/00001-0), dated March 25, 1992. The NYSDEC is the lead oversight agency. This work was also conducted in accordance with the requirements of the United States Environmental Protection

Agency (EPA) facility permit (EPA ID Number NYD003995198), dated May 11, 1992. The EPA supports NYSDEC in its oversight activities. The requirements of both permits appear to be the same, although the terminology and format vary.

1.2 FACILITY LOCATION

The site involved in this study is located within the confines of NWIRP Calverton, Suffolk County, New York, (see Figure 1-1 and Figure 1-2). NWIRP Calverton is located on Long Island approximately 70 miles east of New York City. The facility is located within the municipality of Riverhead.

Prior to 1996, NWIRP Calverton was a government-owned contractor-operated (GOCO) facility which was operated by the Northrop Grumman Corporation. The facility had an overall area of approximately 6,000 acres, of which 3,000 acres lie entirely within a fenced-in boundary. The majority of the industrial activity was confined to the south central portion of this fenced-in area.

Currently, NWIRP Calverton consists of four separate parcels of land totaling approximately 358 acres. Eight Navy IR sites are included within these parcels as follows. The location of the parcels and sites are presented in Figure 1-2.

Parcel A (32 acres)

Site 2 - Fire Training Area

Parcel B1 (40 acres)

Site 6A - Fuel Calibration Area Site 10B - Engine Test House

Parcel B2 (131 acres)


Southern Area

Parcel C (10 acres)

Site 7 - Fuel Depot Site 10A - Jet Fuel Systems Laboratory

Parcel D (145 acres)

Site 1- Northeast Pond Disposal Area Site 9 - ECM Area



This page intentionally left blank.



P:\GIS\WWIRP_CALVERTONSURFACE_WATER_HYDROLOGY.APR SITE LOCATION MAP 12/23/99 JAL

1.3 FACILITY HISTORY

NWIRP Calverton has been owned by the U.S. Department of the Navy (Navy) since the early 1950's, at which time the land was purchased from a number of private owners. The facility was expanded in 1958 through additional purchases of privately-owned land. Northrop Grumman Corporation (previously Grumman Corporation) leased the land and was the sole operator of the facility from its construction until February 1996. In 1996, the land was returned to the Navy.

In September 1998, the majority of the land within the developed section of the facility was transferred to the Town of Riverhead for redevelopment. Because of the need for additional environmental investigation and the potential need for remediation, the Navy retained four parcels of land within the developed section. The four parcels and associated Navy IR Sites are presented on Figure 1-2.

Approximately 3000 acres of undeveloped land outside of the fenced area was transferred to the Veterans Administration and the New York State Department of Environmental Conservation (NYSDEC) in 1999.

NWIRP Calverton was constructed in the early 1950's for use in the development, assembly, testing, refitting, and retrofitting of Naval combat aircraft. The facility supported aircraft design and production at the Northrop Grumman's Bethpage facility, which is located in Nassau County, New York.


The majority of industrial activity at the facility was confined to the developed area in the center and south center of the facility, between the two runways. Industrial activities at the facility were related to the manufacturing and assembly of aircraft and aircraft components. Operations which resulted in hazardous waste generation included but were not limited to metal finishing processes, such as metal cleaning and electroplating, other maintenance operations, temporary storage of hazardous waste, fueling operations, and various training operations. The painting of aircraft and components resulted in additional waste generation.

1.4 SURFACE WATER HYDROLOGY

The majority of the NWIRP Calverton is located within the Peconic River drainage basin. The eastward-flowing Peconic River is located approximately 1,300 feet south of the facility at its closest point. The Peconic River discharges to Peconic Bay located 8.5 stream miles from the facility.

Surface water hydrology is illustrated on Figure 1-3. Major surface water features near the facility include McKay Lake and Northeast Pond (see Figure 1-2). McKay Lake is a man-made groundwater recharge basin located north of River Road, midway along the southern site border. Northeast Pond is located at

This page intentionally left blank.



the northeast corner of the facility. Several small drainage basins exist near the Fuel Calibration Area (Runway Ponds). All of these surface water features are land locked, with the exception of McKay Lake, which has an intermittent discharge to Swan Pond, located 1,500 feet to the south of NWIRP Calverton. Overhead flow from the drainage basins to the Peconic River may also occur periodically.

A number of small wetlands exist on the Calverton facility. The U.S. Department of the Interior (USDOI), Fish and Wildlife Department classifies the western half of the 2-acre Northeast Pond as palustrine, forested/scrub/shrub/emergent wetland. The drainage basins are classified as palustrine, scrub/shrub/emergent wetland (USDOI, 1980).

1.5 HYDROGEOLOGY

The unconsolidated sediments that underlie NWIRP Calverton are generally coarse-grained with high porosities and permeabilities. These factors create aquifers with high yields and transmissivities.

The Upper Glacial Formation, the Magothy Formation, and the Lloyd Sand are the major regional aquifers. The Upper Glacial and Magothy aquifers are of principle importance in Suffolk County because of their proximity to the ground surface. The Raritan Clay of the Raritan Formation has a very low permeability and acts as a regional confining layer that is believed to minimize the local risk of contamination to the underlying Lloyd Sand aquifer (McClymonds and Frank, 1972). The Lloyd Sand has not been extensively developed due to its depth and the abundant water available in the overlying aquifers.

The Upper Glacial aquifer is widely used as a source of groundwater in Suffolk County. The water table beneath the NWIRP Calverton lies within this aquifer. Porosities in excess of 30 percent have been calculated for the Upper Glacial aquifer in adjoining Nassau County. Hydraulic conductivity is estimated at 270 feet per day (ft/day).

The Magothy aquifer is widely used as a source of groundwater in Suffolk County. The most productive units are coarser sand and gravel. The permeability of the Magothy is high and hydraulic conductivity has been calculated in excess of 70 ft/day.

The Upper Glacial and Magothy aquifers are believed to be hydraulically interconnected and to function as a single unconfined aquifer. Logs from on-site monitoring wells, previous hydrogeologic investigations, and geologic mapping indicate that although clay lenses that may create locally confining and/or perched conditions are present in both aquifers, these lenses are not widespread and do not function as regional aquitards (McClymonds and Frank, 1972; Fetter, 1976).

NWIRP Calverton straddles a regional groundwater divide, with groundwater beneath the northern half of the facility flowing to the northeast, with the Long Island Sound as the probable discharge point for groundwater in the shallow aquifer zones. Groundwater beneath the southern half of the facility flows to the southeast and the Peconic River basin is the likely discharge point. Groundwater on the divide, the location of which can fluctuate, flows to the east. Groundwater potentiometric contours are shown on Figure 1-3.

1.6 GENERAL ECOLOGICAL SETTING OF NWIRP CALVERTON

NWIRP Calverton is located in the Long Island Pine Barrens, an area characterized by forests dominated by pitch pine (*Pinus rigida*) and oaks (*Quercus* sp.) growing on course-textured upland soils. Rainfall leaches rapidly through the soils recharging a vast underlying aquifer but creating a dry environment at the surface which predisposes the vegetation to frequent periodic wildfires. Where the frequent fire cycle is intact, the forest is typically dominated by pitch pine with a dense understory of scrub oak (*Quercus ilicifolia*), a shrub oak that rarely grows taller than 20 feet. Pitch pine is thick barked and thus generally resistant to brief fires, and both pitch pine and scrub oak regenerate rapidly following heavier fires (Myers and Gaffney, 1990; Navy, 1986 and 1996).

Dominance by taller oaks; especially scarlet oak (*Quercus coccinea*), white oak (*Quercus alba*), and black oak (*Quercus velutina*); increases where the fire cycle has been suppressed by human activity. A successional sequence progressing from a pitch pine-shrub oak forest, to a pitch pine-oak forest (taller oaks), and then to an oak-pitch pine forest (taller oaks) is recognized when fire is excluded (Myers and Gaffney, 1990). Fire has generally been excluded from inside the NWIRP Calverton fence since its establishment in 1952, and most mature forest within the fence cover falls into the pitch pine-oak or oak-pitch pine classifications. Especially in the northern part of the fenced area, where soils are less coarse, much forest cover is dominated by oaks, and pitch pine is only a minor associate.

Also typical of the Long Island Pine Barrens are coastal plain ponds, isolated shallow ponds with fluctuating levels of acidic, tea-colored water. These ponds are typically fringed by emergent wetland communities dominated by various rushes, sedges, and forbs and known to support a variety of rare, threatened, and endangered species (Myers and Gaffney, 1990; Conrad, 1996). The fenced part of NWIRP Calverton contains several coastal plain ponds, including Northeast Pond, Shannon's Pond immediately south of Northeast Pond, North Pond, and three narrow ponds on the edge of the developed area termed the Runway Ponds. Most of these ponds, especially Northeast Pond and the Runway Ponds, have been hydrologically altered by human activity. Also, one man-made lake (McKay Lake) is present in the south central portion of the facility.

1.7 PREVIOUS INVESTIGATIONS

Previous investigations at the site consisted of the following:

- IAS (Navy, 1986)
- SI (HNUS, 1992a)
- Hazard Ranking System Preliminary Scoring and Site Inspection Report Form (HNUS, 1992b)
- RFI (HNUS 1995a)
- RFI Addendum (HNUS 1995b)

This report has been prepared as an addendum to the NWIRP Calverton RFI reports issued in 1995, (HNUS, 1995a; HNUS, 1995b). The RFI reports concluded that additional testing was necessary to confirm nature and extent of contamination at several sites, including Site 7 - Fuel Depot Area. Specific data gaps from the previous work are identified in the site-specific sections of this report.

The Phase 2 RFI testing program was presented in the Phase 2 RCRA Facility Investigation Field Sampling Plan (CFB, 1997) and incorporates comments from the NYSDEC, New York State Department of Health (DOH), The Nature Conservancy, Suffolk County Department of Health Services, and the EPA.

1.8 SUMMARY OF FIELD ACTIVITIES

Field activities conducted during the Phase 2 RFI are summarized as follows. A detailed description of field activities is presented in Section 3.0 of this report.

- Temporary monitoring well installation, with groundwater sampling and volatile organic compounds (VOCs) analysis.
- Permanent monitoring well installation.
- Groundwater sampling, with VOC analysis.

1.9 QUALITY ASSURANCE/QUALITY CONTROL (QA/QC) SAMPLES

Environmental samples were analyzed by Volumetric (48-hour turnaround time; groundwater only for limited VOCs) and Quanterra, Inc. (28-day turnaround; soils and/or groundwater for Target Compound List (TCL) VOCs and TCL semi-volatile organic compounds (SVOCs). Analytical results, analytical methods, and data qualifiers are presented in Appendix A.

The Volumetric data were evaluated based upon trip blank contamination. The findings of the site-wide evaluation are presented below. Because of the limited number of field QA/QC samples and because the

analytical method used was gas chromatography (GC), the data is considered usable only for screening purposes. The following VOCs were detected in trip blanks at the concentrations indicated:

COC No.	Compound	Detected Concentrations (μg/L)	Action Level (μg/L)	Samples Affected
12	1,1-Dichloroethane	2.6	13	None
13	1,1-Dichloroethane	0.74	3.7	None
18	Benzene	0.54	2.7	None
18	Toluene	1.42	14.2	None
18	Ethylbenzene	0.53	2.65	JF-GW 16-20 JF-GW 16-35
19	Chloroform	0.72	3.6	JF-DUP-08

NOTE:

JF designations indicate samples collected at the Jet Fuel System Laboratory. The results of this investigation will be detailed in a subsequent RFI report but will be used in this report as relevant.

The results of this evaluation did not find significant evidence of blank contamination with Volumetric test results for Site 7. On a facility-wide basis, several chemicals were detected in the trip blanks. However, 1,1-dichloroethane, benzene, and toluene were not detected in the samples associated with these trip blanks. Positive results reported for ethylbenzene and chloroform in the samples shown above are at concentrations below the action levels and are considered false positives. Therefore, positive results for these compounds in the affected samples were struck out and qualified as artifacts of contamination, "B".

A more detailed evaluation of the data from Quanterra was conducted. Associated with these sample results are more extensive field QA/QC samples and detailed documentation of laboratory procedures. This data evaluation addresses only samples collected at Site 7 during the Phase 2 RFI. Data evaluation included a review of laboratory and field QC blanks and field duplicate results.

Evaluation of laboratory and field QC blanks was performed to aid in the elimination of false positive results identified as laboratory or field artifacts. Acetone was detected in a field ambient blank (labeled as a "field poured trip blank" on the chain-of-custody). However, acetone was not detected in any of the associated field samples. No other TCL VOCs, TCL SVOCs, or TCL pesticides/PCBs were detected in any of the laboratory or field QC blanks associated with Site 7. However, it is likely that the detection of diethylphthalate reported for a groundwater sample is a false positive. This chemical is a plasticizer used in gloves and other sample and analysis equipment and is commonly found in blanks.

The semivolatile tentatively identified compounds (TICs) detected in Fuel Depot soil samples FDT2SB02, FST2SB03, FDT3SB01, FDT3SB02, and FDT3SB04 were also detected in the laboratory

method blanks associated with these samples. Therefore, based on EPA Region II data validation guidelines, TICs have been reported as not detected in these samples on the tables included in Section 2.

Field duplicate samples were collected for soil samples. Field duplicate precision was evaluated by determining the relative percent differences (RPDs) between field duplicate results. The criteria used for evaluation were limits of 30% RPD for water samples and 50% RPD for sediment samples, with the exception of metals results which were less than two times the Contract Laboratory Program (CLP) Contract Required Detection Limits (CRDLs) used for reporting. In these cases, the criterion was that the difference between field duplicate results was less than the CRDL. Results for benzo(k)fluoranthene and phenanthrene in soil sample FDT1SB02 were qualified as estimated, J, based on field duplicate RPDs which exceeded QC criteria.

2.0 SITE BACKGROUND

2.1 SITE DESCRIPTION AND PHYSICAL SETTING


Site 7 - Fuel Depot Area is located approximately 3,000 feet north of the south gate, near the geographic center of the Calverton facility. Site 7 is located at the eastern side of the road leading from the south gate and is approximately 1.3 acres in area, measuring 150 feet in width and 400 feet in length, as shown on Figure 2-1. The principal features of the fuel depot are a large concrete trucking-parking area covering the southern half of the depot and one underground fuel storage tank area. The former underground storage tank (UST) area is comprised of a 40- by 150-foot area covering the north-central area. The former UST area is primarily gravel covered, with scattered concrete pads surrounding fill and vent pipes. A pump house is located at the western edge of the fuel depot, and a maintenance garage was located at the southeastern corner (U.S. Geological Survey [USGS], 1967; Navy, 1986).

A garage and paved parking area for trucks and equipment formally used by the Northrop Grumman transportation department are located north of Site 7. Areas to the east and south are wooded. A paved roadway leading from the south gate is adjacent to the depot to the west; a storage building and the fuel system laboratory building are located west of the road (USGS, 1967; Navy, 1986). Site 7 is generally level, with a very slight slope to the east (USGS, 1967).

2.2 SITE HISTORY

Site 7 was used for the storage and distribution of fuel products, such as JP-4 and JP-5 jet fuel. Fuels were stored in USTs. Seven tanks, ranging in size from 4,000 to 15,000 gallons, were originally used for storage of jet fuel and gasoline. More recently, three 50,000 gallon tanks stored jet fuel, two 10,000 gallon tanks stored diesel fuel and gasoline, and one 20,000 gallon tank stored gasoline. The 50,000 gallon tanks were removed in August 1997 and the 10,000 and 20,000 gallon tanks were removed in April 1998. One 550 gallon AST, also removed in April 1998, stored JP-4 jet fuel and was located on a concrete pad east of the pump house. As of April 1998, all petroleum storage tanks have been removed. Fuels were transferred from the USTs to trucks for use in the flight preparation areas of the facility. These activities have resulted in groundwater contamination by fuels, which may have occurred due to tank and/or pipe leakage, tank overfilling, and surface spills.

The remedial activities at the fuel depot area to date are limited to the identification of the dissolved product plume and free product removal. A total of 34 monitoring wells were installed by Marine Pollution Control (MPC) in this area, the latest one in May 1989. As of February 1996, approximately 174 gallons of petroleum product have been removed from this site.



FORM CADD NO. TINUS_AHDWG - REV 0 - 1/22/98

2.3 ECOLOGICAL SETTING

2.3.1 <u>Vegetation</u>

All areas within the Site 7 fence are paved or maintained as lawn areas. The fence is bordered to the north and west by more lawn and paved areas and to the south and east by the oak-pine forest typical of course-textured upland soils in the Long Island Pine Barrens. Although the forest comes within 10 feet of the fence to the south, a wider area of grass up to 50 feet in width separates the east fence from the forest. The grassy areas are dominated by upland grasses and weedy forbs such as fescues (*Festuca* sp.), panic grass (*Panicum lanuginosum*), broomsedge (*Andropogon virginicus*), and yellow sweet clover (*Melilotus officinalis*). The forest is dominated by pitch pine (*Pinus rigida*) and oaks (primarily scarlet oak, *Quercus coccinea*), with a dense shrubby understory of early low blueberry (*Vaccineum vacillans*).

2.3.2 Wildlife

The chain link perimeter fence around Site 7 and the absence of natural vegetation inside the fence render all areas inside the fence effectively unavailable and undesirable to terrestrial wildlife. The forest east and south of Site 7 is a small, isolated patch of less than 10 acres that is of little or no value to wildlife favoring large tracts of forest. Its value to wildlife favoring forested edges was minimal while NWIRP Calverton was in active use but may be higher now that human activity has decreased and most lawns are not frequently mowed. Examples of such edge-favoring wildlife include whitetail deer (*Odocoileus virginianus*), northern bobwhite quail (*Colinus virginanus*), eastern kingbird (*Tyrannus tyrannus*), indigo bunting (*Passerina cyanea*), and song sparrow (*Melospiza melodia*) (Kricher, 1988).

2.3.3 Wetlands

There are no areas on or adjoining Site 7 that meet the technical criteria for delineation as wetlands (U.S. Corps of Engineer [USCOE] Environmental Laboratory, 1987). The only natural vegetation on the site comprises ruderal upland grasses and weedy forbs, and the only natural vegetation adjoining the site is a forest of scarlet oak and pitch pine, both typical of uplands.

2.3.4 Aquatic Biota

There are no aquatic habitats, and hence no aquatic biota, on or close to Site 7.

2.3.5 Special Status Species

Records maintained by the NYSDEC Natural Heritage Program do not include any documented sightings of special status species at coordinates on or near Site 7 (Conrad, 1996).

2.4 GEOLOGY

Four soil borings (FD-SB-01 through FD-SB-04), two shallow permanent monitoring wells (FD-MW-05-S and FD-MW-06-S), and four well clusters (FD-MW-01 through FD-MW-04) were installed at Site 7 as part of 1995 RFI activities. The soil borings range in depth from 16 to 17 feet below ground surface (bgs). Each well cluster consisted of a shallow well and an intermediate well. The shallow wells ranged in depth from 23.5 to 26.5 feet bgs and were drilled to approximately 8 feet below the water table. The intermediate wells reached total depths of 80 feet bgs.

Based upon onsite soil borings and wells, the site is underlain by three distinct lithofacies, an upper (A) lithofacies, a middle (B) lithofacies, and a lower (C) lithofacies. The upper lithofacies (A) consists predominantly of orange-brown, brown, and light brown, silty, fine-grained sand with varying amounts of peat and pebbles. The upper lithofacies ranges from 1 to 5 feet thick and was encountered in all soil borings except FD-SB-04 and in all monitoring wells. The upper lithofacies (A) represents a mixture of soil and glacial deposits. The middle lithofacies (B) consists of light brown and tan fine-grained sand with varying amounts of medium-grained sand, pebbles, and clay. The middle lithofacies ranges from 45 to 69 feet thick and was encountered in all soil borings and monitoring wells. One of the monitoring wells, FD-MW-04-I, penetrated an additional 9 feet of micaceous silt. The middle lithofacies (B) probably represents undisturbed glacial deposits. The lower lithofacies (C) consists of brownish-gray, micaceous, silty clay and was encountered in all of the intermediate wells. The lower lithofacies (C) may represent the Magothy Formation.

2.5 HYDROGEOLOGY

Groundwater in the glacial deposits occurs under unconfined conditions. The depth to groundwater, as determined by the 1995 onsite monitoring well program, ranges from 17.39 to 19.49 feet bgs. The elevation of the water tables ranges from 32.55 feet above mean sea level (msl) in FD-MW03-I, the westernmost well, to 32.20 feet above msl in FD-MW01-I, the northernmost well. The direction of groundwater flow is to the east. The hydraulic conductivity calculated for glacial deposits from slug tests ranges from 0.039 feet per minute (ft/min, 56 ft/day) to 0.122 ft/min (176 ft/day) for sediments shallower than 24 feet bgs and from 0.029 ft/min (42 ft/day) to 0.036 ft/min (52 ft/day) for sediments deeper than 41 feet bgs. Groundwater flow is to the east (see Figure 1-3).

2.6 PREVIOUS INVESTIGATIONS

2.6.1 <u>Initial Assessment Study (IAS)</u>

An IAS was performed for the NWIRP Calverton in 1986 (Navy, 1986). This study identified seven potential areas of concern, including Site 7.

2.6.2 Site Investigation (SI)

As a follow-up to the IAS, an SI was conducted at NWIRP Calverton (HNUS, 1992a), which identified seven sites, including Site 7. The sites investigated can be classified as either landfill-type sites or sites resulting from documented or suspected historic spills or leaks of fuels, oils, and/or solvents. Spills have been documented at Site 7. In addition, floating free product has been identified in monitoring wells.

2.6.3 RCRA Field Investigation (RFI)

An RFI was conducted in 1994/1995 (HNUS 1995a). The conclusions from this investigation are summarized as follows:

- VOCs were not detected in the Site 7 soils. Based on the absence of detected VOCs, the source area soils are most likely depleted of VOC contamination. Alternatively, based on the presence of USTs at this site, contaminants could have been introduced directly into the groundwater. A RCRA hazardous waste characteristic evaluation (40 Code of Federal Regulations [CFR] 261) did not result in the classification of site soils as characteristic hazardous waste.
- Polycyclic aromatic hydrocarbons (PAHs) and phthalates were detected at several locations throughout the site. However, only one PAH (benzo(a)pyrene at 0.11 milligrams per kilogram [mg/kg]) at one location exceeded the NYSDEC soil action levels. It should be noted that additional soil testing during the Phase 2 RFI found four PAHs which exceeded NYSDEC soil action levels, including benzo(a)pyrene at 2,200 micrograms per kilogram (μg/kg), as reported in Section 3.3.
- Lead was not detected at concentrations that would be considered greater than background.
- VOCs, including toluene (160 micrograms per liter [μg/L]), ethylbenzene (290 μg/L), and xylenes (2,400 μg/L), were detected in groundwater at concentrations above the NYDEC groundwater quality standards. The New York state standard for most VOCs in groundwater is 5 μg/L. SVOCs, including naphthalene (150 μg/L) and methylnaphthalene (78 μg/L), were also detected at levels exceeding the

EPA Maximum Contaminant Levels (MCLs) and/or the NYSDEC groundwater quality standards. Lead was not detected at a level exceeding Federal or state standards.

- Floating free product has been identified at the site. The location of the free product corresponds to the location of the most contaminated groundwater. Free product recovery was ongoing Grumman operation until 1996.
- The extent of soil contamination is adequately defined.
- The extent of groundwater contamination is characterized in the vertical direction and is mostly characterized in the horizontal direction. The groundwater area requiring additional definition is to the east/northeast of monitoring well MW05. Note that the Phase 2 testing conducted in 1997 completed this delineation, see Section 3.0.

2.6.4 <u>Baseline Human Health Risk Assessment</u>

A baseline human health risk assessment was performed as part of the RFI. According to this assessment, no unacceptable health risks to current workers would be expected. Under a hypothetical future residential land use scenario, unacceptable health risks would be expected from both direct contact with the soils and domestic use of groundwater. The non-carcinogenic hazard index (HI) exceeds the regulatory threshold of 1.0 only for domestic use of groundwater. Calculated incremental cancer risks (ICRs) are approximately 4.7E-06 and 1.0E-06 for soil and groundwater, respectively. The primary chemicals of concern (COCs) for future residents include PAHs, substituted benzene compounds, and naphthalene compounds.

Details of the baseline human health risk assessment are as follows.

2.6.4.1 Risk Characterization Approach

The results of the risk assessment developed during the 1995 RFI (HNUS 1995a) are summarized below. Additional detail is presented in Table 7-14 and Appendix L of the 1995 RFI. The potential receptor evaluated for the current land use scenario is a maintenance worker performing work tasks in the vicinity of Site 7. Surface water bodies do not exist within and do not adjoin Site 7. Therefore, the baseline risk assessment for Site 7 does not include an evaluation of an adolescent receptor potentially exposed to surface waters and sediments. Risks to hypothetical receptors assuming a future residential land use scenario were also evaluated.

2.6.4.2 Current Maintenance Worker Exposure

The total ICR estimate developed for a maintenance worker assuming exposure to contaminants in the soil at Site 7 was 4.7E-07, which is below the 1.0E-04 to 1.0E-06 target risk range used by EPA to determine the need for action at Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) and RCRA sites or to formulate standards and criteria (e.g., the Federal Safe Drinking Water Act standards). The HI, which is an indicator of the potential for non-carcinogenic adverse health effects, was calculated as 1.5E-05 for the maintenance worker. Adverse non-carcinogenic health effects are not anticipated when HI is below unity.

2.6.4.3 Future Residential Exposure

The risk assessment conducted assuming a future residential land use scenario considered representative concentrations in soils and groundwater. The total ICR estimate for an adult residential receptor was 5.8E-06, which is within the EPA target risk range of 1.0E-04 to 1.0E-06. In contrast to risk estimates presented for other sites at NWIRP Calverton, the ICR estimate calculated for contaminants in soils (4.7E-06) is higher than that for chemicals in groundwater (1.0E-06). Only the risk estimate for benzo(a)pyrene in soil exceeds 1.0E-06. ICR estimates developed for the other individual chemicals in soil and groundwater do not exceed 1.0E-06. The non-carcinogenic HIs developed for adult and child receptors assuming a future residential land use scenario were 0.72 and 2.5, respectively. There is a potential for adverse non-carcinogenic health effects when either the cumulative HI or chemical-specific Hazard Quotients (HQs) exceed unity. Cumulative HIs developed for contaminants detected in soil exceed unity and the HQ developed for the representative concentration of xylene in groundwater also exceeds unity (HQ for total xylenes is 1.57). These results suggest that there is a rather limited potential for adverse noncarcinogenic effects at Site 7 under the conditions specified in the exposure assessment.

2.6.4.4 IEUBK Lead Modeling Results

At Site 7, the initial reported lead results were either from data sets which are not statistically different from background or are rejected because of analytical problems. Consequently, an evaluation of the lead was not performed in the initial report. Additional groundwater samples were collected during the supplemental sampling event in 1995. This data was used to turn the IU/BK model. The model runs are presented in Appendix E for the average (standard) and maximum cases. The target is a value of less than 5%. The Site 7 results were 0.01% and 0.65% under the average and maximum cases, respectively. Therefore, lead is not a significant concern at this site.

2.6.4.5 Qualitative Risk Assessment

The focus of the qualitative risk assessment is to identify regulations, such as applicable or relevant and appropriate requirements (ARARs), and other standards, such as to-be-considered (TBCs), which are exceeded by measured site contaminant levels. The standards which are presented are those which have been developed for the protection of human health. Other criteria, developed for the protection of the environment and ecological receptors, are not considered. Discussion of the qualitative risk assessment is presented on a medium-specific basis.

2.6.4.6 Soil Standards

Although no Federal standards are generally available for evaluating soils in a qualitative manner, NYSDEC has adopted soil criteria which are designed to be protective of the environment (i.e., groundwater). The criteria are identified in Technical and Administrative Guidance Memorandum (TAGM) Number 4046, Determination of Soil Cleanup Objectives and Cleanup Levels, as revised January 26, 1994. TAGM standards for organic compounds are developed to ensure attainment of groundwater standards under an equilibrium partitioning scenario. The numerical soil standard is based on compound-specific organic carbon partitioning coefficients (KOCs) and a default dilution attenuation factor (100 to 1) and soil organic carbon content 1 percent or risk-based concentrations (for soil ingestion). Recommended cleanup objectives are identified on the basis of background (regional or site-specific) and health-based criteria. One reported result for benzo(a)pyrene exceeded the TAGM standard.

2.6.4.7 Groundwater Standards

Analytical results for groundwater were compared to Federal and state MCLs and state groundwater quality standards to identify the location for which standards are exceeded. These standards are exceeded only by a selected group of groundwater chemicals. COCs include toluene, ethylbenzene, xylenes, naphthalene, 2-methylnaphthalene, 4-methylphenol, and 2,4-dimethylphenol. Locations of exceedance are limited to monitoring wells MW04S, MW05S, and MW06S.

2.6.4.8 Conclusions

The conclusions of the baseline human health risk assessment were based on the results of both quantitative and qualitative risk assessment methodologies and identify possible risks associated with human exposure to the soil, and groundwater at Site 7. The conservative nature of the risk assessment approach was intended to herald possible risks, but the assessments did not provide expressly accurate or definitive information regarding the occurrence of adverse health effects in humans exposed to site media. Several factors which are not apparent in the conclusions necessitate careful interpretation of the results and the risk management which will follow as future activities are planned. Cancer Slope Factors

(CSFs) are the upper 95 percent confidence limit of a dose-response curve generally derived from animal studies. Actual human risk, while not identifiable, is not expected to exceed the upper limit based on the CSFs, and, in fact, may be lower.

Conclusions were as follows:

- Based on the quantitative risk assessment, the current conditions at Site 7 do not pose cancer risks at
 levels which exceed benchmarks commonly used by EPA for risk management (i.e., ICR in excess of
 1.0E-06). The calculated HI, which measures the likelihood of occurrence of adverse noncarcinogenic systemic health effects, is less than unity, which indicates none are expected. Under the
 evaluated scenario, occupational receptors are exposed during routine activity via ingestion and
 dermal exposures.
- Under a hypothetical future residential land use scenario, the calculated risks are above the both cancer and noncancer risk benchmarks. Exposure scenarios including soil contact and domestic use of groundwater were evaluated. Unlike the other RFI sites, the majority of the risks at Site 7 are provided by exposure to soil. The estimated ICR for adult residents (5.8E-05) is primarily attributable to benzo(a)pyrene in soil, which is the only Site 7 contaminant with an individual cancer risk contribution greater than 1.0E-06. The cumulative HI, an indicator of the potential for adverse systemic health effects, for the child residential receptor is 2.5. The primary contributor to this HI was xylene, which had a HQ of approximately 1.57. The child resident is the most sensitive receptor for systemic effects due to the high contact rate relative to the overall body weight of the receptor. Xylene overexposure is likely to manifest itself in the form of central nervous system effects.
- Analytical results available for some parameters exceed regulatory and other standards. The soils are noted to be contaminated with detected amounts of PAHs and phthalate esters, but only one benzo(a)pyrene result was noted to exceed the New York State TAGM 4046 Recommended Cleanup Goal. Groundwater chemical concentrations also eclipse both state and federal drinking water standards and state water quality standards. Exceedances are noted for toluene, ethylbenzene, xylenes, naphthalene, and 2-methylnaphthalene. The conclusions of the qualitative risk assessment generally mirror those for the quantitative assessment.
- Benzo(a)pyrene in soil and monocyclic aromatics and naphthalene in groundwater have been identified as posing unacceptable human health risks at Site 7 for hypothetical future residential land users. Current risk levels do not exceed the upper bound EPA cancer risk range goal of 1.0E-04.

2.7 DATA GAPS

Site 7 was investigated to fully delineate the nature and extent of contamination in soils and groundwater as the result of leaking former USTs or fuel spills at the site. The only identified data gap from the previous RFI was the extent of VOC contaminated groundwater to the east.

In addition, three USTs were excavated and removed from the site in August 1997. As a result, soil and groundwater from underneath these tanks could be tested to refine the estimated magnitude of contamination in the source area.

3.0 PHASE 2 SOIL AND GROUNDWATER INVESTIGATION

Between March 1997 and July 1997, the following Phase 2 field investigation activities were conducted at Site 7:

- Installation of four temporary monitoring wells to the east and north of the Fuel Depot. Groundwater samples were collected at two or more depths and analyzed for VOCs.
- Installation of three temporary monitoring wells in the area of the excavated 50,000-gallon USTs.
 Groundwater samples were analyzed for VOCs and SVOCs.
- Installation of one permanent monitoring well at the hydraulic down gradient edge of groundwater contamination.
- Sampled permanent monitoring well (2 rounds). Samples were analyzed for VOCs.
- Collection of 13 soils samples from bottom of excavation for the three 50,000-gallon USTs. Samples were analyzed for VOCs and SVOCs.

3.1 TEMPORARY MONITORING WELLS

Seven temporary monitoring wells were installed on site. Four of these wells were placed to the north (FD-TW-01, FD-TW-02) and east (FD-TW-03, FD-TW-04) of Site 7 to determine the downgradient horizontal extent of groundwater contamination. The three remaining wells (FD-TW-05 to FD-TW-07) were installed in the area of the recently excavated 50,000-gallon USTs to further define groundwater quality in the contamination source area. The locations of the temporary monitoring wells are presented in Figure 3-1.

The temporary wells were installed using the Geoprobe™ direct push method. The Geoprobe™ consists of a truck-mounted, sampling device which uses hydraulic pressure to push sampling rods into the ground. Groundwater samples were collected from various depths and soil samples were collected at selected locations using this method. Details of the samples were recorded on sample log sheets which are included as Appendix C. Chain of Custody forms are provided in Appendix D.

Groundwater samples from the four downgradient wells were submitted to Volumetric for quick-turn around (48 hours) analysis of VOCs and results are shown on Table 3-1. Groundwater samples from the three source area well were submitted to Quanterra for analysis of TCL VOCs and SVOCs and results are

TABLE 3-1

DOWNGRADIENT TEMPORARY MONITORING WELL ANALYTICAL RESULTS SITE 7 - FUEL DEPOT AREA PHASE 2 RFI NWIRP CALVERTON, NEW YORK

	FD-TW-01 Depth (ft bgs/bwt)		FD-TW-02 Depth (ft bgs/bwt)		FD-TW-03 Depth (ft bgs/bwt)		FD-TW-04		
Chemical							Depth (ft bgs/bwt)		s/bwt)
	17/5	36/20	19/5	34/20	19/5	34/20	19/5	34/20	54/40
NON-CHLORINATED VOCs (μg/L)									
Benzene					17	12			
Ethylbenzene					15	10		_	
Toluene					26	17	0.6	0.6	
Xylene					10	6			
CHLORINATED VOCS	(µg/L)								
Chlorobenzene					11	8			
1,1-Dichloroethane									1
1,1,2-Trichloroethane				3					

NOTES:

All samples from downgradient temporary wells were analyzed on a quick turnaround (24 hours) by Volumetric

A blank space denotes that chemical was not detected at the analytical method detection limit

bgs:


below ground surface

bwt:

below water table

ft

feet



CTO 0270 ハハビノフロハマフ shown on Table 3-2. These results were compared to the NYSDEC drinking and groundwater protection standards. Chemical-specific VOC exceedances were noted in temporary monitoring wells FD-TW-02, FD-TW-03, FD-TW-05, FD-TW-06, and FD-TW-07. These finding indicate that the extent of groundwater contamination is defined and currently does not extend off site.

The results of the current investigation, as well as relevant results from the initial RFI, are also plotted on Figure 3-1.

3.2 PERMANENT MONITORING WELLS

One new permanent monitoring well (FD-MW07) was installed at the downgradient edge of the VOC-contaminated groundwater. Monitoring wells construction details are summarized in Table 3-3. The location of this well, as well as the locations of previously-installed permanent monitoring wells are presented in Figure 3-2. Monitoring Well Construction Sheets are provided in Appendix D.

Groundwater samples were collected from monitoring well FD-MW07 in June 1997 and November 1997. A low-flow sampling technique was used to collect this sample. The purpose of this sampling technique is to minimize stress on the surrounding fill material by using low water-level draw downs and pumping rates. EPA standard operating procedures (SOPs) were followed during collection of the sample.

A Grunfos-brand submersible pump with a flow control box was used to collect the sample. Teflon™-lined polyethylene tubing was used as the discharge for the pump. The water level in the well was measured first and then the pump was lowered slowly and gently to the mid-point of the saturated screen length. The pump was then turned on, and the flow rate was adjusted very slowly. The maximum amount of water pumped out of the well was one liter per minute.

While the well was being pumped, the following indicator field parameters were measured approximately every five minutes: temperature, specific conductivity, pH, dissolved oxygen (DO), and turbidity.

The EPA SOPs specify the following guidelines for field parameter stabilization:

turbidity - 10% for values greater than 1 nephelometric turbidity unit (NTU)) DO - 10% specific conductance - 3% temperature - 3% pH - \pm 0.1 unit

TABLE 3-2

SOURCE AREA TEMPORARY MONITORING WELL ANALYTICAL RESULTS SITE 7 - FUEL DEPOT AREA PHASE 2 RFI NWIRP CALVERTON, NEW YORK

Chemical	FD-TW-05	FD-TW-06	FD-TW-07	
	3-5 ft bwt	3-5 ft bwt	3-5 ft bwt	
VOCs (μg/L)				
Benzene		12	11	
Ethylbenzene	480	170	67	
Toluene	710	7 J	12	
Xylene	1,900	540	320	
SVOCs (µg/L)			·	
Diethylphthalate		3 J		
2,4-Dimethylphenol	2 J			
Fluorene	1 J		1 J	
2-Methylnapthalene	54	69	62	
2-Methylphenol		2 J	2 J	
4-Methylphenol	3 J			
Naphthalene	80	110	79	
Phenathrene	1 J			
Carbazole	·		10	
Tentatively Identified Compounds	Yes	Yes	Yes	

NOTES:

All samples from source area temporary wells were analyzed by Quanterra

A blank space denotes that chemical was not detected at the analytical method's detection limit

bwt below water table

ft feet

J estimated concentration

SVOCs: semi-volatile organic compounds

VOCs: volatile organic compounds

TABLE 3-3


GROUNDWATER MONITORING WELL CONSTRUCTION DETAILS SITE 7 - FUEL DEPOT AREA NWIRP CALVERTON, NEW YORK

Well No.	Date Installed	Top of Casing Elevation (feet)	Depth to Water (feet)	Total Well Depth (feet)	Screened Interval (feet bgs)	Water Level Elevation (feet)
FD-MW07	06/09/97	57.01	15.12	21	10 to 20	41.89

NOTE:

bgs: below ground surface

This page intentionally left blank.



3-9

These guidelines were followed, and the data was recorded on field log sheets (see Appendix F). After stabilization, the sample was collected directly from the tubing into the sample container.

The samples collected from monitoring well FD-MW07 was analyzed for TCL VOCs by Quanterra. During the June 1997 sample event, only chloroform, at an estimated concentration of 1.2 µg/L, was detected. During the November 1997 sample event, only tetrachloroethene at 4.2J µg/L and 1,1,1-trichloroethane at 2.0J µg/L were detected. These concentrations are less than applicable EPA and NYSDEC groundwater/drinking water criteria. Analytical results from previous investigations which exceeded EPA or NYSDEC criteria are shown on Figure 4-2.

3.3 SUMMARY OF GROUNDWATER CONTAMINATION

Data from the Phase 2 RFI was combined with the data from previous investigation to delineate the extent of groundwater contamination through use of Environmental Visualization System (EVS). Data from neighboring Site 10A - Jet Fuel Systems Laboratory was also used for this evaluation as it may impact Site 7 groundwater quality. EVS Figures 3-3 and 3-4 show respectively a plan and side view of the contaminant plume for benzene, toluene, ethylbenzene, and xylenes (BTEX), which are the main chemicals of concern at Site 7.


Based on the modeling results, the western half of the former underground storage tank area was the primary source of groundwater contamination in this area. The horizontal extent of groundwater contamination is approximately 120 feet beyond the eastern edge of the former underground storage tank area. The maximum vertical extent of groundwater contamination is near the downgradient edge of the plume and is approximately 25 feet below the water table (40 feet below ground surface). Only minor and sporadic detections of BTEX chemicals were detected in the area of Site 10A -Jet Fuel Systems Laboratory. Based on the modeling results, only minor levels of chlorinated VOCs were detected at Sites 7 and 10A.

EVS Figure 3-5 shows a plan and side view of chlorinated organics contamination. EVS Figure 3-6 shows a plan and side view of the Site 10A Freon contamination which may impact Site 7. Based on the modeling results, one area of freon contaminated groundwater was detected near the southwest corner of Site 7. The horizontal and vertical extent of the contamination is defined.


As shown on the above-mentioned figures, the extent of the groundwater contamination is adequately defined to proceed from the study phase to the alternative analysis phase.


This page intentionally left blank.


010001/P 3-12 CTO 0270



P:\GIS\WWIRP_CALVERTON\EVS\SITES7&10A_MAX.APR MAX-BTEX-PLAN VIEW 12/28/99 JAL







3.4 SOIL TESTING

Thirteen soil samples were collected from the bottom of the excavation during the removal of the three 50,000-gallon USTs, as shown on Figure 3-7. Three, five, and five samples were collected from underneath Tank Nos. 1, 2, and 3, respectively. Sampling depth was approximately 15 to 17 feet bgs, which corresponds approximately to the bottom elevation of each of the former USTs. This depth is also close to the seasonal high groundwater table elevation. Samples were analyzed for TCL VOCs and SVOCs.

Analytical testing results are presented in Table 3-4. For comparison purposes, Table 3-4 also shows the NYSDEC Spill Technology and Remediation Series (STARS) Memo No. 1 (NYSDEC, 1992) criteria for soils. These criteria represent potential cleanup standards for soil contaminated with petroleum products. Based upon this comparison, 5 of the 13 samples would exceed the criteria for one or more chemicals, and at least one of these 5 samples is located under each former UST. The detected chemicals are PAHs, which are normal constituents of fuels. These findings are consistent with previous site investigations, which detected PAHs in soil at a depth near the water table (14 to 16 feet bgs).




TABLE 3-4

SUBSURFACE SOIL ANALYTICAL RESULTS 50,000 GALLON FUEL TANKS SITE 7 - FUEL DEPOT AREA PHASE 2 RFI NWIRP CALVERTON, NEW YORK PAGE 1 OF 3

Chemical	STARS ⁽¹⁾ Memo No.1	FDT1SB01	FDT1	SB02	FDT1SB03	FDT2SB01	FDT2SB02	FDT2SB03
-				T1-DUP-7				
VOCs (µg/kg)								
Toluene						4J		
PAHs (μg/kg)								
Anthracene	>100,000		610J	1200J	310J			
Benzo(a)anthracene	220	3,300	1,500	2,300	2,000	100J		
Benzo(b)fluoranthene	220	1,700	760	1,100	1,200J	430		
Benzo(k)fluoranthene	220	1,700	700J	1,200J	920J	250J		
Benzo(ghi)perylene	· ·	1,100J	560J	830J	720J	190J		
Benzo(a)pyrene	61	2,200	990	1,500J	1,400J	500		777
Chrysene		3,100	1,600	2,600	2,100	410		
Dibenz(a,h)anthracene				240J				
Fluorene	>100,000		180J	550J				
Fluoranthene	>100,000	7,400	4,200	6,900	4,600	130J		
Indeno(1,2,3-cd)pyrene	•	1,400J	650J	980J	860J	250J		
Phenanthrene			870J	2,100J	250J			
Pyrene	>100,000	10,000	3,400	5,300	4,900	120J		**************************************
Carbazole			120J					
Tentatively Identified Compounds		Yes	Yes	Yes	Yes	Yes		

0100270

TABLE 3-4

SUBSURFACE SOIL ANALYTICAL RESULTS 50,000 GALLON FUEL TANKS SITE 7 - FUEL DEPOT AREA PHASE 2 RFI NWIRP CALVERTON, NEW YORK PAGE 2 OF 3

Chemical	STARS ⁽¹⁾ Memo No.1	FDT2SB04	FDT2SB05	FDT3SB01	FDT3SB02	FDT3SB03	FDT3SB04	FDT3SB05
VOCs (µg/kg)		•						
Toluene		,						
PAHs (μg/kg)		•						
Anthracene	>100,000	,						
Benzo(a)anthracene	220							
Benzo(b)fluoranthene	220					82J	:	50J
Benzo(k)fluoranthene	220							
Benzo(ghi)perylene		360		·	•	390		280J
Benzo(a)pyrene	61					36J		170J
Chrysene	•							
Fluorene	>100,000							
Fluoranthene	>100,000							
Indeno(1,2,3-cd)pyrene		380		,		480	-	340
Phenanthrene								
Pyrene	>100,000							
Carbazole								
Tentatively Identified Compounds		Yes]			Yes		Yes

010001/P

TABLE 3-4

SUBSURFACE SOIL ANALYTICAL RESULTS **50,000 GALLON FUEL TANKS** SITE 7 - FUEL DEPOT AREA **PHASE 2 RFI NWIRP CALVERTON, NEW YORK** PAGE 3 OF 3

NOTES:

Samples were collected at the bottom of each tank excavation, which is approximately 15 to 17 feet below ground surface. A blank space denotes that either a criterion does not exist or a chemical was not detected at the analytical method detection limit

1 Spill Technology and Remediation Series (STARS) Memorandum No. 1: Petroleum Soil Guidance Policy, New York State Department of Environmental Conservation (NYSDEC) Division of Spills Management, August 1992

estimated value

PAHs: polycyclics. aromatic hydrocarbons

VOCs: volatile organic compounds.

4.0 ECOLOGICAL RISK EVALUATION

Site 7 lies in an area of disturbed soils and ruderal (weedy) terrestrial vegetation that lacks sensitive ecological receptors capable of being significantly affected in an adverse manner by environmental contamination. There are no wetlands, surface water, or aquatic communities, nor any special status species or unique terrestrial communities located on or adjacent to contaminated areas at this site. Because of the lack of sensitive receptors potentially exposed to contamination at this site, no formal ecological risk evaluation was performed.

5.0 CONCLUSIONS

The following conclusions were developed based upon the results of the Phase 1 and Phase 2 RFIs at Site 7, the Fuel Depot Area:

- The extent of groundwater contamination at Site 7 is now adequately defined.
- Enough data now exists between both phases of the RFI to proceed to a CMS for this site to evaluate remedial options that will address groundwater contamination. Fuel type volatile organic compounds in groundwater are the primary site concern.
- PAH contamination was identified in deep soils at the site (greater than 14 feet below ground surface). The potential concern with PAH contamination at the observed concentrations is through the accidental ingestion and inhalation of dust pathways to humans under a residential use scenario. Under current site and likely future use scenarios, the presence of 14 feet of uncontaminated soils above this PAH contamination would prevent exposure to humans. Since PAHs do not readily dissolve into groundwater, groundwater migration is not a concern. In addition, over the long term PAHs will biodegrade naturally and activities to remediate groundwater will further enhance PAH degradation. However to ensure adequate consideration, PAH contaminated soil will be addressed in a CMS with the groundwater contamination.
- The PAH contaminated soil was observed at the depth of a former floating free product layer. Based
 on field testing conducted in 1998, the free product layer no longer exists at the site.

REFERENCES

CFB, 1997. Phase 2 RCRA Facility Investigation Field Sampling Plan for Naval Weapons Industrial Reserve Plant, Calverton, New York, Prepared by CF Braun, Contract Number N62472-90-1298, Contract Task Order 0270, March.

Conrad N. B., 1996. Letter dated March 15, 1996 from N. B. Conrad of the New York Department of Environmental Conservation, Natural Heritage Program, to J. P. Doub of the C. F. Braun Engineering Corp. concerning rare, threatened, and endangered species and habitats on NWIRP Calverton.

Fetter, C.W., Jr., 1976. <u>Hydrogeology of the South Fork of long Island, New York</u>, Bulletin, Geological Society of America, Volume 87, pp. 401-406.

Halliburton NUS Corporation (HNUS), 1992a. <u>Final Site Investigation NWIRP Calverton, New York,</u> Comprehensive Long-Term Environmental Action Navy (CLEAN) Program, Prepared by Halliburton NUS, Contract Number N62472-90-1298, Contract Task Order 0002, April.

HNUS, 1992b. Hazard Ranking System Preliminary Scoring and Site Inspection Report Form, NWIRP, Calverton, New York, CLEAN Program for U.S. Navy. Contract Number N62472-90-0, Contract Task Order 0002, April.

HNUS, 1995a. Final RCRA Facility Investigation, NWIRP, Calverton, New York, Comprehensive Long-Term Environmental Action Navy (CLEAN) Program, Prepared by Halliburton NUS, Contract Number N62472-90-0-1298, Contract Task Order 0138, August.

HNUS, 1995b. RCRA Facility Investigation Addendum, NWIRP, Calverton, New York, Comprehensive Long-Term Environmental Action Navy (CLEAN) Program, Prepared by Halliburton NUS, Contract Number N62472-90-0-1298, Contract Task Order 0138, September.

HNUS 1995c. RCRA Facility Assessment - Sampling Visit NWIRP, Calverton, New York, Comprehensive Long-Term Environmental Action Navy (CLEAN) Program, Prepared by Halliburton NUS, Contract Number N62472-90-0-1298, Contract Task Order 0138, March.

Kricher, J. C. 1988. A Field Guide to Eastern Forests. Peterson Field Guide Series.

McClymonds, N. and O. Frank, 1972. <u>Water Transmitting Properties of Aquifers of Long Island, New York</u>, U.S. Geological Survey Professional Paper 627-E.

Myers, R. E. and F. B. Gaffney, 1990. <u>Natural Resources Management Plan</u>, Naval Weapons Industrial Reserve Plant Calverton, New York.

Navy, 1986. <u>Initial Assessment Study of NWIRP Bethpage, NY and NWIRP Calverton, NY, prepared by Rogers, Golden & Halpein (RGH) for Naval Energy and Environmental Activity (NEESA) under Contract Number N62474-84-3386, Philadelphia, PA, December.</u>

New York State Department of Environmental Conservation (NYSDEC), 1992. <u>Spill Technology and Remediation Series (STARS) Memo No. 1, Petroleum Soil Guidance Policy</u>, NYSDEC Division of Spills Management, August

NYSDEC, 1994. <u>Technical and Administrative Guidance Memorandum (TAGM) on Determination of Soil Cleanup Objectives and Cleanup Levels</u>, Number 4046, Revision, January 24.

U.S. Corps of Engineers (USCOE) Environmental Laboratory, 1987. <u>Wetlands Delineation Manual</u>. Technical Report Y-87-1. US Army Engineer Waterways Experiment Station, Vicksburg, MS.

U.S. Department of the Interior (USDOI), 1980. <u>National Wetlands Inventory Maps for Wading River, Riverhead, and Mattituk, New York, Fish and Wildlife Service, April.</u>

U.S. Geologic Survey (USGS), 1967. Wading River, New York quadrangle, 7.5 minute series. Topographic Map; combined with Riverhead, New York quadrangle, 7.5 minute series, Topographic Map, 1956 and Moriche, New York quadrangle, 7.5 minute series. Topographic Map, 1967 and Eastport, New York, 7.5 minute series, Topographic Map, 1956 and Bellport, New York quadrangle, 7.5 minute series, Topographic Map, 1967 and Middle Island, New York, 7.5 minute series, Topographic Map, 1967

APPENDIX A ANALYTICAL LABORATORY DATA SHEETS

- A.1 Groundwater From Temporary Wells
- A.2 Groundwater From Permanent monitoring Well
- A.3 Soil Boring

A.1 GROUNDWATER FROM TEMPORARY WELLS

NOTE: Groundwater samples collected from temporary well locations are identified as GW (for ground water) in the following analytical laboratory data sheets. These sampling locations are identified as TW (for temporary well) in the text and tables of this report.

Lab Name:QUANTERRA SDG Number: BR325

Matrix: (soil/water) WATER Lab Sample ID:C7G140140 009

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / mL Date Received: 07/12/97 Work Order: CAMM3101 Date Extracted:07/17/97 Dilution factor: 1 Date Analyzed: 07/17/97

Moisture %:NA

QC Batch: 7199113

Client Sample Id: GCIW-GW01

CAS NO.	COMPOUND (ug/L or u	g/kg) ug/L	Q
67-64-1	Acetone	10	lu
71-43-2	Benzene	10	<u>ַ</u>
75-27-4	Bromodichloromethane	_ 10	ַן
75-25-2	Bromoform		U
74-83-9	Bromomethane	_ 10	
78-93-3	2-Butanone	10	
75-15-0	Carbon disulfide	10	lu
56-23-5	Carbon tetrachloride	10	ט
108-90-7	Chlorobenzene	10	ן
124-48-1	Dibromochloromethane	10	<u></u>
75-00-3	Chloroethane	10	ַ
67-66-3	Chloroform	10	ט
74-87-3	Chloromethane	10	U
75-34-3	1,1-Dichloroethane	10	ט
107-06-2	1,2-Dichloroethane	10	<u></u>
75-35-4	1,1-Dichloroethene	10	<u>"</u>
540-59-0	1,2-Dichloroethene (total)	10	<u> </u>
78-87-5	1,2-Dichloropropane	10	<u></u>
10061-01-5	cis-1,3-Dichloropropene	10	<u></u>
10061-02-6	trans-1,3-Dichloropropene	10	ַ
100-41-4	Ethylbenzene	10	ַן
591-78-6	2-Hexanone	10	_ l U
75-09-2	Methylene chloride	10	<u> </u>
108-10-1	4-Methyl-2-pentanone	_ 10	U
100-42-5	Styrene	10	U
79-34-5	1,1,2,2-Tetrachloroethane	10	U
127-18-4	Tetrachloroethene	10	ַ ט
108-88-3	Toluene	10	ט ו
71-55-6	1,1,1-Trichloroethane	10	

Lab Name: QUANTERRA

SDG Number: BR325

Matrix: (soil/water) WATER

Lab Sample ID: C7G140140 009

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / mL Work Order: CAMM3101 Dilution factor: 1

Date Received: 07/12/97 Date Extracted: 07/17/97

Date Analyzed: 07/17/97

Moisture %:NA

QC Batch: 7199113

Client Sample Id: GCIW-GW01

	CAS NO.	COMPOUND	(ug/L or ug/kg) ug/I	<u> </u>
Ī	79-00-5	1,1,2-Trichloroet	hane 10	<u> </u>
i	79-01-6	Trichloroethene	10	U
i	75-01-4	Vinyl chloride	10	<u>"</u>
i	1330-20-7	Xylenes (total)	10	U

BROWN & ROOT ENVIRONMENTAL TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: QUANTERRA

SDG Number: BR325

Matrix: (soil/water) WATER

Lab Sample ID: C7G140140 009

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / mL Work Order: CAMM3101

Date Received: 07/12/97 Date Extracted: 07/17/97

Dilution factor: 1

Date Analyzed: 07/17/97

Moisture %:NA

QC Batch: 7199113

Client Sample Id: GCIW-GW01

		(ug/L or ug/kg)	ug/L	
CAS NUMBER	COMPOUND NAME	RT	EST. CON	C. Q
	no tics detected			ND ND

Lab Name: QUANTERRA

BR344 SDG Number:

Matrix: (soil/water) WATER

Lab Sample ID:C7K130115 006

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 1 / mL

Date Received: 11/13/97 Date Extracted:11/18/97

Work Order: CE17K101

Date Analyzed: 11/18/97

Dilution factor: 5

Moisture %:NA

QC Batch: 7322109

Client Sample Id: FD-GW-05

CAS NO.	COMPOUND (ug/L or u	g/kg) ug/L	Q
67-64-1	Acetone	50	<u>U</u>
71-43-2	Benzene	50	l U
75-27-4	Bromodichloromethane	50	U
75-25-2	Bromoform	50	<u>U</u>
74-83-9	Bromomethane	50	<u>U</u>
78-93-3	2-Butanone	50	<u>U</u>
75-15-0	Carbon disulfide	50	U
56-23-5	Carbon tetrachloride	50	ט
108-90-7	Chlorobenzene	50	Ŭ
124-48-1	Dibromochloromethane	50	U
75-00-3	Chloroethane	50	<u>U</u>
67-66-3	Chloroform	50	
74-87-3	Chloromethane	50	U
75-34-3	1,1-Dichloroethane	50	U
107-06-2	1,2-Dichloroethane	50	<u> </u>
75-35-4	1,1-Dichloroethene	50	U
540-59-0	1,2-Dichloroethene (total)	50	<u>U</u>
78-87-5	1,2-Dichloropropane	50	U
10061-01-5	cis-1,3-Dichloropropene	50	<u> </u>
10061-02-6	trans-1,3-Dichloropropene	50	U
100-41-4	Ethylbenzene	480	
591-78-6	2-Hexanone	50	ט
75-09-2	Methylene chloride	50	U
108-10-1	4-Methyl-2-pentanone	50	ט
100-42-5	Styrene	50	ט ט
79-34-5	1,1,2,2-Tetrachloroethane	50	ט ט
127-18-4	Tetrachloroethene	50	ַ ַ ַ ַ ַ
108-88-3	Toluene	710	

Lab Name:QUANTERRA SDG Number: BR344

Matrix: (soil/water) WATER Lab Sample ID:C7K130115 006

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 1 / mL Date Received: 11/13/97 Work Order: CE17K101 Date Extracted:11/18/97

Dilution factor: 5 Date Analyzed: 11/18/97

Moisture %:NA

QC Batch: 7322109

Client Sample Id: FD-GW-05

1330-20-7	Xylenes (total)	1900	
75-01-4	Vinyl chloride	50	ַ ע
79-01-6	Trichloroethene	50	
79-00-5	1,1,2-Trichloroethane	50	ַ
71-55-6	1,1,1-Trichloroethane	50	ן
CAS NO.	COMPOUND (ug/	L or ug/kg) ug/L	<u>Q</u>

BROWN & ROOT ENVIRONMENTAL TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name:QUANTERRA SDG Number: BR344

Matrix: (soil/water) WATER Lab Sample ID:C7K130115 006

Method: OCLP OLM03.1 Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 1 / mL Date Received: 11/13/97 Work Order: CE17K101 Date Extracted:11/18/97

Dilution factor: 5 Date Analyzed: 11/18/97

Moisture %:NA QC Batch: 7322109

Client Sample Id: FD-GW-05

(ug/L or ug/kg) ug/L

	(49/2 02 49/29/ 49/2					
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q		
0-00-0	unknown	6.6	140	J		
98-82-8	benzene, (1-methylethyl) - or	20.43	1000	J		
611-14-3	benzene, 1-ethyl-2-methyl- o	20.95	440	_J		
95-36-3	1,2,4-trimethylbenzene or is	21.17	1200	J		
526-73-8	benzene, 1,2,3-trimethyl- or	21.93	550	J		
0-00-0	unknown benzene	22.18	170	J		
0-00-0	unknown benzene	22.3	190	J		
611-15-4	benzene, 1-ethenyl-2-methyl-	22.4	200	J		
1074-55-1	benzene, 1-methyl-4-propyl-	22.57	160	J		
2870-04-4	benzene, 2-ethyl- 1,3-dimeth	22.77	200	J		
2870-04-4	benzene, 2-ethyl-1,3-dimethy	23.4	140	J		

Lab Name:QUANTERRA

SDG Number: BR344

Matrix: (soil/water) WATER

Lab Sample ID:C7K130115 006

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 1000 / mL Work Order: CE17K102

Date Received: 11/13/97 Date Extracted:11/18/97

Date Analyzed: 11/26/97

Dilution factor: 1

Moisture %:NA

QC Batch: 7324105

Client Sample Id: FD-GW-05

TW

CAS NO.	COMPOUND (ug/L or ug	/kg) ug/L	Q
83-32-9	Acenaphthene	10	<u>u</u>
208-96-8	Acenaphthylene	10	<u> U</u>
120-12-7	Anthracene	10	<u> U</u>
56-55-3	Benzo(a)anthracene	10	<u>"</u> U
205-99-2	Benzo(b)fluoranthene	10	<u> </u>
207-08-9	Benzo(k)fluoranthene	10	<u> </u>
191-24-2	Benzo(ghi)perylene	10	ן די
50-32-8	Benzo(a)pyrene	10	<u>u</u>
111-91-1	bis(2-Chloroethoxy)methane	10	<u>U</u>
111-44-4	bis(2-Chloroethyl) ether	10	ט
108-60-1	2,2'-Oxybis(1-Chloropropane)	10	<u>u</u>
117-81-7	bis(2-Ethylhexyl) phthalate	10	<u> </u>
101-55-3	4-Bromophenyl phenyl ether	10	<u>U</u>
85-68-7	Butyl benzyl phthalate	10	<u>U</u>
106-47-8	4-Chloroaniline	10	<u>U</u>
59-50-7	4-Chloro-3-methylphenol	10	<u> U</u>
91-58-7	2-Chloronaphthalene	10	ן
95-57-8	2-Chlorophenol	10	<u>"</u>
7005-72-3	4-Chlorophenyl phenyl ether	10	ט
218-01-9	Chrysene	10	<u></u> <u></u>
53-70-3	Dibenz(a,h)anthracene	10	ַ ט
132-64-9	Dibenzofuran	10	<u>"</u>
84-74-2	Di-n-butyl phthalate	10	<u>ט</u>
95-50-1	1,2-Dichlorobenzene	10	<u> U</u>
541-73-1	1,3-Dichlorobenzene	10	ַ ט
106-46-7	1,4-Dichlorobenzene	10	ט
91-94-1	3,3'-Dichlorobenzidine	10	<u>U</u>
120-83-2	2,4-Dichlorophenol	10	ן די

Lab Name:QUANTERRA

SDG Number: BR344

Matrix: (soil/water) WATER

Lab Sample ID:C7K130115 006

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 1000 / mL

Date Received: 11/13/97

Work Order: CE17K102

Date Extracted:11/18/97

Dilution factor: 1

Date Analyzed: 11/26/97

Moisture %:NA

QC Batch: 7324105

Client Sample Id: FD-GW-05

CAS NO.	COMPOUND (ug/L or u	g/kg) ug/L	Q
84-66-2	Diethyl phthalate	10	<u></u> U
105-67-9	2,4-Dimethylphenol	2.2] <u>J</u> _
131-11-3	Dimethyl phthalate	10	<u></u>
117-84-0	Di-n-octyl phthalate	10	<u>u</u>
534-52-1	4,6-Dinitro-2-methylphenol	25	U
51-28-5	2,4-Dinitrophenol	25	<u> </u>
121-14-2	2,4-Dinitrotoluene	10	<u></u> U
606-20-2	2,6-Dinitrotoluene	10	<u></u>
206-44-0	Fluoranthene	10	<u>U</u>
86-73-7	Fluorene	11.0	J
118-74-1	Hexachlorobenzene	10	<u>U</u>
87-68-3	Hexachlorobutadiene	10	<u> </u>
77-47-4	Hexachlorocyclopentadiene	10	<u> u u </u>
67-72-1	Hexachloroethane	10	<u></u> U
193-39-5	Indeno(1,2,3-cd)pyrene	10	ע
78-59-1	Isophorone	10	ע
91-57-6	2-Methylnaphthalene	54	
95-48-7	2-Methylphenol	10	<u> </u>
106-44-5	4-Methylphenol	_ 2.6	J
91-20-3	Naphthalene	80	
88-74-4	2-Nitroaniline	25	<u> </u>
99-09-2	3-Nitroaniline	_ 25	lu
100-01-6	4-Nitroaniline	25	lu
98-95-3	Nitrobenzene	10	U
88-75-5	2-Nitrophenol	10	<u>U</u>
100-02-7	4-Nitrophenol	25	<u> </u>
621-64-7	N-Nitrosodi-n-propylamine	10	U
86-30-6	N-Nitrosodiphenylamine	10	U

Lab Name: QUANTERRA

SDG Number: BR344

Matrix: (soil/water) WATER

Lab Sample ID:C7K130115 006

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 1000 / mL

Date Received: 11/13/97 Date Extracted:11/18/97

Work Order: CE17K102

Dilution factor: 1

Date Analyzed: 11/26/97

Moisture %:NA

QC Batch: 7324105

Client Sample Id: FD-GW-05

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or	ug/kg) ug/L	Q
87-86-5	Pentachlorophenol	25	ַ ַ ַ ַ ַ ַ ַ ַ
85-01-8	Phenanthrene	1.1	<u>J</u> _
108-95-2	Phenol	10	U
129-00-0	Pyrene	10	<u> </u>
120-82-1	1,2,4-Trichlorobenzene	10	ט
95-95-4	2,4,5-Trichlorophenol	25	U U
88-06-2	2,4,6-Trichlorophenol	10	ַ
86-74-8	Carbazole	10	ַ

÷...

BROWN & ROOT ENVIRONMENTAL TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: QUANTERRA

SDG Number: BR344

Matrix: (soil/water) WATER

Lab Sample ID: C7K130115 006

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 1000 / mL Work Order: CE17K102 Date Received: 11/13/97
Date Extracted:11/18/97

Dilution factor: 1

Date Analyzed: 11/26/97

Moisture %:NA

QC Batch: 7324105

Client Sample Id: FD-GW-05

(ug/L or ug/kg) ug/L

	(ug/L o	r ug/kg)	nd\r	
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
98-82-8	Benzene, (1-methylethyl)-	3.5505	19	JN
103-65-1	Benzene, propyl-	3.7719	35	JN
	UNKNOWN SUBSTITUTED BENZENE	3.8432	120	J
95-63-6	Benzene, 1,2,4-trimethyl-	3.8861	50	JN
526-73-8	Benzene, 1,2,3-trimethyl-	4.2644	100	JN
	UNKNOWN SUBSTITUTED BENZENE	4.4143	37	<u> </u>
	UNKNOWN SUBSTITUTED BENZENE	4.4572	48	J
	UNKNOWN SUBSTITUTED BENZENE	4.7713	4.1	J
	UNKNOWN SUBSTITUTED BENZENE	4.8284	3.7	J
	UNKNOWN SUBSTITUTED BENZENE	4.8569	4.7	_ <u>J</u>
	UNKNOWN SUBSTITUTED BENZENE	4.9426	2.4	J
	UNKNOWN SUBSTITUTED BENZENE	5.0782	12	J
119-64-2	Naphthalene, 1,2,3,4-tetrahy	5.1568	7.3	JN
	UNKNOWN	5.1924	2.9	_ <u>J</u>
	UNKNOWN SUBSTITUTED NAPHTHAL	5.8563	3.0	<u>J</u>
	UNKNOWN ALKANE	5.9848	2.9	J
90-12-0	Naphthalene, 1-methyl-	6.2347	8.0	NL
	UNKNOWN AROMATIC	6.7201	6.6	J
	UNKNOWN AROMATIC	7.0699	22	J
	UNKNOWN SUBSTITUTED NAPHTHAL	7.1056	5.9	J
10544-50-0	Sulfur, mol. (s8)	12.373	26	JN

SDG Number: BR344 Lab Name: QUANTERRA

Matrix: (soil/water) WATER Method: OCLP OLM03.1 Lab Sample ID:C7K130115 005

Volatile Organics, GC/MS (CLP -OLM03.1)

Date Received: 11/13/97 Sample WT/Vol: 5 / mL Date Extracted:11/18/97 Work Order: CE17J101 Date Analyzed: 11/18/97 Dilution factor: 1

Moisture %:NA

QC Batch: 7322109

Client Sample Id: FD-GW-06

CAS NO.	COMPOUND (ug/L or u	g/kg) ug/L	Q
67-64-1	Acetone	_ 10	<u> </u>
71-43-2	Benzene	_ 12	
75-27-4	Bromodichloromethane	10	ן ַ ַ ַ ַ ַ ַ ַ ַ ַ ַ ַ ַ
75-25-2	Bromoform	10	U
74-83-9	Bromomethane	_ 10	U
78-93-3	2-Butanone	_ 10	<u> </u>
75-15-0	Carbon disulfide	_ 10	
56-23-5	Carbon tetrachloride	10	ע
108-90-7	Chlorobenzene	10	ַ
124-48-1	Dibromochloromethane	10	ט
75-00-3	Chloroethane	10	ן ש
67-66-3	Chloroform	10	ע
74-87-3	Chloromethane	10	<u> </u>
75-34-3	1,1-Dichloroethane	10	<u> </u>
107-06-2	1,2-Dichloroethane	10	ַ
75-35-4	1,1-Dichloroethene	10	<u>"</u>
540-59-0	1,2-Dichloroethene (total)	10	ַ ַ ַ ַ ַ ַ ַ ַ ַ ַ ַ ַ
78-87-5	1,2-Dichloropropane	10	u
10061-01-5	cis-1,3-Dichloropropene	10	<u> </u>
10061-02-6	trans-1,3-Dichloropropene	10	ן די
100-41-4	Ethylbenzene	170	
591-78-6	2-Hexanone	10	<u> </u>
75-09-2	Methylene chloride	10	ע ע
108-10-1	4-Methyl-2-pentanone	10	ן
100-42-5	Styrene	10	ן ַ
79-34-5	1,1,2,2-Tetrachloroethane	10	ע
127-18-4	Tetrachloroethene	10	ע
108-88-3	Toluene	<u> 7.3</u>	<u> </u>

Lab Name:QUANTERRA

SDG Number: BR344

Matrix: (soil/water) WATER

Lab Sample ID:C7K130115 005

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / mL

Date Received: 11/13/97

Work Order: CE17J101

Date Extracted:11/18/97

Dilution factor: 1

Date Analyzed: 11/18/97

Moisture %:NA

QC Batch: 7322109

Client Sample Id: FD-GW-06

1330-20-7	Xylenes (total)	890	<u> </u>
75-01-4	Vinyl chloride	10	<u></u>
79-01-6	Trichloroethene	10	<u></u>
79-00-5	1,1,2-Trichloroethane	10	<u></u>
71-55-6	1,1,1-Trichloroethane	10	<u></u>
CAS NO.	COMPOUND (ug/L o	r ug/kg) ug/L	Q

BROWN & ROOT ENVIRONMENTAL TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name:QUANTERRA

SDG Number: BR344

Matrix: (soil/water) WATER

Lab.Sample ID:C7K130115 005

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / mL Work Order: CE17J101 Date Received: 11/13/97
Date Extracted:11/18/97

Dilution factor: 1

Date Analyzed: 11/18/97

Moisture %:NA

QC Batch: 7322109

Client Sample Id: FD-GW-06

(ug/L or ug/kg) ug/L

	(ug/L o	r ug/kg)	ug/L	
CAS NUMBER	COMPOUND NAME	RT.	EST. CONC.	Q
488-23-2	benzene, 1,2,3,4-tetramethyl	17.47	61	J
611-14-3	benzene, 1-ethyl-2-methyl- o	20.48	280	J
95-63-6	benzene, 1,2,4-trimethyl- or	20.57	200	J
95-36-3	1,2,4-trimethylbenzene or is	21.22	680	J
0-00-0	unknown aromatic	21.63	51	J
95-36-3	1,2,4-trimethylbenzene or is	21.95	370	J
0-00-0	unknown benzene	22.2	66	J
527-84-4	benzene, 1-methyl-2-(1-methy	22.32	94	J
1074-55-1	benzene, 1-methyl-4-propyl-	22.6	59	J
934-80-5	benzene, 4-ethyl-1,2-dimethy	22.78	110	J
934-80-5	benzene, 4-ethyl-1,2-dimethy	22.92	63	J

Lab Name:QUANTERRA SDG Number: BR344

Matrix: (soil/water) WATER Lab Sample ID:C7K130115 005

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 1 / mL Work Order: CE17J201 Dilution factor: 5 Date Received: 11/13/97
Date Extracted:11/18/97
Date Analyzed: 11/18/97

Moisture %:NA

QC Batch: 7322109

Client Sample Id: FD-GW-06 -RE 1

CAS NO.	COMPOUND (ug/L or u	g/kg) ug/L	Q
67-64-1	Acetone	50	U
71-43-2	Benzene	9.7	<u>J</u>
75-27-4	Bromodichloromethane	50	<u> </u>
75-25-2	Bromoform	50	U
74-83-9	Bromomethane	50	U
78-93-3	2-Butanone	50	ַ
75-15-0	Carbon disulfide	50	U
56-23-5	Carbon tetrachloride	50	
108-90-7	Chlorobenzene	50	U
124-48-1	Dibromochloromethane	50	ַ
75-00-3	Chloroethane	50	<u> </u>
67-66-3	Chloroform	50	ַ
74-87-3	Chloromethane	50	Ŭ
75-34-3	1,1-Dichloroethane	50	ט
107-06-2	1,2-Dichloroethane	50	
75-35-4	1,1-Dichloroethene	50	IU
540-59-0	1,2-Dichloroethene (total)	50	
78-87-5	1,2-Dichloropropane	50	ַ עַ ַ ַ עַ
10061-01-5	cis-1,3-Dichloropropene	50	ַ ַ
10061-02-6	trans-1,3-Dichloropropene	50	U
100-41-4	Ethylbenzene	110	
591-78-6	2-Hexanone	50	<u></u> U
75-09-2	Methylene chloride	50	ប
108-10-1	4-Methyl-2-pentanone	50	<u> </u>
100-42-5	Styrene	50	<u> </u>
79-34-5	1,1,2,2-Tetrachloroethane	50	ַ ט
127-18-4	Tetrachloroethene	50	
108-88-3	Toluene	6.6	<u> </u>

Lab Name:QUANTERRA SDG Number: BR344

Matrix: (soil/water) WATER Lab Sample ID:C7K130115 005

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 1 / mL Date Received: 11/13/97 Work Order: CE17J201 Date Extracted:11/18/97

Dilution factor: 5 Date Analyzed: 11/18/97

Moisture %:NA

QC Batch: 7322109

Client Sample Id: FD-GW-06 -RE 1

1330-20-7	Xylenes (total)		540	
75-01-4	Vinyl chloride		50	<u></u>
79-01-6	Trichloroethene		50	<u> </u>
79-00-5	1,1,2-Trichloroe	thane	50	ע
71-55-6	1,1,1-Trichloroe	thane	50	ַ ַ ַ ַ
CAS NO.	COMPOUND	(ug/L or ug	/kg) ug/L	Q

BROWN & ROOT ENVIRONMENTAL TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: QUANTERRA

SDG Number: BR344

Matrix: (soil/water) WATER

Lab Sample ID: C7K130115 005

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 1 / mL Work Order: CE17J201 Date Received: 11/13/97 Date Extracted:11/18/97

Dilution factor: 5

Date Analyzed: 11/18/97

Moisture %:NA

QC Batch: 7322109

Client Sample Id: FD-GW-06 -RE 1

(ug/L or ug/kg) ug/L

(ug/L or ug/kg/ ug/L				
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	<u>Q</u>
98-82-8	benzene, (1-methylethyl) - or	19.62	26	<u>J</u>
98-82-8	benzene, (1-methylethyl) - or	20.5	140	J
95-63-6	benzene, 1,2,4-trimethyl- or	20.58	100	J
95-36-3	1,2,4-trimethylbenzene or is	21.22	320 -	J
934-80-5	benzene, 4-ethyl-1,2-dimethy	21.65	28	J
526-73-8	benzene, 1,2,3-trimethyl- or	21.97	200	J
0-00-0	unknown benzene	22.22	41	J
527-84-4	benzene, 1-methyl-2-(1-methy	22.33	60	J
1074-55-1	benzene, 1-methyl-4-propyl-	22.62	35	J
934-80-5	benzene, 4-ethyl-1,2-dimethy	22.8	65	J
934-80-5	benzene, 4-ethyl-1,2-dimethy	22.92	36	J

Lab Name:QUANTERRA SDG Number: BR344

Matrix: (soil/water) WATER Lab Sample ID:C7K130115 005

Method: OCLP OLM03.1

Moisture %:NA

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 1000 / mL Date Received: 11/13/97
Work Order: CE17J102 Date Extracted:11/18/97

Dilution factor: 2 Date Analyzed: 11/26/97

·

QC Batch: 7324105

Client Sample Id: FD-GW-06

CAS NO.	COMPOUND (ug/L or ug)	/kg) ug/L (2
83-32-9	Acenaphthene	20	ט
208-96-8	Acenaphthylene	20	<u>"</u>
120-12-7	Anthracene	20	
56-55-3	Benzo(a)anthracene	20	U
205-99-2	Benzo(b)fluoranthene	20	ן ש
207-08-9	Benzo(k) fluoranthene	20	<u></u> <u></u> <u></u>
191-24-2	Benzo(ghi)perylene	20	U
50-32-8	Benzo(a)pyrene	20	ַ ַ ַ
111-91-1	bis(2-Chloroethoxy)methane	20	<u>. U</u>
111-44-4	bis(2-Chloroethyl) ether	20	ע
108-60-1	2,2'-Oxybis(1-Chloropropane)	20	<u> </u>
117-81-7	bis(2-Ethylhexyl) phthalate	20	<u> </u>
101-55-3	4-Bromophenyl phenyl ether	20	U
85-68-7	Butyl benzyl phthalate	20	ן
106-47-8	4-Chloroaniline	20	<u> U </u>
59-50-7	4-Chloro-3-methylphenol	20	ט
91-58-7	2-Chloronaphthalene	20	<u> </u>
95-57-8	2-Chlorophenol	20	ן <u>"</u> "
7005-72-3	4-Chlorophenyl phenyl ether	20	ן די די די די
218-01-9	Chrysene	20	ַ
53-70-3	Dibenz(a,h)anthracene	20	<u> u</u>
132-64-9	Dibenzofuran	20	<u>u</u>
84-74-2	Di-n-butyl phthalate	20	ע
95-50-1	1,2-Dichlorobenzene	20	<u>U</u>
541-73-1	1,3-Dichlorobenzene	20	<u> </u>
106-46-7	1,4-Dichlorobenzene	20	<u>"</u>
91-94-1	3,3'-Dichlorobenzidine	20	<u> </u>
120-83-2	2,4-Dichlorophenol	20	<u> </u>

Lab Name: QUANTERRA

SDG Number: BR344

Matrix: (soil/water) WATER

Lab Sample ID:C7K130115 005

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 1000 / mL

Date Received: 11/13/97

Work Order: CE17J102

Date Extracted:11/18/97

Dilution factor: 2

Date Analyzed: 11/26/97

Moisture %:NA

QC Batch: 7324105

Client Sample Id: FD-GW-06

CONCENTRATION UNITS:

CAS NO.	COMPOUND (ug/L or t	ig/kg) ug/L	Q
84-66-2	Diethyl phthalate	3.5	J
105-67-9	2,4-Dimethylphenol	20	<u>U</u>
131-11-3	Dimethyl phthalate	20	U
117-84-0	Di-n-octyl phthalate	20	<u>U</u>
534-52-1	4,6-Dinitro-2-methylphenol	50	l
51-28-5	2,4-Dinitrophenol	50	<u>U</u>
121-14-2	2,4-Dinitrotoluene	_ 20	
606-20-2	2,6-Dinitrotoluene	20	
206-44-0	Fluoranthene	20	U
86 -7 3-7	Fluorene	_ 20	
118-74-1	Hexachlorobenzene	20	
87-68-3	Hexachlorobutadiene	20	U
77-47-4	Hexachlorocyclopentadiene	20	U
67-72-1	Hexachloroethane	20	U
193-39-5	Indeno(1,2,3-cd)pyrene	20	U
78-59-1	Isophorone	20	<u>U</u>
91-57-6	2-Methylnaphthalene	72	
95-48-7	2-Methylphenol	282,4	Jy
106-44-5	4-Methylphenol	2-420	
91-20-3	Naphthalene	110	
88-74-4	2-Nitroaniline		<u> </u>
99-09-2	3-Nitroaniline	50	\ <u> </u>
100-01-6	4-Nitroaniline	50	<u> </u>
98-95-3	Nitrobenzene	20	
88-75-5	2-Nitrophenol	20	<u> </u>
100-02-7	4-Nitrophenol	50	<u> </u>
621-64-7	N-Nitrosodi-n-propylamine	20	l
86-30-6	N-Nitrosodiphenylamine	20	U U

SIVIZIN

Lab Name: QUANTERRA

SDG Number: BR344

Matrix: (soil/water) WATER

Lab Sample ID:C7K130115 005

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 1000 / mL

Date Received: 11/13/97

Work Order: CE17J102

Date Extracted:11/18/97

Dilution factor: 2

Date Analyzed: 11/26/97

Moisture %:NA

QC Batch: 7324105

Client Sample Id: FD-GW-06

CAS NO.	COMPOUND (ug/L o	r ug/kg) ug/L	Q
87-86-5	Pentachlorophenol	50	<u> </u>
85-01-8	Phenanthrene	20	ט
108-95-2	Phenol	20	<u> </u>
129-00-0	Pyrene	20	<u></u>
120-82-1	1,2,4-Trichlorobenzene	20	<u></u> U
95-95-4	2,4,5-Trichlorophenol	50	<u> </u>
88-06-2	2,4,6-Trichlorophenol	20	<u></u>
86-74-8	Carbazole	20	<u> </u>

BROWN & ROOT ENVIRONMENTAL TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name:QUANTERRA SDG Number: BR344

Matrix: (soil/water) WATER Lab Sample ID:C7K130115 005

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 1000 / mL Date Received: 11/13/97

Work Order: CE17J102 Date Extracted:11/18/97
Dilution factor: 2 Date Analyzed: 11/26/97

Moisture %:NA QC Batch: 7324105

Client Sample Id: FD-GW-06

	(ug/L or	ug/kg)	ug/L	
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	<u>Q</u>
19550-73-3	Trans-3,4-dimethylcyclopenta	3.3645	16	JN
	UNKNOWN SUBSTITUTED BENZENE	3.5073	23	J
	UNKNOWN	3.6073	23	J
103-65-1	Benzene, propyl-	3.7358	65	JN
622-96-8	Benzene, 1-ethyl-4-methyl-	3.7929	51	JN
95-36-3	1,2,4-Trimethylbenzene	3.8428	42	JN
526-73-8	Benzene, 1,2,3-trimethyl-	4.2141	70	JN
	UNKNOWN SUBSTITUTED BENZENE	4.3711	24	J
	UNKNOWN SUBSTITUTED BENZENE	4.5496	42	J
	UNKNOWN	4.7352	33	J
	UNKNOWN SUBSTITUTED BENZENE	4.7923	36	J
	UNKNOWN SUBSTITUTED BENZENE	4.8208	19	J
	UNKNOWN	4.8851	20	<u>σ</u>
	UNKNOWN SUBSTITUTED BENZENE	5.035	95	J
	UNKNOWN	5.1706	7.8	J
90-12-0	Naphthalene, 1-methyl-	6.1986	27	NU
	UNKNOWN	6.477	96	J
	UNKNOWM	6.6412	24	J
	UNKNOWN	6.684	35	J
	UNKNOWN	6.8268	17	J
<u></u>	UNKNOWN	6.9125	31	J
	UNKNOWN	6.9767	20	J
	UNKNOWN	7.041	23	J
	UNKNOWN ACID	7.1123	27	J
	UNKNOWN ACID	7.2194	31	J
	UNKNOWN	7.3122	58	J

BROWN & ROOT ENVIRONMENTAL TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: QUANTERRA

SDG Number: BR344

Matrix: (soil/water) WATER

Lab Sample ID: C7K130115 005

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 1000 / mL

Date Received: 11/13/97

Work Order: CE17J102

Date Extracted:11/18/97

Dilution factor: 2

Date Analyzed: 11/26/97

Moisture %:NA

QC Batch: 7324105

Client Sample Id: FD-GW-06

	(UC	J/L OF ug/kg/	ug/II	
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
	UNKNOWN	7.455	34	J
	UNKNOWN	7.7477	42	J
	UNKNOWN	8.0475	24	J
	UNKNOWN	8.4616	32	J

Lab Name:QUANTERRA

SDG Number: BR344

Matrix: (soil/water) WATER

Lab Sample ID:C7K130115 005

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 1000 / mL

Date Received: 11/13/97

Work Order: CE17J202

Date Extracted:11/18/97

Dilution factor: 1

Date Analyzed: 11/26/97

Moisture %:NA

QC Batch: 7324105

Client Sample Id: FD-GW-06 -RE 1

CAS NO.	COMPOUND (ug/L or ug	/kg) ug/L (2
83-32-9	Acenaphthene	10	<u>U</u>
208-96-8	Acenaphthylene ·	10	U
120-12-7	Anthracene	10	U
56-55-3	Benzo(a) anthracene	10	<u> </u>
205-99-2	Benzo(b) fluoranthene	10	<u> </u>
207-08-9	Benzo(k) fluoranthene	10	<u> </u>
191-24-2	Benzo(ghi)perylene	10	<u>"</u>
50-32-8	Benzo(a) pyrene	10	<u>"</u>
111-91-1	bis(2-Chloroethoxy)methane	10	U
111-44-4	bis(2-Chloroethyl) ether	10	<u> </u>
108-60-1	2,2'-Oxybis(1-Chloropropane)	10	<u> </u>
117-81-7	bis(2-Ethylhexyl) phthalate	10	<u> </u>
101-55-3	4-Bromophenyl phenyl ether	10	ַ ָּט
85-68-7	Butyl benzyl phthalate	10	ע
106-47-8	4-Chloroaniline	10	<u> </u>
59-50-7	4-Chloro-3-methylphenol	10	U
91-58-7	2-Chloronaphthalene	10	<u> </u>
95-57-8	2-Chlorophenol	10	ע
7005-72-3	4-Chlorophenyl phenyl ether	10	<u> </u>
218-01-9	Chrysene	10	ע
53-70-3	Dibenz(a,h)anthracene	10	U
132-64-9	Dibenzofuran	10	<u> </u>
84-74-2	Di-n-butyl phthalate	10	<u> U</u>
95-50-1	1,2-Dichlorobenzene	10	<u> U</u>
541-73-1	1,3-Dichlorobenzene	10	<u> </u>
106-46-7	1,4-Dichlorobenzene	10	ן ט
91-94-1	3,3'-Dichlorobenzidine	10	<u>"</u>
120-83-2	2,4-Dichlorophenol	10	ן <u>ט</u>

SDG Number: BR344 Lab Name: QUANTERRA

Lab Sample ID:C7K130115 005 Matrix: (soil/water) WATER

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Date Received: 11/13/97 Sample WT/Vol: 1000 / mL Date Extracted:11/18/97 Work Order: CE17J202

Date Analyzed: 11/26/97 Dilution factor: 1

Moisture %:NA

QC Batch: 7324105

Client Sample Id: FD-GW-06 -RE 1

CAS NO.	COMPOUND (ug/L or u	ıg/kg) ug/L	Q
84-66-2	Diethyl phthalate	2.5	J
105-67-9	2,4-Dimethylphenol	10	U
131-11-3	Dimethyl phthalate	10	<u>ט</u>
117-84-0	Di-n-octyl phthalate	10	<u>u</u>
534-52-1	4,6-Dinitro-2-methylphenol	25	U
51-28-5	2,4-Dinitrophenol	_ 25	ש
121-14-2	2,4-Dinitrotoluene	_ 10	<u>u</u>
606-20-2	2,6-Dinitrotoluene	_ 10	<u> </u>
206-44-0	Fluoranthene	10	<u>U</u>
86-73-7	Fluorene	10	<u> </u>
118-74-1	Hexachlorobenzene	10	ן
87-68-3	Hexachlorobutadiene	10	<u></u>
77-47-4	Hexachlorocyclopentadiene	10	<u></u>
67-72-1	Hexachloroethane	10	
193-39-5	Indeno(1,2,3-cd)pyrene	_ 10	ע
78-59-1	Isophorone		<u> </u>
91-57-6	2-Methylnaphthalene	69	
95-48-7	2-Methylphenol	2.3	J
106-44-5	4-Methylphenol	10	U
91-20-3	Naphthalene	110	<u>B</u>
88-74-4	2-Nitroaniline	25	ע
99-09-2	3-Nitroaniline	25	<u>U</u>
100-01-6	4-Nitroaniline	25	<u>"</u>
98-95-3	Nitrobenzene	10	U
88-75-5	2-Nitrophenol	10	<u>u</u>
100-02-7	4-Nitrophenol	25	<u> </u>
621-64-7	N-Nitrosodi-n-propylamine	10	<u> </u>
86-30-6	N-Nitrosodiphenylamine	10	<u> </u>

Lab Name:QUANTERRA

SDG Number: BR344

Matrix: (soil/water) WATER

Lab Sample ID: C7K130115 005

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 1000 / mL

Date Received: 11/13/97

Work Order: CE17J202

Date Extracted:11/18/97

Dilution factor: 1

Date Analyzed: 11/26/97

Moisture %:NA

QC Batch: 7324105

Client Sample Id: FD-GW-06 -RE 1

CAS NO.	COMPOUND (ug/L o	or ug/kg) ug/L	<u>Q</u>
87-86-5	Pentachlorophenol	25	
85-01-8	Phenanthrene	10	<u> </u>
108-95-2	Phenol	10	U
129-00-0	Pyrene	10	<u></u> U
120-82-1	1,2,4-Trichlorobenzene	10	ַ ַ
95-95-4	2,4,5-Trichlorophenol	25	
88-06-2	2,4,6-Trichlorophenol	10	<u>U</u>
86-74-8	Carbazole	10	l

BROWN & ROOT ENVIRONMENTAL TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name:QUANTERRA SDG Number: BR344

Matrix: (soil/water) WATER Lab Sample ID:C7K130115 005

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 1000 / mL Date Received: 11/13/97 Work Order: CE17J202 Date Extracted:11/18/97

Dilution factor: 1 Date Analyzed: 11/26/97

Moisture %:NA

QC Batch: 7324105

Client Sample Id: FD-GW-06 -RE 1

	(ug/L o	r ug/kg)	ug/L	
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
13351-73-0	UNKNOWN	7.3678	47	<u>J</u>
1757-42-2	Cyclopentanone, 3-methyl-	2.692	11	JN
19550-73-3	Trans-3,4-dimethylcyclopenta	3.3987	13	JN
98-82-8	Benzene, (1-methylethyl)-	3.5343	15	JN
1191-96-4	UNKNOWN	3.6343	14	J
103-65-1	Benzene, propyl-	3.7628	28	JN
620-14-4	UNKNOWN SUBSTITUTED BENZENE	3.8199	45	J
95-36-3	1,2,4-Trimethylbenzene	3.8698	34	JN
526-73-8	Benzene, 1,2,3-trimethyl-	4.2482	55	JN
1074-43-7	UNKNOWN SUBSTITUTED BENZENE	4.4124	17	J
527-84-4	UNKNOWN SUBSTITUTED BENZENE	4.5908	30	J
95-93-2	UNKNOWN SUBSTITUTED BENZENE	5.0763	14	J
90-12-0	Naphthalene, 1-methyl-	6.2542	8.5	JN
619-04-5	UNKNOWN	6.5326	35	J
5532-86-5	UNKNOWN	6.6753	10	J
91-64-5	UNKNOWN	6.7324	11	J
582-16-1	UNKNOWN SUBSTITUTED NAPHTHAL	6.9752	12	J
571-61-9	UNKNOWN	7.0965	40	J
480-63-7	UNKNOWN ACID	7.1822	8.6	J
54396-45-1	UNKNOWN	7.2393	13	J
97-54-1	UNKNOWN	7.3107	17	J
619-55-6	UNKNOWN	7.5106	17	J
5510-99-6	UNKNOWN	7.8032	16	J
91-21-4	UNKNOWN	7.9389	9.6	J
7340-22-9	UNIONOWN	8.0531	9.5	J
10487-96-4	UNKNOWN	8.1174	22	.J

BROWN & ROOT ENVIRONMENTAL TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: QUANTERRA

SDG Number: BR344

Matrix: (soil/water) WATER

Lab Sample ID: C7K130115 005

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 1000 / mL

Date Received: 11/13/97

Work Order: CE17J202

Date Extracted:11/18/97

Dilution factor: 1

Date Analyzed: 11/26/97

Moisture %:NA

QC Batch: 7324105

Client Sample Id: FD-GW-06 -RE 1

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	<u> </u>
931-64-6	UNKNOWN	8.203	8.1	J
102-25-0	UNKNOWN	8.2673	9.5	J
54549-72-3	UNKNOWN	8.5457	28	J
536-66-3	UNKNOWN PHTHALATE	8.7313	7.7	J

Lab Name:QUANTERRA SDG Number: BR344

Matrix: (soil/water) WATER Lab Sample ID:C7K130115 004

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / mL Date Received: 11/13/97 Work Order: CE17H101 Date Extracted:11/18/97 Dilution factor: 1 Date Analyzed: 11/18/97

Moisture %:NA

QC Batch: 7322109

Client Sample Id: FD-GW-07

CAS NO.	COMPOUND (ug/L or u	g/kg) ug/L	Q
67-64-1	Acetone	10	<u> </u>
71-43-2	Benzene	11	1
75-27-4	Bromodichloromethane	10	ן די
75-25-2	Bromoform	10	ע
74-83-9	Bromomethane	10	<u> </u>
78-93-3	2-Butanone	10	<u> U</u>
75-15-0	Carbon disulfide	10	ן ש
56-23-5	Carbon tetrachloride	10	ן די
108-90-7	Chlorobenzene	10	ן ש
124-48-1	Dibromochloromethane	10	ן די
75-00-3	Chloroethane	10	ט
67-66-3	Chloroform	10	ן ש
74-87-3	Chloromethane	10	<u> U</u>
75-34-3	1,1-Dichloroethane	10	<u> </u>
107-06-2	1,2-Dichloroethane	10	ן ש
75-35-4	1,1-Dichloroethene	10	<u> U</u>
540-59-0	1,2-Dichloroethene (total)	10	<u> </u>
78-87-5	1,2-Dichloropropane	10	<u> U </u>
10061-01-5	cis-1,3-Dichloropropene	10	<u> U</u>
10061-02-6	trans-1,3-Dichloropropene	10	<u> </u>
100-41-4	Kthylbenzene	67	.
591-78-6	2-Hexanone	10	ט
75-09-2	Methylene chloride	10	<u> </u>
108-10-1	4-Methyl-2-pentanone	10	<u> </u>
100-42-5	Styrene	10	ן שַ
79-34-5	1,1,2,2-Tetrachloroethane	. 10	<u> U</u>
127-18-4	Tetrachloroethene	10	ן די
108-88-3	Toluene	12	

Lab Name: QUANTERRA

SDG Number: BR344

Matrix: (soil/water) WATER

Lab Sample ID:C7K130115 004

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / mL

Date Received: 11/13/97

Work Order: CE17H101

Date Extracted:11/18/97

Dilution factor: 1

Date Analyzed: 11/18/97

Moisture %:NA

QC Batch: 7322109

Client Sample Id: FD-GW-07

CAS NO.	COMPOUND	(ug/L or ug/kg)	ug/L 🤇	2
71-55-6	1,1,1-Trichloroet	hane 10		<u> </u>
79-00-5	1,1,2-Trichloroet	hane 10		U
79-01-6	Trichloroethene	10		
75-01-4	Vinyl chloride	10		<u>"</u>
1330-20-7	Xylenes (total)	320		<u> </u>

BROWN & ROOT ENVIRONMENTAL TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: QUANTERRA

SDG Number: BR344

Matrix: (soil/water) WATER

Lab Sample ID:C7K130115 004

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / mL

Date Received: 11/13/97

Work Order: CE17H101 Dilution factor: 1

Date Extracted:11/18/97 Date Analyzed: 11/18/97

Moisture %:NA

QC Batch: 7322109

Client Sample Id: FD-GW-07

	(ug/L o	r ug/kg/	ug/L	
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
611-14-3	benzene, 1-ethyl-2-methyl- o	20.47	110	J
526-73-8	benzene, 1,2,3-trimethyl- or	20.55	81	_ <u>J</u>
95-36-3	1,2,4-trimethylbenzene or is	21.2	270	_ _J
95-36-3	1,2,4-trimethylbenzene or is	21.93	130	J
0-00-0	unknown benzene	22.2	45	J
527-84-4	benzene, 1-methyl-2-(1-methy	22.32	45	J
1074-55-1	benzene, 1-methyl-4-propyl o	22.6	35	J
2870-04-4	benzene, 2-ethyl-1,3-dimethy	22.77	66	J
2870-04-4	benzene, 2-ethyl-1,3-dimethy	22.9	44	_J
0-00-0	unknown	23.08	33	_ J
0-00-0	unknown	23.22	40	J

Lab Name: QUANȚERRA

SDG Number: BR344

Matrix: (soil/water) WATER

Lab Sample ID: C7K130115 004

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 1000 / mL

Date Received: 11/13/97

Work Order: CE17H102

Date Extracted:11/18/97

Dilution factor: 1

Date Analyzed: 11/25/97

Moisture %:NA

QC Batch: 7324105

Client Sample Id: FD-GW-07

CAS NO.	COMPOUND (ug/L or ug	/kg) ug/L Q	
83-32-9	Acenaphthene	10	ַ ַ ַ
208-96-8	Acenaphthylene	10	ַ ַ ַ
120-12-7	Anthracene	10	ַ ַ ַ
56-55-3	Benzo(a) anthracene	10	U
205-99-2	Benzo(b)fluoranthene	10	ַ ַ ַ ַ
207-08-9	Benzo(k) fluoranthene	10	<u> </u>
191-24-2	Benzo(ghi)perylene	10	ַ ַ ַ
50-32-8	Benzo(a)pyrene	10	ַ ַ ַ ַ ַ
111-91-1	bis(2-Chloroethoxy)methane	10	ַ ַ ַ
111-44-4	bis(2-Chloroethyl) ether	10	U
108-60-1	2,2'-Oxybis(1-Chloropropane)	10	וַ שַ
117-81-7	bis(2-Ethylhexyl) phthalate	10	ַ ַ ַ
101-55-3	4-Bromophenyl phenyl ether	10	ַ ַ ַ ַ
85-68-7	Butyl benzyl phthalate	10	<u> </u>
106-47-8	4-Chloroaniline	10	<u> </u>
59-50-7	4-Chloro-3-methylphenol	10	<u> </u>
91-58-7	2-Chloronaphthalene	10	ַ ַ ַ ַ ַ ַ
95-57-8	2-Chlorophenol	10	U
7005-72-3	4-Chlorophenyl phenyl ether	10	U
218-01-9	Chrysene	10	ַ ַ ַ ַ
53-70-3	Dibenz(a,h)anthracene	10	ַ ַ ַ ַ
132-64-9	Dibenzofuran	10	ַ ַ ַ ַ
84-74-2	Di-n-butyl phthalate	10	ַ ַ ַ ַ
95-50-1	1,2-Dichlorobenzene	10	ן ט
541-73-1	1,3-Dichlorobenzene	10	ַ ַ ַ ַ ַ
106-46-7	1,4-Dichlorobenzene	10	U
91-94-1	3,3'-Dichlorobenzidine	10	Ū
120-83-2	2,4-Dichlorophenol	10	

Lab Name: QUANTERRA

SDG Number: BR344

Matrix: (soil/water) WATER

Lab Sample ID:C7K130115 004

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 1000 / mL

Date Received: 11/13/97

Work Order: CE17H102

Date Extracted:11/18/97

Dilution factor: 1

Date Analyzed: 11/25/97

Moisture %:NA

QC Batch: 7324105

Client Sample Id: FD-GW-07

CAS NO.	COMPOUND (ug/L or u	g/kg) ug/L	Q
84-66-2	Diethyl phthalate	1.0	U
105-67-9	2,4-Dimethylphenol	10	ע
131-11-3	Dimethyl phthalate	10	<u></u>
117-84-0	Di-n-octyl phthalate	10	U
534-52-1	4,6-Dinitro-2-methylphenol	25	<u>"</u>
51-28-5	2,4-Dinitrophenol	25	<u></u>
121-14-2	2,4-Dinitrotoluene	10	U
606-20-2	2,6-Dinitrotoluene	10	<u></u>
206-44-0	Fluoranthene	10	<u></u>
86-73-7	Fluorene	_ 1.1	<u>J</u>
118-74-1	Hexachlorobenzene	10	U
87-68-3	Hexachlorobutadiene	10	U
77-47-4	Hexachlorocyclopentadiene	10	<u></u>
67-72-1	Hexachloroethane	10	U
193-39-5	Indeno(1,2,3-cd)pyrene	10	<u></u>
78-59-1	Isophorone	_ 10	<u></u>
91-57-6	2-Methylnaphthalene	<u> 62 </u>	!!
95-48-7	2-Methylphenol	1.6	<u>J</u>
106-44-5	4-Methylphenol	10	<u></u>
91-20-3	Naphthalene	<u> 79 </u>	
88-74-4	2-Nitroaniline	25	U
99-09-2	3-Nitroaniline	_ 25	lu
100-01-6	4-Nitroaniline	25	<u> </u>
98-95-3	Nitrobenzene		
88-75-5	2-Nitrophenol	_ 10	<u> </u>
100-02-7	4-Nitrophenol	25	
621-64-7	N-Nitrosodi-n-propylamine	10	
86-30-6	N-Nitrosodiphenylamine	10	<u></u>

Lab Name: QUANTERRA

SDG Number: BR344

Matrix: (soil/water) WATER

Lab Sample ID:C7K130115 004

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 1000 / mL

Date Received: 11/13/97

Work Order: CE17H102

Date Extracted:11/18/97

Dilution factor: 1

Date Analyzed: 11/25/97

Moisture %:NA

QC Batch: 7324105

Client Sample Id: FD-GW-07

86-74-8	Carbazole	10	
88-06-2	2,4,6-Trichlorophenol	10	<u>U</u>
95-95-4	2,4,5-Trichlorophenol	25	<u>_</u>
120-82-1	1,2,4-Trichlorobenzene	10	
129-00-0	Pyrene	10	<u> </u>
108-95-2	Phenol	10	
85-01-8	Phenanthrene	10	
87-86-5	Pentachlorophenol	25	<u></u> U
CAS NO.	COMPOUND (ug/L or	ug/kg) ug/L	<u>S</u>

BROWN & ROOT ENVIRONMENTAL TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: QUANTERRA

SDG Number: BR344

Matrix: (soil/water) WATER

Lab Sample ID: C7K130115 004

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 1000 / mL Work Order: CE17H102 Date Received: 11/13/97
Date Extracted:11/18/97

Dilution factor: 1

Date Analyzed: 11/25/97

Moisture %:NA

QC Batch: 7324105

Client Sample Id: FD-GW-07

	(ug/L o	r ug/kg)	ug/L	
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	10
	UNKNOWN SUBSTITUTED BENZENE	3.8262	42	J
95-36-3	1,2,4-Trimethylbenzene	3.8762	30	JN
98-82-8	Benzene, (1-methylethyl)-	3.5407	12	NU
	UNKNOWN	3.6406	11	J
103-65-1	Benzene, propyl-	3.762	28	JN
526-73-8	Benzene, 1,2,3-trimethyl-	4.2474	52	JN
	UNKNOWN SUBSTITUTED BENZENE	4.4116	19	J
	UNKNOWN SUBSTITUTED BENZENE	4.5901	26	J
	UNKNOWN SUBSTITUTED BENZENE	4.7685	15	J
	UNKNOWN SUBSTITUTED BENZENE	4.8328	22	J
	UNKNOWN	4.9256	12	J
	UNKNOWN SUBSTITUTED BENZENE	5.0826	57	J
	UNKNOWN	5.2325	4.4	J
	UNKNOWN	5.5109	4.2	J
	UNKNOWN	5.6965	2.5	J
	UNKNOWN	5.8393	3.7	J
	UNKNOWN	5.8679	2.6	J
	UNKNOWN	5.9892	4.2	J
90-12-0	Naphthalene, 1-methyl-	6.2534	5.7	JN
	UNKNOWN	6.4889	16	J
	UNKNOWN	6.5318	16	J
	UNKNOWN	6.7317	22	J
	UNKNOWN SUBSTITUTED NAPHTHAL	6.9672	13	J
	UNKNOWN SUBSTITUTED BENZENE	.7.0957	35	J
	UNKNOWN	7.2385	22	J
	UNKNOWN	7.8524	28	J

BROWN & ROOT ENVIRONMENTAL TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: QUANTERRA

SDG Number: BR344

Matrix: (soil/water) WATER

Lab Sample ID:C7K130115 004

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 1000 / mL

Date Received: 11/13/97

Work Order: CE17H102

Date Extracted:11/18/97

Dilution factor: 1

Date Analyzed: 11/25/97

Moisture %:NA

QC Batch: 7324105

Client Sample Id: FD-GW-07

		43/- 4- 43/113/	-3/-	
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
	UNKNOWN	8.1166	28	J
	UNKNOWN	8.5877	24	J
10544-50-0	Sulfur, mol. (s8)	12.349	10	NL

A.2 GROUNDWATER FROM PERMANENT MONITORING WELL

Lab Name: QUANTERRA

SDG Number: BR323

Matrix: (soil/water) WATER

Lab Sample ID:C7F270122 020

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / mL

Date Received: 06/27/97
Date Extracted:07/01/97

Work Order: CADG4101

Date Analyzed: 07/01/97

QC Batch: 7183134

Client Sample Id: FD-MW07-062597

CAS NO.	COMPOUND (ug/L or u	ıg/kg) ug/L	Q
67-64-1	Acetone	_ 10	<u></u>
71-43-2	Benzene	_ 10	<u></u>
75-27-4	Bromodichloromethane	<u> 10</u>	ן
75-25-2	Bromoform	10	
74-83-9	Bromomethane	10	ט
78-93-3	2-Butanone	10	ן ט
75-15-0	Carbon disulfide	10	ן
56-23-5	Carbon tetrachloride	10	ן ש
108-90-7	Chlorobenzene	10	<u>"</u>
124-48-1	Dibromochloromethane	10	ן ט
75-00-3	Chloroethane	10	ן ט
67-66-3	Chloroform	1.2	[J]
74-87-3	Chloromethane	10	ן ט
75-34-3	1,1-Dichloroethane	10	ן ט
107-06-2	1,2-Dichloroethane	10	ן ש
75-35-4	1,1-Dichloroethene	_ 10	ן ט
540-59-0	1,2-Dichloroethene (total)	10	ן ט
78-87-5	1,2-Dichloropropane	10	<u>"</u>
10061-01-5	cis-1,3-Dichloropropene	10	_
10061-02-6	trans-1,3-Dichloropropene	10	וט
100-41-4	Ethylbenzene	10	ן ט
591-78-6	2-Hexanone	10	יט
75-09-2	Methylene chloride	10	ן ט
108-10-1	4-Methyl-2-pentanone	10	ן ט
100-42-5	Styrene	10	ן ט
79-34-5	1,1,2,2-Tetrachloroethane	10	ן ט
127-18-4	Tetrachloroethene	10	ן ט
108-88-3	Toluene	10	ן ט
71-55-6	1,1,1-Trichloroethane	10	ן ש

Lab Name: QUANTERRA

SDG Number: BR323

Matrix: (soil/water) WATER
Method: OCLP OLM03.1

Lab Sample ID:C7F270122 020

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / mL Work Order: CADG4101 Date Received: 06/27/97 Date Extracted:07/01/97 Date Analyzed: 07/01/97

QC Batch: 7183134

Client Sample Id: FD-MW07-062597

CAS NO.	COMPOUND (ug/L	or ug/kg) ug/L	Q_
79-00-5	1,1,2-Trichloroethane	10	ן ט
79-01-6	Trichloroethene	10	<u>י</u>
75-01-4	Vinyl chloride	10	ט ו
1330-20-7	Xylenes (total)	10	ָ <u>"</u>

BROWN & ROOT ENVIRONMENTAL TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: QUANTERRA

SDG Number: BR323

Matrix: (soil/water) WATER

Lab Sample ID:C7F270122 020

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / mL

Date Received: 06/27/97
Date Extracted:07/01/97

Work Order: CADG4101

Date Analyzed: 07/01/97

QC Batch: 7183134

Client Sample Id: FD-MW07-062597

		Tug/II OI	49/19/	49/11		
CAS NUMBER	COMPOUND NAME		RT	EST.	CONC.	Q
	no tics detected			1		ND

Lab Name: QUANTERRA

SDG Number: BR345

Matrix: (soil/water) WATER

Lab Sample ID:C7K150106 006

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / mL

Date Received: 11/15/97 Date Extracted:11/18/97

Work Order: CE2ML101

Dilution factor: 1

Date Analyzed: 11/18/97

Moisture %:NA

QC Batch: 7322109

Client Sample Id: FD-MW07

CAS NO.	COMPOUND (ug/L or u	g/kg) ug/L	<u> </u>
67-64-1	Acetone	10	U
71-43-2	Benzene	10	U
75-27-4	Bromodichloromethane	10	<u></u>
75-25-2	Bromoform		<u>U</u>
74-83-9	Bromomethane	_ 10	lu
78-93-3	2-Butanone	_ 10	<u> </u>
75-15-0	Carbon disulfide	10	<u> </u>
56-23-5	Carbon tetrachloride	_ 10	<u> </u>
108-90-7	Chlorobenzene	10	U
124-48-1	Dibromochloromethane	10	<u>U</u>
75-00-3	Chloroethane	10	<u></u>
67-66-3	Chloroform	_ 10	ע
74-87-3	Chloromethane	10	<u></u>
75-34-3	1,1-Dichloroethane	10	<u>"</u>
107-06-2	1,2-Dichloroethane	_ 10	<u>u</u>
75-35-4	1,1-Dichloroethene	10	U
540-59-0	1,2-Dichloroethene (total)	10	lU
78-87-5	1,2-Dichloropropane	10	<u></u>
10061-01-5	cis-1,3-Dichloropropene	10	<u>U</u>
10061-02-6	trans-1,3-Dichloropropene	10	<u> </u>
100-41-4	Ethylbenzene	10	ע
591-78-6	2-Hexanone	_ 10	ע
75-09-2	Methylene chloride	10	
108-10-1	4-Methyl-2-pentanone	10	l <u> </u>
100-42-5	Styrene	10	<u>U</u>
79-34-5	1,1,2,2-Tetrachloroethane	10	U
127-18-4	Tetrachloroethene	4.2	<u>J</u> _
108-88-3	Toluene	10	<u></u>

Lab Name: QUANTERRA

SDG Number: BR345

Matrix: (soil/water) WATER Lab Sample ID:C7K150106 006

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / mL

Date Received: 11/15/97

Work Order: CE2ML101

Date Extracted:11/18/97

Dilution factor: 1

Date Analyzed: 11/18/97

Moisture %:NA

QC Batch: 7322109

Client Sample Id: FD-MW07

CAS NO.	COMPOUND (ug/L or	ug/kg) ug/L	Q
71-55-6	1,1,1-Trichloroethane	2.0	J
79-00-5	1,1,2-Trichloroethane	10	UU
79-01-6	Trichloroethene	10	<u> </u>
75-01-4	Vinyl chloride	10	U
1330-20-7	Xylenes (total)	10	U

BROWN & ROOT ENVIRONMENTAL TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: QUANTERRA

SDG Number: BR345

Matrix: (soil/water) WATER

Lab Sample ID: C7K150106 006

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / mL Work Order: CE2ML101 Date Received: 11/15/97 Date Extracted:11/18/97

Dilution factor: 1

Date Analyzed: 11/18/97

Moisture %:NA

QC Batch: 7322109

Client Sample Id: FD-MW07

		(ug/L or ug/kg)	ug/L	
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
	no tics detected			ND

A.3 SOIL BORINGS

Lab Name:QUANTERRA SDG Number: BR333

Matrix: (soil/water) SOLID Lab Sample ID:C7H180107 002

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g

Work Order: CCAJ0103

Date Extracted:08/19/97

Dilution factor: 1

Date Analyzed: 08/19/97

Moisture %:9.6

QC Batch: 7231123

Client Sample Id: T1-SB01-1517

CAS NO.	COMPOUND (ug/L or u	g/kg) ug/kg	Q
67-64-1	Acetone	_ 11	<u> </u>
71-43-2	Benzene	11	<u></u>
75-27-4	Bromodichloromethane	11	<u></u>
75-25-2	Bromoform	_ 11	<u></u> _
74-83-9	Bromomethane	_ 11	<u></u>
78-93-3	2-Butanone		U
75-15-0	Carbon disulfide	11	U
56-23-5	Carbon tetrachloride	_ 11	<u> </u>
108-90-7	Chlorobenzene	11	U
124-48-1	Dibromochloromethane	_ 11	<u></u>
75-00-3	Chloroethane	_ 11	ן די ביין
67-66-3	Chloroform		U
74-87-3	Chloromethane	_ 11	<u></u>
75-34-3	1,1-Dichloroethane	_ 11	ע
107-06-2	1,2-Dichloroethane	_ 11	<u>"</u>
75-35-4	1,1-Dichloroethene	_ 11	<u></u>
540-59-0	1,2-Dichloroethene (total)	_ 11	<u>"</u>
78-87-5	1,2-Dichloropropane	11	<u></u>
10061-01-5	cis-1,3-Dichloropropene	_ 11	<u>"</u>
10061-02-6	trans-1,3-Dichloropropene	11	<u>"</u>
100-41-4	Ethylbenzene	11	<u>u</u>
591-78-6	2-Hexanone	11	<u></u>
75-09-2	Methylene chloride	_ 11	<u></u>
108-10-1	4-Methyl-2-pentanone		ן
100-42-5	Styrene	_ 11	<u></u>
79-34-5	1,1,2,2-Tetrachloroethane	111	
127-18-4	Tetrachloroethene	_ 11	<u></u>
108-88-3	Toluene	11	<u>"</u>
71-55-6	1,1,1-Trichloroethane		ן די

Lab Name:QUANTERRA

SDG Number: BR333

Matrix: (soil/water) SOLID

Lab Sample ID:C7H180107 002

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g

Date Received: 08/16/97 Date Extracted:08/19/97

Work Order: CCAJ0103

Date Analyzed: 08/19/97

Dilution factor: 1

Moisture %:9.6

QC Batch: 7231123

Client Sample Id: T1-SB01-1517

CAS NO.	COMPOUND (ug/L	or ug/kg)	ug/kg (5
79-00-5	1,1,2-Trichloroethane	11		<u> </u>
79-01-6	Trichloroethene	11		ַ
75-01-4	Vinyl chloride	11		U
1330-20-7	Xylenes (total)	11		U

BROWN & ROOT ENVIRONMENTAL TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: QUANTERRA

SDG Number: BR333

Matrix: (soil/water) SOLID

Lab Sample ID:C7H180107 002

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g Work Order: CCAJ0103 Date Received: 08/16/97 Date Extracted: 08/19/97

Dilution factor: 1

Date Analyzed: 08/19/97

Moisture %:9.6

QC Batch: 7231123

Client Sample Id: T1-SB01-1517

		(ug/D or ug/ng/ ug/ng	
CAS NUMBER	COMPOUND NAME	RT EST. CON	C. Q
	no tics detected		ND

Lab Name: QUANTERRA

SDG Number: BR333

Matrix: (soil/water) SOLID

Lab Sample ID:C7H180107 002

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g Work Order: CCAJ0101 Date Received: 08/16/97 Date Extracted: 08/28/97

Dilution factor: 4

Date Analyzed: 09/10/97

Moisture %:9.6

QC Batch: 7250108

Client Sample Id: T1-SB01-1517

CAS NO.	COMPOUND (ug/L or ug	/kg) ug/kg	Q
83-32-9	Acenaphthene	1500	<u> </u>
208-96-8	Acenaphthylene	1500	
120-12-7	Anthracene	1500	_ <u></u>
56-55-3	Benzo(a)anthracene	3300	_
205-99-2	Benzo(b) fluoranthene	1700	_
207-08-9	Benzo(k)fluoranthene	1700	_
191-24-2	Benzo(ghi)perylene	1100	<u> J</u>
50-32-8	Benzo(a) pyrene	2200	.
111-91-1	bis(2-Chloroethoxy)methane	1500	<u> </u>
111-44-4	bis(2-Chloroethyl) ether	1500	<u> U</u>
108-60-1	2,2'-Oxybis(1-Chloropropane)	1500	<u> U</u>
117-81-7	bis(2-Ethylhexyl) phthalate	1500	ן
101-55-3	4-Bromophenyl phenyl ether	1500	<u> U</u>
85-68-7	Butyl benzyl phthalate	1500	<u> U</u>
106-47-8	4-Chloroaniline	1500	<u> </u>
59-50-7	4-Chloro-3-methylphenol	1500	<u> U </u>
91-58-7	2-Chloronaphthalene	1500	<u> U </u>
95-57-8	2-Chlorophenol	1500	<u> </u>
7005-72-3	4-Chlorophenyl phenyl ether	1500	<u> U</u>
218-01-9	Chrysene	3100	_
53-70-3	Dibenz(a,h)anthracene	1500	<u> U</u>
132-64-9	Dibenzofuran	1500	<u> U </u>
84-74-2	Di-n-butyl phthalate	1500	<u> </u>
95-50-1	1,2-Dichlorobenzene	1500	U
541-73-1	1,3-Dichlorobenzene	1500	ן
106-46-7	1,4-Dichlorobenzene	1500	ן
91-94-1	3,3'-Dichlorobenzidine	1500	ט נ
120-83-2	2,4-Dichlorophenol	1500	ַ ט
84-66-2	Diethyl phthalate	1500	U

Lab Name: QUANTERRA

SDG Number: BR333

Matrix: (soil/water) SOLID Lab Sample ID:C7H180107 002

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g Work Order: CCAJ0101

Date Received: 08/16/97 Date Extracted:08/28/97

Dilution factor: 4

Date Analyzed: 09/10/97

Moisture %:9.6

QC Batch: 7250108

Client Sample Id: T1-SB01-1517

CAS NO.	COMPOUND (ug/L or u	ig/kg) ug/kg	0
105-67-9	2,4-Dimethylphenol	1500	<u>U</u>
131-11-3	Dimethyl phthalate	1500	
117-84-0	Di-n-octyl phthalate	1500	<u></u>
534-52-1	4,6-Dinitro-2-methylphenol	3700	lu
51-28-5	2,4-Dinitrophenol	3700	U
121-14-2	2,4-Dinitrotoluene	1500	<u> U </u>
606-20-2	2,6-Dinitrotoluene	1500	lll
206-44-0	Fluoranthene	7400	_
86-73-7	Fluorene	1500	<u></u> ע
118-74-1	Hexachlorobenzene	1500	U
87-68-3	Hexachlorobutadiene	1500	<u> </u>
77-47-4	Hexachlorocyclopentadiene	1500	<u>ַ</u>
67-72-1	Hexachloroethane	1500	<u>U</u>
193-39-5	Indeno(1,2,3-cd)pyrene	1400	_
78-59-1	Isophorone	1500	<u> </u>
91-57-6	2-Methylnaphthalene	1500	_
95-48-7	2-Methylphenol	1500	
106-44-5	4-Methylphenol	1500	U
91-20-3	Naphthalene	1500	_ <u></u>
88-74-4	2-Nitroaniline	3700	<u></u> U
99-09-2	3-Nitroaniline	3700	<u> </u>
100-01-6	4-Nitroaniline	3700	
98-95-3	Nitrobenzene	1500	<u></u>
88-75-5	2-Nitrophenol	1500	<u></u> U
100-02-7	4-Nitrophenol	3700	<u>U</u>
621-64-7	N-Nitrosodi-n-propylamine	1500	
86-30-6	N-Nitrosodiphenylamine	1500	<u> </u>
87-86-5	Pentachlorophenol	3700	<u>U</u>
85-01-8	Phenanthrene	1500	<u></u>

Lab Name: QUANTERRA

SDG Number: BR333

Matrix: (soil/water) SOLID

Lab Sample ID:C7H180107 002

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g Work Order: CCAJ0101

Date Received: 08/16/97 Date Extracted:08/28/97

Dilution factor: 4

Date Analyzed: 09/10/97

Moisture %:9.6

QC Batch: 7250108

Client Sample Id: T1-SB01-1517

CAS NO.	COMPOUND (ug/L or	ug/kg) ug/kg	Q
108-95-2	Phenol	1500	ע
129-00-0	Pyrene	10000	.
120-82-1	1,2,4-Trichlorobenzene	1500	<u> U</u>
95-95-4	2,4,5-Trichlorophenol	3700	U
88-06-2	2,4,6-Trichlorophenol	1500	ע ע
86-74-8	Carbazole	1500	<u> U</u>

BROWN & ROOT ENVIRONMENTAL TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: QUANTERRA

SDG Number: BR333

Matrix: (soil/water) SOLID

Lab Sample ID:C7H180107 002

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g Work Order: CCAJ0101

Date Received: 08/16/97 Date Extracted: 08/28/97

Dilution factor: 4

Date Analyzed: 09/10/97

Moisture %:9.6

QC Batch: 7250108

Client Sample Id: T1-SB01-1517

(ug/I or ug/kg) ug/kg

	(ug/L o	or ug/kg) ug/kg		
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	l <u> </u>
123-42-2	2-Pentanone, 4-hydroxy-4-met	2.7479	10000	JBA
	Unknown	3.9184	1200	J
	Unknown	4.4038	3500	J
	Unknown	4.4894	4300	J
	Unknown	4.5322	3900	J
	Unknown	4.6107	5000	<u>J</u>
	Unknown	4.8035	1300	J
	Unknown	4.8534	1800	J
	Unknown	4.9605	1700	J
	Unknown	5.039	1400	J
······································	Unknown	5.1032	1800	J
	Unknown	5.246	1600	J
	Unknown Branched Alkane	5.4315	4500	J
	Unknown	5.5671	2200	J
	Unknown	5.61	1100	J
	Unknown Branched Alkane	5.767	4500	J
	Unknown Branched Alkane	5.8455	5100	J
	Unknown Straight Alkane	6.0454	5400	J
	Unknown Branched Alkane	6.1167	2000	J
	Unknown Branched Alkane	6.1667	1900	J
	Unknown	6.288	2400	J
	Unknown	6.4165	2600	J
	Unknown	6.5093	2900	<u> </u>
	Unknown Straight Alkane	6.8305	7100	_ J
	Unknown Branched Alkane	6.8804	1000	J
	Unknown Branched Alkane	6.9232	1600	J
	Unknown	7.1945	1800	<u> </u>]
	Unknown Branched Alkane	7.3158	2200	J
	Unknown Straight Alkane	9.2571	3000	J
	Unknown Branched Alkane	9.3071	2900	J

Lab Name:QUANTERRA SDG Number: BR333

Matrix: (soil/water) SOLID Lab Sample ID:C7H180107 003

Method: CCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g

Work Order: CCAJ2103

Date Extracted: 08/16/97

Date Extracted: 08/19/97

Date Analyzed: 08/19/97

Moisture %:1.9

QC Batch: 7231123

Client Sample Id: T1-SB02-1517

CAS NO.	COMPOUND (ug/L or u	g/kg) ug/kg (2
67-64-1	Acetone	10	U
71-43-2	Benzene	10	<u>"</u>
75-27-4	Bromodichloromethane	10	<u> </u>
75-25-2	Bromoform	10	
74-83-9	Bromomethane	10	<u> </u>
78-93-3	2-Butanone	10	<u> </u>
75-15-0	Carbon disulfide	10	<u> </u>
56-23-5	Carbon tetrachloride	10	<u> </u>
108-90-7	Chlorobenzene	10	<u> </u>
124-48-1	Dibromochloromethane	10	<u> U</u>
75-00-3	Chloroethane	10	<u> </u>
67-66-3	Chloroform	10	<u> U</u>
74-87-3	Chloromethane	10	ט
75-34-3	1,1-Dichloroethane	10	<u> U</u>
107-06-2	1,2-Dichloroethane	10	<u> </u>
75-35-4	1,1-Dichloroethene	10	<u> </u>
540-59-0	1,2-Dichloroethene (total)	10	<u> </u>
78-87-5	1,2-Dichloropropane	10	<u>"</u>
10061-01-5	cis-1,3-Dichloropropene	10	<u> </u>
10061-02-6	trans-1,3-Dichloropropene	10	<u>"</u>
100-41-4	Ethylbenzene	10	ן
591-78-6	2-Hexanone	10	ן די די די
75-09-2	Methylene chloride	10	<u> U </u>
108-10-1	4-Methyl-2-pentanone	10	<u> </u>
100-42-5	Styrene	10	Ū
79-34-5	1,1,2,2-Tetrachloroethane	10	[ט
127-18-4	Tetrachloroethene	10	<u> </u>
108-88-3	Toluene	10	<u>"</u>
71-55-6	1,1,1-Trichloroethane	10	<u>"</u>

Lab Name: QUANTERRA

SDG Number: BR333

Matrix: (soil/water) SOLID Lab Sample ID:C7H180107 003

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g

Date Received: 08/16/97 Date Extracted:08/19/97

Work Order: CCAJ2103

Dilution factor: 1

Date Analyzed: 08/19/97

Moisture %:1.9

QC Batch: 7231123

Client Sample Id: T1-SB02-1517

CAS NO.	COMPOUND	(ug/L or ug/kg)	ug/kg (<u> </u>
79-00-5	1,1,2-Trichloroet	hane 10		<u>"</u>
79-01-6	Trichloroethene	10		ן די
75-01-4	Vinyl chloride	10		<u>"</u>
1330-20-7	Xylenes (total)	10		<u> </u>

BROWN & ROOT ENVIRONMENTAL TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: QUANTERRA

SDG Number: BR333

Matrix: (soil/water) SOLID

Lab Sample ID:C7H180107 003

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g

Date Received: 08/16/97 Date Extracted:08/19/97

Work Order: CCAJ2103

Date Analyzed: 08/19/97

Dilution factor: 1

Moisture %:1.9

QC Batch: 7231123

Client Sample Id: T1-SB02-1517

		(ug/L or ug/kg)	ug/kg	
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	<u>Q</u>
	no tics detected			ND i

Lab Name:QUANTERRA SDG Number: BR333

Matrix: (soil/water) SOLID Lab Sample ID:C7H180107 003

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Work Order: CCAJ2101

Date Extracted: 08/16/97

Date Extracted: 08/28/97

Date Analyzed: 09/10/97

Moisture %:1.9

QC Batch: 7250108

Client Sample Id: T1-SB02-1517

CAS NO.	COMPOUND (ug/L or ug,	/kg) ug/kg	Q
83-32-9	Acenaphthene	670	<u>"</u>
238-96-8	Acenaphthylene	670	<u> </u>
120-12-7	Anthracene	610	J
56-55-3	Benzo(a)anthracene	1500	_11
205-99-2	Benzo(b) fluoranthene	760	_
207-08-9	Benzo(k) fluoranthene	700	_
191-24-2	Benzo(ghi)perylene	560	_ <u>J</u>
50-32-8	Benzo(a)pyrene	990	_1
111-91-1	bis(2-Chloroethoxy)methane	670	_ <u> </u>
111-44-4	bis(2-Chloroethyl) ether	670	<u>U</u>
108-60-1	2,2'-Oxybis(1-Chloropropane)	670	_ <u></u>
117-81-7	bis(2-Ethylhexyl) phthalate	670	ן ט
101-55-3	4-Bromophenyl phenyl ether	670	_ U
85-68-7	Butyl benzyl phthalate	670	<u>"</u>
106-47-8	4-Chloroaniline	670	U
59-50-7	4-Chloro-3-methylphenol	670	<u> </u>
91-58-7	2-Chloronaphthalene	670	_ <u></u>
95-57-8	2-Chlorophenol	670	<u> U</u>
7005-72-3	4-Chlorophenyl phenyl ether	670	_ <u> </u>
218-01-9	Chrysene	1600	_
53-70-3	Dibenz(a,h)anthracene	670	<u> U</u>
132-64-9	Dibenzofuran	670	ן
84-74-2	Di-n-butyl phthalate	670	ע
95-50-1	1,2-Dichlorobenzene	670	_ <u></u>
541-73-1	1,3-Dichlorobenzene	670	_
136-46-7	1,4-Dichlorobenzene	670	<u>u</u>
91-94-1	3,3'-Dichlorobenzidine	670	<u> U</u>
120-83-2	2,4-Dichlorophenol	670	<u> U</u>
84-66-2	Diethyl phthalate	670	<u> u</u>

Lab Name:QUANTERRA SDG Number: BR333

Matrix: (soil/water) SOLID Lab Sample ID:C7H180107 003

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Date Received: 08/16/97

Work Order: CCAJ2101

Date Extracted: 08/28/97

Date Analyzed: 09/10/97

Moisture %:1.9

QC Batch: 7250108

Client Sample Id: T1-SB02-1517

CAS NO.	COMPOUND (ug/L or u	g/kg) ug/kg	Q
105-67-9	2,4-Dimethylphenol	670	<u></u>
131-11-3	Dimethyl phthalate	670	<u> </u>
117-84-0	Di-n-octyl phthalate	670	<u> </u>
534-52-1	4,6-Dinitro-2-methylphenol	1700	<u>"</u>
51-28-5	2,4-Dinitrophenol	1700	<u>U</u>
101-14-2	2,4-Dinitrotoluene	670	ע
606-20-2	2,6-Dinitrotoluene	670	<u> </u>
206-44-0	Fluoranthene	4200	
86-73-7	Fluorene	180	J
118-74-1	Hexachlorobenzene	670	<u> </u>
87-68-3	Hexachlorobutadiene	670	<u> </u>
47-4	Hexachlorocyclopentadiene	670	<u>U</u>
67-72-1	Hexachloroethane	670	<u>"</u>
193-39-5	Indeno(1,2,3-cd)pyrene	650	<u>J</u>
-3-59-1	Isophorone	670	<u>"</u>
- 2 - 57 - 6	2-Methylnaphthalene	670	U
99-48-7	2-Methylphenol	670	<u> </u>
1 6-44-5	4-Methylphenol	670	<u> </u>
- 1 - 2 0 - 3	Naphthalene	670	U U
	2-Nitroaniline	1700	U
- 1-09-2	3-Nitroaniline	1700	<u> </u>
1 0-01-6	4-Nitroaniline	1700	<u></u> u
95-3	Nitrobenzene	670	<u> </u>
- 5 - 5	2-Nitrophenol	670	UU
1,3-02-7	4-Nitrophenol	1700	<u> </u>
601-64-7	N-Nitrosodi-n-propylamine	670	<u> </u>
= - 30 - 6	N-Nitrosodiphenylamine	670	<u>u</u>
86 -5	Pentachlorophenol	1700	<u> </u>
85-01-8	Phenanthrene	870	

Lab Name: QUANTERRA

SDG Number: BR333

Matrix: (soil/water) SOLID Lab Sample ID:C7H180107 003

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g
Work Order: CCAJ2101

Date Received: 08/16/97

Date Extracted:08/28/97

Dilution factor: 2

Date Analyzed: 09/10/97

Moisture %:1.9

QC Batch: 7250108

Client Sample Id: T1-SB02-1517

CAS NO.	COMPOUND (ug/L or	ug/kg) ug/kg	Q
108-95-2	Phenol	670	<u>U</u>
129-00-0	Pyrene	3400	
120-82-1	1,2,4-Trichlorobenzene	670	U
35-9 5-4	2,4,5-Trichlorophenol	1700	U
33-06-2	2,4,6-Trichlorophenol	670	<u></u>
86-74-8	Carbazole	120	<u>J</u> _

Lab Name: QUANTERRA

SDG Number: BR333

Matrix: (soil/water) SOLID

Lab Sample ID:C7H180107 003

Method: CCLP OLMO3.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Date Received: 08/16/97 Date Extracted: 08/28/97

Work Order: CCAJ2101 Dilution factor: 2

Date Analyzed: 09/10/97

Moisture %:1.9

QC Batch: 7250108

Client Sample Id: T1-SB02-1517

(ug/L or ug/kg) ug/kg

	(ug/L_c	r ug/kg)	ug/kg	
DAS NUMBER :	COMPOUND NAME	RT	EST. CONC.	Q
000123-42-22-Pen	tanone, 4-Hydroxy-4-Meth	2.7999	8300	JBA
Unkno	wn Branched Alkane	3.32B	640	J
Unkno	wn Branched Alkane	3.6207	1100	J
Unkno	wn Branched Alkane	3.6778	950	_ J ·
Unkno	wn Branched Alkane	3.8419	4000	_ J
Unkno	wn Branched Alkane	3.8919	1400	_ J
Unkno	wn Branched Alkane	4.2487	2600	_ <u>J</u>
Unkno	wn.	4.4914	7100	_ J
Unkno	wn Straight Alkane	4.7412	18000	_! <u>J</u>
Unkno	wn Branched Alkane	4.8197	240	_ J
Unkno	WTI.	4.884	290	J
Unkno	wnxanehexanol	4.9839	250	J
Unkno	wn Branched Alkane	5.0553	250	J
'Unkno	wn Substituted Benzene	5.1195	500	J
Unkno	wn Straight Alkane	5.4121	550	J
Unkno	WID.	5.8832	490	<u>J</u>
Unkno	wn Straight Alkane	5.0973	1400	_ J
: Unkno	WT1	6.3328	220	_ <u>J</u>
Unkno	wn Cyclo Alkane	6.4399	330	<u> </u>
Unkno	wn Branched Alkane	6.5327	760	J
Unkno	wn Straight Alkane	6.8539	3000	J
Unkno	WIL	6.9038	290	J
Unkno	wn Branched Alkane	6.9324	350	
Unkno	WT1	7.2036	540	J
Unkno	wn Cyclohexane	7.2607	320	_ J
Unkno	wn Branched Alkane	7.3249	860	J
Unkno	WIL	7.9958	240	_ <u>J</u>
Unkno	wn Branched Alkane	8.4384	430	J
	wn Branched Alkane	9.2592	1500	J
Unkno	wn Branched Alkane	9.3091	1700	<u>J</u>

(1994年) · 1994年 - 中国 - 1997年 -

Lab Name:QUANTERRA SDG Number:

Matrix: (soil/water) SOLID Lab Sample ID:C7H180107 004

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g Date Received: 08/16/97 Work Order: CCAJ3103 Date Extracted:08/19/97 Dilution factor: 1 Date Analyzed: 08/19/97

Moisture %:4.6

QC Batch: 7231123

BR333

Client Sample Id: T1-SB03-1517

CAS NO.	COMPOUND (ug/L or u	ig/kg) ug/kg	Q
67-64-1	Acetone		ן
71-43-2	Benzene	10	ע
75-27-4	Bromodichloromethane	10	ע
75-25-2	Bromoform	10	ן
74-83-9	Bromomethane	10	<u> </u>
78-93-3	2-Butanone	10	ן ט
75-15-0	Carbon disulfide	10	ן
56-23-5	Carbon tetrachloride	10	ן ט
108-90-7	Chlorobenzene	10	ט
124-48-1	Dibromochloromethane	10	U
75-00-3	Chloroethane	10	ט
67-66-3	Chloroform	10	<u> </u>
74-87-3	Chloromethane	10	<u> U</u>
75-34-3	1,1-Dichloroethane	10	ן ט
107-06-2	1,2-Dichloroethane	10	<u> </u> <u>U</u>
75-35-4	1,1-Dichloroethene	10	U
540-59-0	1,2-Dichloroethene (total)	10	ן די
78-87-5	1,2-Dichloropropane	10	ן ט
10061-01-5	cis-1,3-Dichloropropene	10	ן ט
10061-02-6	trans-1,3-Dichloropropene	10	ן
100-41-4	Ethylbenzene	10	ן ט
591-78-6	2-Hexanone	10	ן ט
75-09-2	Methylene chloride	10	ן ט
108-10-1	4-Methyl-2-pentanone	10	ן ט
100-42-5	Styrene	10	ן ט
79-34-5	1,1,2,2-Tetrachloroethane	10	U
127-18-4	Tetrachloroethene	10	ן ט
108-88-3	Toluene	10	ן ט
71-55-6	1,1,1-Trichloroethane	10	ן ט

Lab Name:QUANTERRA

SDG Number: BR333

Matrix: (soil/water) SOLID

Lab Sample ID:C7H180107 004

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g

Date Received: 08/16/97

Work Order: CCAJ3103

Date Extracted:08/19/97

Dilution factor: 1

Date Analyzed: 08/19/97

Moisture %:4.6

QC Batch: 7231123

Client Sample Id: T1-SB03-1517

CAS NO.	COMPOUND (ug/L o	r ug/kg) ug/kg	<u>Q</u>
79-00-5	1,1,2-Trichloroethane	10	<u> </u>
79-01-6	Trichloroethene	10	<u></u>
75-01-4	Vinyl chloride	10	<u> </u>
1330-20-7	Xylenes (total)	10	ע

Lab Name:QUANTERRA

SDG Number: BR333

Matrix: (soil/water) SOLID

Lab Sample ID: C7H180107 004

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g Work Order: CCAJ3103 Dilution factor: 1 Date Received: 08/16/97
Date Extracted:08/19/97
Date Analyzed: 08/19/97

Moisture %:4.6

QC Batch: 7231123

Client Sample Id: T1-SB03-1517

		(ug/L or ug/kg)	ug/kg	
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	<u>Q</u>
	no tics detected			ND

Lab Name: QUANTERRA SDG Number: BR333

Matrix: (soil/water) SOLID Lab Sample ID:C7H180107 004

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g Date Received: 08/16/97 Work Order: CCAJ3101 Date Extracted: 08/28/97

Dilution factor: 5 Date Analyzed: 09/10/97

Moisture %:4.6
QC Batch: 7250108

Client Sample Id: T1-SB03-1517

83-32-9 Acenaphthene 1700 228-96-8 Acenaphthylene 1700 120-12-7 Anthracene 310 J 56-55-3 Benzo(a) anthracene 2000	<u>ט</u>
120-12-7 Anthracene 310 J 56-55-3 Benzo(a) anthracene 2000	<u>u</u>
56-55-3 Benzo(a)anthracene 2000	i
205-99-2 Benzo(b) fluoranthene 1200 J	!
207-08-9 Benzo(k) fluoranthene 920 J 191-24-2 Benzo(ghi) perylene 720 J	İ
191-24-2 Benzo(ghi)perylene 720 J	
11400	
50-32-8 Benzo(a) pyrene 1400 J	
111-91-1 bis(2-Chloroethoxy) methane 1700	<u>"</u>
111-44-4 bis(2-Chloroethyl) ether 1700	<u> </u>
138-60-1 2,2'-Oxybis(1-Chloropropane) 1700	U
117-31-7 bis(2-Ethylhexyl) phthalate 1700	U
101-55-3 4-Bromophenyl phenyl ether 1700	ַ ַ ַ ַ
85-68-7 Butyl benzyl phthalate 1700	ַ ַ ַ ַ ַ
136-47-8 4-Chloroaniline 1700	<u> </u>
5 51-7 4-Chloro-3-methylphenol 1700	<u>U</u>
91-53-7 2-Chloronaphthalene 1700	<u> </u>
2-57-8 2-Chlorophenol 1700	<u>U</u>
4-Chlorophenyl phenyl ether 1700	U
218-01-9 Chrysene 2100	
51-71-3 Dibenz(a,h)anthracene 1700	<u> </u>
131-54-9 Dibenzofuran 1700	<u> </u>
24-74-2 Di-n-butyl phthalate 1700	<u>U</u>
43-80-1 1,2-Dichlorobenzene 1700	<u> </u>
541-73-1 1,3-Dichlorobenzene 1700	U
106-46-7 1,4-Dichlorobenzene 1700	ַ ַ ַ
91-94-1 3,3'-Dichlorobenzidine 1700	<u>"</u>
120-83-2 2,4-Dichlorophenol 1700	U
84-66-2 Diethyl phthalate 1700	ַ

Lab Name: QUANTERRA SDG Number: BR333

Matrix: (soil/water) SOLID Lab Sample ID:C7H180107 004

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Date Received: 08/16/97

Work Order: CCAJ3101

Date Extracted: 08/28/97

Dilution factor: 5 Date Analyzed: 09/10/97

Moisture %:4.6
QC Batch: 7250108

Client Sample Id: T1-SB03-1517

CAS NO.	COMPOUND (ug/L or u	g/kg) ug/kg	Q
135-67-9	2,4-Dimethylphenol	1700	U
131-11-3	Dimethyl phthalate	1700	U
117-34-0	Di-n-octyl phthalate	1700	ן די
534-52-1	4,6-Dinitro-2-methylphenol	4300	_ <u>U</u>
51-28-5	2,4-Dinitrophenol	4300	<u> </u>
101-14-2	2,4-Dinitrotoluene	1700	_lll
606-20-2	2,6-Dinitrotoluene	1700	_ <u> </u> _ <u>U</u>
206-44-0	Fluoranthene	4600	_
86-73-7	Fluorene	1700	ַ
118-74-1	Hexachlorobenzene	1700	_ll
37-63-3	Hexachlorobutadiene	1700	ט
47-4	Hexachlorocyclopentadiene	1700	<u> U </u>
67-72-1	Hexachloroethane	1700	\ <u>U</u>
193-39-5	Indeno(1,2,3-cd)pyrene	860	_ <u>J</u>
79-59-1	Isophorone	1700	<u>U</u>
: 6	2-Methylnaphthalene	1700	_ <u>u</u>
	2-Methylphenol	1700	_ lu
(5	4-Methylphenol	1700	_!U
3	Naphthalene	1700	_ l <u>U</u>
	2-Nitroaniline	4300	_
	3-Nitroaniline	4300	<u>U</u>
1 1-11-6	4-Nitroaniline	4300	_ l <u>u</u>
3	Nitrobenzene	1700	<u>u</u>
Ti - 5	2-Nitrophenol	1700	U
	4-Nitrophenol	4300	_ <u>U</u>
	N-Nitrosodi-n-propylamine	1700	_ <u> </u>
	N-Nitrosodiphenylamine	1700	_ l u
	Pentachlorophenol	4300	<u>u</u>
85-01-8	Phenanthrene	250	<u>J</u>

Lab Name: QUANTERRA

SDG Number: BR333

Matrix: (soil/water) SOLID Lab Sample ID:C7H180107 004

Method: CCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Date Received: 08/16/97

Work Order: CCAJ3101

Date Extracted: 08/28/97

Dilution factor: 5

Date Analyzed: 09/10/97

Moisture %:4.6

QC Batch: 7250108

Client Sample Id: T1-SB03-1517

TAS NO.	COMPOUND (ug/L or	ug/kg) ug/kg	Q
1:3-95-2	Phenol	1700	ַ
129-00-0	Pyrene	4900	_
110-82-1	1,2,4-Trichlorobenzene	1700	ן
25-25-4	2,4,5-Trichlorophenol	4300	ַ ַ
88-06-2	2,4,6-Trichlorophenol	1700	ַן
96-74-8	Carbazole	1700	ן

Lab Name: QUANTERRA

SDG Number: BR333

Matrim: (soil/water) SOLID

Lab Sample ID:C7H180107 004

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g Work Order: CCAJ3101 Date Received: 08/16/97 Date Extracted: 08/28/97

Dilution factor: 5

Date Analyzed: 09/10/97

Moisture %:4.6

QC Batch: 7250108

Client Sample Id: T1-SB03-1517

(ug/L or ug/kg) ug/kg

	(ug/L o	r ug/kg)	ug/kg	
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	<u> </u>
123-42-2	2-Pentanone, 4-hydroxy-4-met	2.7473	11000	JBA
	Unknown Branched Alkane	3.6181	1900	J
	Unknown Branched Alkane	3.6752	2100	J
	Unknown Cyclo Alkane	3.8037	5200	J
	Unknown Cyclo Alkane	3.925	1500	J
	Unknown	4.4317	4100	J
	Unknown	4.496	4200	J
	Unknown	4.5388	2700	J
	Unknown	4.8671	600	J
	Unknown Branched Alkane	5.4024	920	J
	Unknown Branched Alkane	5.745	840	J
	Unknown	5.7736	540	J
	Unknown Branched Alkane	5.8521	1200	J
	Unknown Branched Alkane	5.8806	910	J
	Unknown Straight Alkane	6.0876	4800	J
	Unknown Branched Alkane	6.1376	760	J
	Unknown Branched Alkane	6.1733	710	J
	Unknown	6.316	700	J
	Unknown	6.4302	1200	J
	Unknown Branched Alkane	6.523	2000	J
	Unknown Branched Alkane	6.8442	6400	J
	Unknown Branched Alkane	6.8941	850	J
	Unknown Branched Alkane	6.9298	900	J
	Unknown	7.201	1300	J
	Unknown Cyclo Alkane	7.2581	690	J
	Unknown Branched Alkane	7.3224	2300	J
· · · · · · · · · · · · · · · · · · ·	Unknown Branched Alkane	7.979	530	J
}	Unknown Straight Alkane	8.4429	1100	J
	Unknown Branched Alkane	8.8355	510	J
	Unknown Branched Alkane	9.2637	3300	J

Lab Name:QUANTERRA SDG Number: BR334

Matrix: (soil/water) SOLID Lab Sample ID:C7H200116 001

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g

Date Received: 08/20/97

Work Order: CCCR1103

Date Extracted: 08/21/97

Dilution factor: 1 Date Analyzed: 08/21/97

Moisture %:5.4

QC Batch: 7233185

Client Sample Id: T2-SB01-1517

CAS NO.	COMPOUND (ug/L or u	g/kg) ug/kg	Q
67-64-1	Acetone	_ 11	<u> </u>
71-43-2	Benzene	_ 11	ַ
75-27-4	Bromodichloromethane	_ 11	_ U
75-25-2	Bromoform	_ 11	ַ
74-83-9	Bromomethane	11	ַ
78-93-3	2-Butanone	11	_ <u> </u>
75-15-0	Carbon disulfide	11	_ <u> </u>
56-23-5	Carbon tetrachloride	11	<u>"</u>
108-90-7	Chlorobenzene	11	_ <u> </u>
124-48-1	Dibromochloromethane	11	
75-00-3	Chloroethane	11	_ U
67-66-3	Chloroform	11	<u>"</u>
74-87-3	Chloromethane	_ 11	_
75-34-3	1,1-Dichloroethane	_ 11	<u>ַ</u>
107-06-2	1,2-Dichloroethane	11	_ <u> </u>
75-35-4	1,1-Dichloroethene	11	_
540-59-0	1,2-Dichloroethene (total)	11	<u></u>
78-87-5	1,2-Dichloropropane	_ 11	<u> U</u>
10061-01-5	cis-1,3-Dichloropropene	_ 11	ן
10061-02-6	trans-1,3-Dichloropropene	11	ַן
100-41-4	Ethylbenzene	_ 11	اق ا
591-78-6	2-Hexanone	_ 11	<u></u>
75-09-2	Methylene chloride	111	<u></u>
108-10-1	4-Methyl-2-pentanone	_ 11	_
100-42-5	Styrene .	_ 11	_
79-34-5	1,1,2,2-Tetrachloroethane	11	_
127-18-4	Tetrachloroethene	_ 11	_
108-88-3	Toluene	3.7	_ <u> J</u>
71-55-6	1,1,1-Trichloroethane	_ 11	U

Lab Name: QUANTERRA

SDG Number: BR334

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 001

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g

Date Received: 08/20/97

Work Order: CCCR1103

Date Extracted:08/21/97

Dilution factor: 1

Date Analyzed: 08/21/97

Moisture %:5.4

QC Batch: 7233185

Client Sample Id: T2-SB01-1517

CAS NO.	COMPOUND (ug/L or	ug/kg) ug	/kg Q
79-00-5	1,1,2-Trichloroethane	11	U
79-01-6	Trichloroethene	11	Ü
75-01-4	Vinyl chloride	11	
1330-20-7	Xylenes (total)	11	U

Lab Name: QUANTERRA

SDG Number: BR334

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 001

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g

Date Received: 08/20/97 Date Extracted: 08/21/97

Work Order: CCCR1103

Dilution factor: 1 Moisture %:5.4

Date Analyzed: 08/21/97

QC Batch: 7233185

Client Sample Id: T2-SB01-1517

	(ug/L o	r ug/kg)	ug/kg	
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
	NO TICS DETECTED	.1		ND

Lab Name: QUANTERRA

SDG Number:

BR334

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 001

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g Work Order: CCCR1101 Date Received: 08/20/97 Date Extracted: 08/28/97

Dilution factor: 1

Date Analyzed: 09/11/97

Moisture %:5.4

QC Batch: 7250108

Client Sample Id: T2-SB01-1517

CAS NO.	COMPOUND (ug/L or ug)	/kg) ug/kg	Q
83-32-9	Acenaphthene	350	<u>"</u>
208-96-8	Acenaphthylene	350	ן ט
120-12-7	Anthracene	350	U
56-55-3	Benzo(a)anthracene	100	<u>J</u>
205-99-2	Benzo(b) fluoranthene	430	11
207-08-9	Benzo(k)fluoranthene	250	<u> </u>
191-24-2	Benzo(ghi)perylene	190	<u>J</u>
50-32-8	Benzo(a)pyrene	500	ll
111-91-1	bis(2-Chloroethoxy)methane	350	ן די
111-44-4	bis(2-Chloroethyl) ether	350	ן <u>ש</u>
108-60-1	2,2'-Oxybis(1-Chloropropane)	350	<u> u</u>
117-81-7	bis(2-Ethylhexyl) phthalate	350	ן
101-55-3	4-Bromophenyl phenyl ether	350	<u> U</u>
85-68-7	Butyl benzyl phthalate	350	<u> </u> U
106-47-8	4-Chloroaniline	350	ן <u>ש</u>
59-50-7	4-Chloro-3-methylphenol	350	ا <u>ت</u> ا
91-58-7	2-Chloronaphthalene	350	ا <u>ت</u> ا
95-57-8	2-Chlorophenol	350	<u> </u>
7005-72-3	4-Chlorophenyl phenyl ether	350	<u> U</u>
218-01-9	Chrysene	410	.11
53-70-3	Dibenz (a, h) anthracene	350	<u> </u>
132-64-9	Dibenzofuran	350	<u> U</u>
84-74-2	Di-n-butyl phthalate	350	<u> U</u>
95-50-1	1,2-Dichlorobenzene	350	ן די
541-73-1	1,3-Dichlorobenzene	350	<u> U</u>
106-46-7	1,4-Dichlorobenzene	350	ן די
91-94-1	3,3'-Dichlorobenzidine	350	ן ש
120-83-2	2,4-Dichlorophenol	350	<u> U </u>
84-66-2	Diethyl phthalate	350	ן די

Lab Name:QUANTERRA SDG Number: BR334

Matrix: (soil/water) SOLID Lab Sample ID:C7H200116 001

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Work Order: CCCR1101

Date Extracted: 08/20/97

Dilution factor: 1

Date Analyzed: 09/11/97

Moisture %:5.4

QC Batch: 7250108

Client Sample Id: T2-SB01-1517

CAS NO.	COMPOUND (ug/L or u	ug/kg) ug/kg	Q
105-67-9	2,4-Dimethylphenol	350	_
131-11-3	Dimethyl phthalate	350	<u></u>
117-84-0	Di-n-octyl phthalate	350	Ū
534-52-1	4,6-Dinitro-2-methylphenol	880	ַ
51-28-5	2,4-Dinitrophenol	880	U
121-14-2	2,4-Dinitrotoluene	350	U
606-20-2	2,6-Dinitrotoluene	350	U
206-44-0	Fluoranthene	130	J
86-73-7	Fluorene	350	U
118-74-1	Hexachlorobenzene	350	ָ ט
87-68-3	Hexachlorobutadiene	350	U
77-47-4	Hexachlorocyclopentadiene	350	<u>ט</u>
67-72-1	Hexachloroethane	350	
193-39-5	Indeno(1,2,3-cd)pyrene	250	J
78-59-1	Isophorone	350	<u></u> <u></u> <u></u> <u></u> <u></u> <u></u> <u></u>
91-57-6	2-Methylnaphthalene	350	U
95-48-7	2-Methylphenol	350	<u></u>
106-44-5	4-Methylphenol	350	U
91-20-3	Naphthalene	350	_
88-74-4	2-Nitroaniline	880	Ū
99-09-2	3-Nitroaniline	880	ַ <u></u>
100-01-6	4-Nitroaniline	880	ַ
98-95-3	Nitrobenzene	350	Ū
88-75-5	2-Nitrophenol	350	ַ
100-02-7	4-Nitrophenol	880	<u>י</u>
621-64-7	N-Nitrosodi-n-propylamine	350	ן ט
86-30-6	N-Nitrosodiphenylamine	350	U
87-86-5	Pentachlorophenol	880	<u></u> "
85-01-8	Phenanthrene	350	U

Lab Name: QUANTERRA

SDG Number: BR334

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 001

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g Work Order: CCCR1101

Date Received: 08/20/97 Date Extracted:08/28/97

Dilution factor: 1

Date Analyzed: 09/11/97

Moisture %:5.4

QC Batch: 7250108

Client Sample Id: T2-SB01-1517

CAS NO.	COMPOUND (ug/)	L or ug/kg) ug/kg	Q
108-95-2	Phenol	350	<u> </u>
129-00-0	Pyrene	120	J
120-82-1	1,2,4-Trichlorobenzene	350	ט
95-95-4	2,4,5-Trichlorophenol	880	ט
88-06-2	2,4,6-Trichlorophenol	350	ַ
86-74-8	Carbazole	350	ן "

Lab Name: QUANTERRA

SDG Number: BR334

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 001

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g Work Order: CCCR1101

Date Received: 08/20/97 Date Extracted: 08/28/97

Dilution factor: 1

Moisture %:5.4

Date Analyzed: 09/11/97

QC Batch: 7250108

Client Sample Id: T2-SB01-1517

(ug/L or ug/kg) ug/kg

	(49/2-0	<u> </u>	49/15	
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	<u>Q</u>
000123-42	22-Pentanone, 4-Hydroxy-4-Met	2.8833	24000	JBA
	Unknown Branched Alkane	2.8976	1100	_
444	Unknown	10.613	77	J
	Unknown	10.762	97	J
57-10-3	Hexadecanoic acid	11.326	270	JB
	Unknown PAH	14.731	80	J
	Unknown PAH	15.559	75	J
	Unknown	16.458	160	J
	Unknown PAH	17.3	120	J
192-97-2	Benzo[e]pyrene	17.586	390	J
	Unknown PAH	19.263	110	J
	Unknown	21.611	460	J

Lab Name:QUANTERRA SDG Number: BR334

Matrix: (soil/water) SOLID Lab Sample ID:C7H200116 002

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g Date Received: 08/20/97 Work Order: CCCR2103 Date Extracted:08/21/97 Dilution factor: 1 Date Analyzed: 08/21/97

Moisture %:8.0

QC Batch: 7233185

Client Sample Id: T2-SB02-1517

CAS NO.	COMPOUND (ug/L or u	g/kg) ug/kg	Q
67-64-1	Acetone	11	U
71-43-2	Benzene	11	U
75-27-4	Bromodichloromethane	11	<u></u>
75-25-2	Bromoform	11	<u></u>
74-83-9	Bromomethane	11	U
78-93-3	2-Butanone	11	<u></u>
75-15-0	Carbon disulfide	_ 11	
56-23-5	Carbon tetrachloride	_ 11	<u></u>
108-90-7	Chlorobenzene	11	<u></u>
124-48-1	Dibromochloromethane	11	<u></u>
75-00-3	Chloroethane	_ 11	<u></u>
67-66-3	Chloroform	_ 11	<u>U</u>
74-87-3	Chloromethane	_ 11	<u> </u>
75-34-3	1,1-Dichloroethane	_ 11	<u> </u>
107-06-2	1,2-Dichloroethane	_ 11	<u></u>
75-35-4	1,1-Dichloroethene	11	<u> </u>
540-59-0	1,2-Dichloroethene (total)	_ 11	<u></u>
78-87-5	1,2-Dichloropropane	_ 11	<u></u>
10061-01-5	cis-1,3-Dichloropropene	11	<u></u>
10061-02-6	trans-1,3-Dichloropropene	11	<u></u>
100-41-4	Ethylbenzene	_ 11	
591-78-6	2-Hexanone	11	<u>u</u>
75-09-2	Methylene chloride	11	<u> </u>
108-10-1	4-Methyl-2-pentanone	11	
100-42-5	Styrene	11	_
79-34-5	1,1,2,2-Tetrachloroethane	11	<u></u>
127-18-4	Tetrachloroethene	_ 11	
108-88-3	Toluene		
71-55-6	1,1,1-Trichloroethane	11	<u> </u>

Lab Name: QUANTERRA

SDG Number: BR334

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 002

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g Work Order: CCCR2103 Date Received: 08/20/97
Date Extracted:08/21/97

Dilution factor: 1

Date Analyzed: 08/21/97

Moisture %:8.0

QC Batch: 7233185

Client Sample Id: T2-SB02-1517

CAS NO.	COMPOUND	(ug/L or ug	/kg) ug/kg	Q
79-00-5	1,1,2-Trichloroeth	ane	11	<u>"</u>
79-01-6	Trichloroethene		11	<u>"</u>
75-01-4	Vinyl chloride		11	יט
1330-20-7	Xylenes (total)		11	U

Lab Name: QUANTERRA

SDG Number: BR334

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 002

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g Work Order: CCCR2103 Date Received: 08/20/97 Date Extracted:08/21/97

Dilution factor: 1

Date Analyzed: 08/21/97

Moisture %:8.0

QC Batch: 7233185

Client Sample Id: T2-SB02-1517

		(ug/L or	ug/kg)	ug/kg		
CAS NUMBER	COMPOUND NAME	!	RT	EST.	CONC.	<u>Q</u>
	NO TICS DETECTED					ND

Lab Name:QUANTERRA SDG Number: BR334

Matrix: (soil/water) SOLID Lab Sample ID:C7H200116 002

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Work Order: CCCR2101

Date Received: 08/20/97

Date Extracted:08/28/97

Dilution factor: 1 Date Analyzed: 09/10/97

Moisture %:8.0 QC Batch: 7250108

Client Sample Id: T2-SB02-1517

CAS NO.	COMPOUND (ug/L or ug	/kg) ug/kg (2
83-32-9	Acenaphthene	360	<u> </u>
208-96-8	Acenaphthylene	360	<u> </u>
120-12-7	Anthracene	360	<u> </u>
56-55-3	Benzo(a)anthracene	360	<u> U</u>
205-99-2	Benzo(b) fluoranthene	360	<u> </u>
207-08-9	Benzo(k) fluoranthene	360	ַ
191-24-2	Benzo(ghi)perylene	360	<u> </u>
50-32-8	Benzo(a)pyrene	360	<u>"</u>
111-91-1	bis(2-Chloroethoxy)methane	360	<u> </u>
111-44-4	bis(2-Chloroethyl) ether	360	<u>"</u>
108-60-1	2,2'-Oxybis(1-Chloropropane)	360	<u> </u>
117-81-7	bis(2-Ethylhexyl) phthalate	360	<u>"</u>
101-55-3	4-Bromophenyl phenyl ether	360	<u> </u>
85-68-7	Butyl benzyl phthalate	360	<u> </u>
106-47-8	4-Chloroaniline	360	<u> </u>
59-50-7	4-Chloro-3-methylphenol	360	<u>U</u>
91-58-7	2-Chloronaphthalene	360	<u> </u>
95-57-8	2-Chlorophenol	360	<u> </u>
7005-72-3	4-Chlorophenyl phenyl ether	360	ן די די די די
218-01-9	Chrysene	360	<u>U</u>
53-70-3	Dibenz (a,h) anthracene	360	ן
132-64-9	Dibenzofuran	360	<u>U</u>
84-74-2	Di-n-butyl phthalate	360	ן ד
95-50-1	1,2-Dichlorobenzene	360	ן די
541-73-1	1,3-Dichlorobenzene	360	ן ט
106-46-7	1,4-Dichlorobenzene	360	<u> U</u>
91-94-1	3,3'-Dichlorobenzidine	360	ן <u>"</u>
120-83-2	2,4-Dichlorophenol	360	ַ [טַ
84-66-2	Diethyl phthalate	360	<u> U</u>

Lab Name:QUANTERRA

SDG Number: BR334

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 002

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g Work Order: CCCR2101

Date Received: 08/20/97 Date Extracted: 08/28/97

Dilution factor: 1

Date Analyzed: 09/10/97

Moisture %:8.0

QC Batch: 7250108

Client Sample Id: T2-SB02-1517

CAS NO	COMPOUND (ug/L or ug/	/kg) ug/kg Q	
105-67-9	2,4-Dimethylphenol	360	<u>u</u>
131-11-3	Dimethyl phthalate	360	<u>""</u>
117-84-0	Di-n-octyl phthalate	360	<u> </u>
534-52-1	4,6-Dinitro-2-methylphenol	900	<u>"</u>
51-28-5	2,4-Dinitrophenol	900	<u>"</u>
121-14-2	2,4-Dinitrotoluene	360	ַ
606-20-2	2,6-Dinitrotoluene	360	<u>U</u>
206-44-0	Fluoranthene	360	<u> </u>
86-73-7	Fluorene	360	ַ ַ ַ ַ ַ
118-74-1	Hexachlorobenzene	360	U
87-68-3	Hexachlorobutadiene	360	<u>ַ</u>
77-47-4	Hexachlorocyclopentadiene	360	<u> </u>
67-72-1	Hexachloroethane	360	ַ ַ ַ ַ
193-39-5	Indeno(1,2,3-cd)pyrene	360	<u>ט</u>
78-59-1	Isophorone	360	U
91-57-6	2-Methylnaphthalene	360	<u>U</u>
95-48-7	2-Methylphenol	360	ַ
106-44-5	4-Methylphenol	360	ַ
91-20-3	Naphthalene	360	ַ ַ ַ ַ ַ
88-74-4	2-Nitroaniline	900	ַ ַ ַ ַ
99-09-2	3-Nitroaniline	900	ַ
100-01-6	4-Nitroaniline	900	ַ
98-95-3	Nitrobenzene	360	Ū
88-75-5	2-Nitrophenol	360	ַ ַ ַ ַ ַ
100-02-7	4-Nitrophenol ·	900	U
621-64-7	N-Nitrosodi-n-propylamine	360	U
86-30-6	N-Nitrosodiphenylamine	360	<u>U</u>
87-86-5	Pentachlorophenol	900	ַ ַ ַ ַ
85-01-8	Phenanthrene	360	ַ ט

Lab Name: QUANTERRA

SDG Number: BR334

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 002

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Date Received: 08/20/97

Work Order: CCCR2101

Date Extracted: 08/28/97

Dilution factor: 1

Date Analyzed: 09/10/97

Moisture %:8.0

QC Batch: 7250108

Client Sample Id: T2-SB02-1517

CAS NO.	COMPOUND (ug/L or	ug/kg) ug/kg	Q
108-95-2	Phenol	360	ַן
129-00-0	Pyrene	360	ן
120-82-1	1,2,4-Trichlorobenzene	360	ַ
95-95-4	2,4,5-Trichlorophenol	900	ַן ַ
88-06-2	2,4,6-Trichlorophenol	360	<u> U</u>
86-74-8	Carbazole	360	ן די

Lab Name:QUANTERRA

SDG Number: BR334

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 002

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Date Received: 08/20/97 Date Extracted: 08/28/97

Work Order: CCCR2101

Date Analyzed: 09/10/97

Dilution factor: 1

Moisture %:8.0

QC Batch: 7250108

Client Sample Id: T2-SB02-1517

(ug/L or ug/kg) ug/kg

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
123-42-2	2-Pentanone, 4-hydroxy-4-met	2.8834	21000	JBA
57-10-3	Hexadecanoic acid	11.405	210	JB

Lab Name:QUANTERRA SDG Number: BR334

Matrix: (soil/water) SOLID Lab Sample ID:C7H200116 003

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g

Work Order: CCCR4103

Date Extracted: 08/20/97

Dilution factor: 1

Date Analyzed: 08/21/97

Dilution factor: 1
Moisture %:6.9

QC Batch: 7233185

Client Sample Id: T2-SB03-1517

CAS NO.	COMPOUND (ug/L or u	g/kg) ug/kg	Q
67-64-1	Acetone	_ 11	_ ט
71-43-2	Benzene	11	_
75-27-4	Bromodichloromethane	11	
75-25-2	Bromoform	11	U
74-83-9	Bromomethane	11	<u></u>
78-93-3	2-Butanone	11	<u></u>
75-15-0	Carbon disulfide	_ 11	<u></u>
56-23-5	Carbon tetrachloride	11	ll
108-90-7	Chlorobenzene	11	U
124-48-1	Dibromochloromethane	11	!u
75-00-3	Chloroethane	11	
67-66-3	Chloroform	11	U
74-87-3	Chloromethane	11	U
75-34-3	1,1-Dichloroethane	11	U
107-06-2	1,2-Dichloroethane	11	
75-35-4	1,1-Dichloroethene	11	
540-59-0	1,2-Dichloroethene (total)	11	<u>U</u>
78-87-5	1,2-Dichloropropane	11	U
10061-01-5	cis-1,3-Dichloropropene	11	<u></u>
10061-02-6	trans-1,3-Dichloropropene	11	_
100-41-4	Ethylbenzene	11	<u></u>
591-78-6	2-Hexanone	11	U
75-09-2	Methylene chloride	11	<u></u>
108-10-1	4-Methyl-2-pentanone	11	<u></u>
100-42-5	Styrene	. 11	<u>"</u>
79-34-5	1,1,2,2-Tetrachloroethane	11	U
127-18-4	Tetrachloroethene	11	<u></u>
108-88-3	Toluene	11	<u></u>
71-55-6	1,1,1-Trichloroethane	11	<u>"</u>

Lab Name: QUANTERRA

SDG Number: BR334

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 003

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g

Date Received: 08/20/97

Work Order: CCCR4103

Date Extracted:08/21/97

Dilution factor: 1

Date Analyzed: 08/21/97

Moisture %:6.9

QC Batch: 7233185

Client Sample Id: T2-SB03-1517

CAS NO.	COMPOUND	(ug/L or ug/kg)	ug/kg ()
79-00-5	1,1,2-Trichloroetha	ine 11		ַ
79-01-6	Trichloroethene	11		ַ ַ ַ
75-01-4	Vinyl chloride	11		U
1330-20-7	Xylenes (total)	11		<u></u>

Lab Name: QUANTERRA

SDG Number: BR334

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 003

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g Work Order: CCCR4103 Date Received: 08/20/97
Date Extracted:08/21/97

Dilution factor: 1

Date Analyzed: 08/21/97

Moisture %:6.9

QC Batch: 7233185

Client Sample Id: T2-SB03-1517

		(ug/L or ug/kg)	ug/kg	
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
	NO TICS DETECTED			ND

Lab Name:QUANTERRA SDG Number:

Matrix: (soil/water) SOLID Lab Sample ID:C7H200116 003

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g
Work Order: CCCR4101
Date Extracted: 08/20/97
Date Extracted: 08/28/97

Dilution factor: 1 Date Analyzed: 09/10/97

Moisture %:6.9

QC Batch: 7250108

BR334

Client Sample Id: T2-SB03-1517

CAS NO.	COMPOUND (ug/L or ug	/kg) ug/kg (<u> </u>
83-32-9	Acenaphthene	350	U
208-96-8	Acenaphthylene	350	<u>ַ</u>
120-12-7	Anthracene	350	U
56-55-3	Benzo(a) anthracene	350	ַ
205-99-2	Benzo(b) fluoranthene	350	<u>"</u>
207-08-9	Benzo(k) fluoranthene	350	
191-24-2	Benzo(ghi)perylene	350	<u>U</u>
50-32-8	Benzo(a) pyrene	350	<u>u</u>
111-91-1	bis(2-Chloroethoxy)methane	350	ַ ַ ַ ַ
111-44-4	bis(2-Chloroethyl) ether	350	ַ ַ ַ
108-60-1	2,2'-Oxybis(1-Chloropropane)	350	ַ
117-81-7	bis(2-Ethylhexyl) phthalate	350	ט
101-55-3	4-Bromophenyl phenyl ether	350	ַ ַ ַ ַ
85-68-7	Butyl benzyl phthalate	350	<u>"</u>
106-47-8	4-Chloroaniline	350	<u>"</u>
59-50-7	4-Chloro-3-methylphenol	350	<u> </u>
91-58-7	2-Chloronaphthalene	350	<u>U</u>
95-57-8	2-Chlorophenol	350	U
7005-72-3	4-Chlorophenyl phenyl ether	350	<u>"</u>
218-01-9	Chrysene	350	<u>U</u>
53-70-3	Dibenz(a,h)anthracene	350	ַ
132-64-9	Dibenzofuran	350	<u> </u>
84-74-2	Di-n-butyl phthalate	350	<u></u>
95-50-1	1,2-Dichlorobenzene	350	<u> </u>
541-73-1	1,3-Dichlorobenzene .	350	<u> u</u>
106-46-7	1,4-Dichlorobenzene	350	<u> </u>
91-94-1	3,3'-Dichlorobenzidine	350	<u> </u>
120-83-2	2,4-Dichlorophenol	350	<u> </u>
84-66-2	Diethyl phthalate	350	<u> </u>

Lab Name:QUANTERRA SDG Number: BR334

Matrix: (soil/water) SOLID Lab Sample ID:C7H200116 003

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Work Order: CCCR4101

Date Extracted: 08/20/97

Dilution factor: 1

Date Analyzed: 09/10/97

Moisture %:6.9

QC Batch: 7250108

Client Sample Id: T2-SB03-1517

CAS NO.	COMPOUND (ug/L or u	g/kg) ug/kg	Q
105-67-9	2,4-Dimethylphenol	350	ן ש
131-11-3	Dimethyl phthalate	350	<u>u</u>
117-84-0	Di-n-octyl phthalate	350	ַ
534-52-1	4,6-Dinitro-2-methylphenol	890	ן די
51-28-5	2,4-Dinitrophenol	890	<u> </u>
121-14-2	2,4-Dinitrotoluene	350	ע
606-20-2	2,6-Dinitrotoluene	350	ע
206-44-0	Fluoranthene	350	<u> u</u>
86-73-7	Fluorene	350	<u>u</u>
118-74-1	Hexachlorobenzene	350	ן ש
87-68-3	Hexachlorobutadiene	350	U
77-47-4	Hexachlorocyclopentadiene	350	ע
67-72-1	Hexachloroethane Texachloroethane	350	<u>u</u>
193-39-5	Indeno(1,2,3-cd)pyrene	350	<u>u</u>
78-59-1	Isophorone	350	<u> </u>
91-57-6	2-Methylnaphthalene	350	<u>u</u>
95-48-7	2-Methylphenol	350	<u> </u>
106-44-5	4-Methylphenol	350	<u> u</u>
91-20-3	Naphthalene	350	<u>U</u>
88-74-4	2-Nitroaniline	890	<u> U</u>
99-09-2	3-Nitroaniline	890	<u>"</u>
100-01-6	4-Nitroaniline	890	<u> </u>
98-95-3	Nitrobenzene	350	<u>U</u>
88-75-5	2-Nitrophenol	350	<u> U</u>
100-02-7	4-Nitrophenol	890	<u>U</u>
621-64-7	N-Nitrosodi-n-propylamine	350	<u> U</u>
86-30-6	N-Nitrosodiphenylamine	350	<u>U</u>
87-86-5	Pentachlorophenol	890	<u>u</u>
85-01-8	Phenanthrene	350	<u>U</u>

Lab Name: QUANTERRA

SDG Number: BR334

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 003

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Date Received: 08/20/97

Work Order: CCCR4101

Date Extracted: 08/28/97

Dilution factor: 1

Date Analyzed: 09/10/97

Moisture %:6.9

QC Batch: 7250108

Client Sample Id: T2-SB03-1517

CAS NO.	COMPOUND (ug/L	or ug/kg) ug/kg	Q
108-95-2	Phenol	350	U
129-00-0	Pyrene	350	<u></u>
120-82-1	1,2,4-Trichlorobenzene	350	U
95-95-4	2,4,5-Trichlorophenol	890	U
88-06-2	2,4,6-Trichlorophenol	350	<u></u>
86-74-8	Carbazole	350	U

Lab Name: QUANTERRA

SDG Number: BR334

Matrix: (soil/water) SOLID

Lab Sample ID: C7H200116 003

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g Work Order: CCCR4101

Date Received: 08/20/97 Date Extracted: 08/28/97

Dilution factor: 1

Date Analyzed: 09/10/97

Moisture %:6.9

QC Batch: 7250108

Client Sample Id: T2-SB03-1517

(ug/L or ug/kg) ug/kg

								-
CAS NUMBER	COMPOU	IND NAME	•	RT	EST.	CONC.	Q	_
000123-42-2	2-Pentanone,	4-Hydroxy	-4-Met	2.8763	21000		JBA	
57-10-3	Hexadecanoic	acid		11.405	280		JB	_ [

Lab Name:QUANTERRA SDG Number: BR334

Matrix: (soil/water) SOLID Lab Sample ID:C7H200116 004

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g

Work Order: CCCR5103

Date Extracted: 08/20/97

Date Extracted: 08/21/97

Date Analyzed: 08/21/97

Dilution factor: 1 Date Analyzed: 08/21 Moisture %:2.1

QC Batch: 7233185

Client Sample Id: T2-SB04-1517

CAS NO.	COMPOUND (ug/L or u	g/kg) ug/kg	<u>Q</u>
67-64-1	Acetone	10	<u>"</u>
71-43-2	Benzene	10	U
75-27-4	Bromodichloromethane	10	l U
75-25-2	Bromoform	10	U
74-83-9	Bromomethane	10	U
78-93-3	2-Butanone	10	<u> </u>
75-15-0	Carbon disulfide	10	U
56-23-5	Carbon tetrachloride	10	<u> </u>
108-90-7	Chlorobenzene	10	<u> </u>
124-48-1	Dibromochloromethane	10	<u></u>
75-00-3	Chloroethane	10	_ <u> </u>
67-66-3	Chloroform	10	<u></u> U
74-87-3	Chloromethane	10	<u> </u>
75-34-3	1,1-Dichloroethane	10	_ U
107-06-2	1,2-Dichloroethane	10	_ <u> </u>
75-35-4	1,1-Dichloroethene	10	U
540-59-0	1,2-Dichloroethene (total)	10	<u></u>
78-87-5	1,2-Dichloropropane	10	<u> </u>
10061-01-5	cis-1,3-Dichloropropene	10	<u></u>
10061-02-6	trans-1,3-Dichloropropene	10	<u>"</u>
100-41-4	Ethylbenzene	10	<u> </u>
591-78-6	2-Hexanone	10	<u></u>
75-09-2	Methylene chloride	_ 10	lu
108-10-1	4-Methyl-2-pentanone	10	ַ ַ ַ ַ ַ ַ ַ
100-42-5	Styrene	10	<u></u>
79-34-5	1,1,2,2-Tetrachloroethane	10	ע ע
127-18-4	Tetrachloroethene	10	_
108-88-3	Toluene	10	<u></u>
71-55-6	1,1,1-Trichloroethane	10	<u></u>

Lab Name: QUANTERRA

SDG Number: BR334

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 004

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g

Date Received: 08/20/97

Work Order: CCCR5103

Date Extracted:08/21/97

Dilution factor: 1

Date Analyzed: 08/21/97

Moisture %:2.1

QC Batch: 7233185

Client Sample Id: T2-SB04-1517

	CAS NO.	COMPOUND	(ug/L or ug/kg)	ug/kg (2
1 7	79-00-5	1,1,2-Trichloroeth	ane 10		<u> </u>
1-7	79-01-6	Trichloroethene	10_		<u>U</u>
1 7	75-01-4	Vinyl chloride	10		<u> </u>
1	.330-20-7	Xylenes (total)	10		<u> </u>

Lab Name: QUANTERRA

SDG Number: BR334

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 004

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g

Date Received: 08/20/97 Date Extracted: 08/21/97

Work Order: CCCR5103 Dilution factor: 1

Date Analyzed: 08/21/97

Moisture %:2.1

QC Batch: 7233185

Client Sample Id: T2-SB04-1517

		(ug/L or ug/kg) ug/kg	
CAS NUMBER	COMPOUND NAME	RT EST.	CONC. Q
	NO TICS DETECTED		ND

Lab Name: QUANTERRA SDG Number: BR334

Matrix: (soil/water) SOLID Lab Sample ID:C7H200116 004

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Work Order: CCCR5101

Date Extracted: 08/20/97

Dilution factor: 1

Date Analyzed: 09/11/97

Moisture %:2.1

QC Batch: 7250108

Client Sample Id: T2-SB04-1517

CAS NO.	COMPOUND (ug/L or ug/	/kg) ug/kg Q	
83-32-9	Acenaphthene	340	U
208-96-8	Acenaphthylene	340	<u> </u>
120-12-7	Anthracene	340	U
56-55-3	Benzo(a)anthracene	340	<u> </u>
205-99-2	Benzo(b) fluoranthene	340	<u>U</u>
207-08-9	Benzo(k) fluoranthene	340	ע
191-24-2	Benzo(ghi)perylene	360	
50-32-8	Benzo(a)pyrene	340	ַ ַ ַ ַ
111-91-1	bis(2-Chloroethoxy)methane	340	ַ ַ ַ
111-44-4	bis(2-Chloroethyl) ether	340	ַ ַ ַ ַ
108-60-1	2,2'-Oxybis(1-Chloropropane)	340	ַ
117-81-7	bis(2-Ethylhexyl) phthalate	340	ַ ַ ַ
101-55-3	4-Bromophenyl phenyl ether	340	ָּט
85-68-7	Butyl benzyl phthalate	340	ַ
106-47-8	4-Chloroaniline	340	ַ ַ ַ ַ
.59-50-7	4-Chloro-3-methylphenol	340	ַ ַ ַ ַ
91-58-7	2-Chloronaphthalene	340	ַ ַ ַ
95-57-8	2-Chlorophenol	340	U
7005-72-3	4-Chlorophenyl phenyl ether	340	ַ
218-01-9	Chrysene	340	ַ
53-70-3	Dibenz (a,h) anthracene	340	U
132-64-9	Dibenzofuran	340	ָט
84-74-2	Di-n-butyl phthalate	340	ָט
95-50-1	1,2-Dichlorobenzene	340	ָט
541-73-1	1,3-Dichlorobenzene	340	ַ ַ ַ
106-46-7	1,4-Dichlorobenzene	340	ָט
91-94-1	3,3'-Dichlorobenzidine	340	U
120-83-2	2,4-Dichlorophenol	340	U
84-66-2	Diethyl phthalate	340	U

Lab Name: QUANTERRA

SDG Number:

BR334

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 004

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g Work Order: CCCR5101 Date Received: 08/20/97 Date Extracted: 08/28/97

Dilution factor: 1

Date Analyzed: 09/11/97

Moisture %:2.1

QC Batch: 7250108

Client Sample Id: T2-SB04-1517

CAS NO.	COMPOUND (ug/L or ug	/kg) ug/kg Q	
105-67-9	2,4-Dimethylphenol	340	U
131-11-3	Dimethyl phthalate	340	U
117-84-0	Di-n-octyl phthalate	340	U
534-52-1	4,6-Dinitro-2-methylphenol	850	
51-28-5	2,4-Dinitrophenol	850	<u>u</u>
121-14-2	2,4-Dinitrotoluene	340	<u>u</u>
606-20-2	2,6-Dinitrotoluene	340	<u>U</u>
206-44-0	Fluoranthene	340	<u> </u>
86-73-7	Fluorene	340	<u>U</u>
118-74-1	Hexachlorobenzene	340	
87-68-3	Hexachlorobutadiene	340	ַ ַ ַ ַ
77-47-4	Hexachlorocyclopentadiene	340	<u>"</u>
67-72-1	Hexachloroethane	340	<u>"</u>
193-39-5	Indeno(1,2,3-cd)pyrene	380	
78-59-1	Isophorone	340	U
91-57-6	2-Methylnaphthalene	340	<u>U</u>
95-48-7	2-Methylphenol	340	<u> </u>
106-44-5	4-Methylphenol	340	<u>u</u>
91-20-3	Naphthalene	340	U
88-74-4	2-Nitroaniline	850	<u>U</u>
99-09-2	3-Nitroaniline	850	U
100-01-6	4-Nitroaniline	850	U
98-95-3	Nitrobenzene	340	U
88-75-5	2-Nitrophenol	340	<u>U</u>
100-02-7	4-Nitrophenol	850	U
621-64-7	N-Nitrosodi-n-propylamine	340	<u>U</u>
86-30-6	N-Nitrosodiphenylamine	340	<u> </u>
87-86-5	Pentachlorophenol	850	<u> </u>
85-01-8	Phenanthrene	340	<u> </u>

Lab Name: QUANTERRA

SDG Number: BR334

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 004

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g Work Order: CCCR5101

Date Received: 08/20/97 Date Extracted: 08/28/97

Dilution factor: 1

Date Analyzed: 09/11/97

Moisture %:2.1

QC Batch: 7250108

Client Sample Id: T2-SB04-1517

CAS NO.	COMPOUND	(ug/L or ug/kg) ug/kg	Q
108-95-2	Phenol	340	ן ט
129-00-0	Pyrene	340	_ <u> </u>
120-82-1	1,2,4-Trichlorober	izene 340	<u>"</u>
95-95-4	2,4,5-Trichlorophe	enol 850	ן ט
88-06-2	2,4,6-Trichlorophe	enol 340	<u></u>
86-74-8	Carbazole	340	ַ ַ ַ ַ ַ ַ ַ

Lab Name: QUANTERRA

SDG Number:

BR334

Matrix: (soil/water) SOLID

Lab Sample ID: C7H200116 004

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g Work Order: CCCR5101 Date Received: 08/20/97 Date Extracted: 08/28/97

Dilution factor: 1

Date Analyzed: 09/11/97

Moisture %:2.1

QC Batch: 7250108

Client Sample Id: T2-SB04-1517

(ug/L or ug/kg) ug/kg

	(49/20	/	~=/=		
CAS NUMBER	COMPOUND NAME	RT	EST.	CONC.	Q
123-42-2	2-Pentanone, 4-Hydroxy-4-Met	2.8838	20000		JBA
	Unknown Cyclo Alkane	3.4548	91		J
57-10-3	Hexadecanoic acid	11.327	240		JB
192-97-2	Benzo[e]pyrene	17.565	92		J
	Unknown PAH	19.264	130		J
	Unknown	21.59	84	•	J

Lab Name:QUANTERRA SDG Number: BR334

Matrix: (soil/water) SOLID Lab Sample ID:C7H200116 005

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g
Work Order: CCCR6103
Date Extracted: 08/20/97
Dilution factor: 1
Date Analyzed: 08/21/97

Moisture %:3.2

QC Batch: 7233185

Client Sample Id: T2-SB05-1517

CAS NO.		g/kg) ug/kg	0
67-64-1	Acetone	10	וס
71-43-2	Benzene	10	<u>י</u>
75-27-4	Bromodichloromethane	10	-i
75-25-2	Bromoform	10	יט
74-83-9	Bromomethane	10	<u></u>
78-93-3	2-Butanone	10	<u>י</u>
75-15-0	Carbon disulfide	10	<u>ט</u>
56-23-5	Carbon tetrachloride	10	ן ט
108-90-7	Chlorobenzene	10	ע
124-48-1	Dibromochloromethane	10	ן די
75-00-3	Chloroethane	10	U
67-66-3	Chloroform	10	וט
74-87-3	Chloromethane	10	ַ
75-34-3	1,1-Dichloroethane	10	ן ט
107-06-2	1,2-Dichloroethane	10	<u></u>
75-35-4	1,1-Dichloroethene	10	ן ט
540-59-0	1,2-Dichloroethene (total)	10	ע
78-87-5	1,2-Dichloropropane	10	U
10061-01-5	cis-1,3-Dichloropropene	10	Ū
10061-02-6	trans-1,3-Dichloropropene	10	<u> </u>
100-41-4	Ethylbenzene	10	ן
591-78-6	2-Hexanone	10	_ ו
75-09-2	Methylene chloride	10	ע
108-10-1	4-Methyl-2-pentanone	10	ַ ע
100-42-5	Styrene	10	_ U
79-34-5	1,1,2,2-Tetrachloroethane		<u>"</u>
127-18-4	Tetrachloroethene	10	ַן
108-88-3	Toluene	10	_ll
71-55-6	1,1,1-Trichloroethane	10	ال ا

Lab Name: QUANTERRA

BR334 SDG Number:

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 005

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g

Date Received: 08/20/97 Date Extracted:08/21/97

Work Order: CCCR6103

Date Analyzed: 08/21/97

Dilution factor: 1

Moisture %:3.2

QC Batch: 7233185

Client Sample Id: T2-SB05-1517

CAS NO.	COMPOUND (ug/L or	ug/kg) ug/kg	Q
79-00-5	1,1,2-Trichloroethane	10	<u></u>
79-01-6	Trichloroethene	10	<u></u>
75-01-4	Vinyl chloride	10	lu
1330-20-7	Xylenes (total)	10	<u> </u>

Lab Name: QUANTERRA

SDG Number: BR334

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 005

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g Work Order: CCCR6103 Date Received: 08/20/97 Date Extracted:08/21/97

Dilution factor: 1

Date Analyzed: 08/21/97

Moisture %:3.2

QC Batch: 7233185

Client Sample Id: T2-SB05-1517

	(v	g/L or ug/kg)	ug/kg	
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	<u>Q</u>
	NO TICS DETECTED			ND

Lab Name: QUANTERRA

SDG Number: BR334

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 005

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g Work Order: CCCR6101 Date Received: 08/20/97 Date Extracted: 08/28/97 Date Analyzed: 09/10/97

Dilution factor: 1
Moisture %:3.2

QC Batch: 7250108

Client Sample Id: T2-SB05-1517

CAS NO.	COMPOUND (ug/L or ug	/kg) ug/kg	Q
83-32-9	Acenaphthene	340	<u> </u>
208-96-8	Acenaphthylene	340	<u>u</u>
120-12-7	Anthracene	340	<u> </u>
56-55-3	Benzo(a) anthracene	340	<u> u</u>
205-99-2	Benzo(b) fluoranthene	340	<u> </u>
207-08-9	Benzo(k) fluoranthene	340	<u> </u>
191-24-2	Benzo(ghi)perylene	340	<u> u</u>
50-32-8	Benzo(a) pyrene	340	<u> </u>
111-91-1	bis(2-Chloroethoxy)methane	340	. !
111-44-4	bis(2-Chloroethyl) ether	340	<u>u</u>
108-60-1	2,2'-Oxybis(1-Chloropropane)	340	<u>"</u>
117-81-7	bis(2-Ethylhexyl) phthalate	340	ע
101-55-3	4-Bromophenyl phenyl ether	340	<u> u</u>
85-68-7	Butyl benzyl phthalate	340	<u> U</u>
106-47-8	4-Chloroaniline	340	<u> U</u>
59-50-7	4-Chloro-3-methylphenol	340	<u> U</u>
91-58-7	2-Chloronaphthalene	340	<u> </u>
95-57-8	2-Chlorophenol	340	<u> u</u>
7005-72-3	4-Chlorophenyl phenyl ether	340	<u> U</u>
218-01-9	Chrysene	340	ן
53-70-3	Dibenz(a,h)anthracene	340	<u> </u>
132-64-9	Dibenzofuran	340	ا <u>ت</u> ا
84-74-2	Di-n-butyl phthalate	340	<u> u</u>
95-50-1	1,2-Dichlorobenzene	340	ט
541-73-1	1,3-Dichlorobenzene	340	<u> </u>
106-46-7	1,4-Dichlorobenzene	340	<u>ט</u>
91-94-1	3,3'-Dichlorobenzidine	340	<u> </u>
120-83-2	2,4-Dichlorophenol	340	<u> </u>
84-66-2	Diethyl phthalate	340	_lu

Lab Name:QUANTERRA SDG Number: BR334

Matrix: (soil/water) SOLID Lab Sample ID:C7H200116 005

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g Date Received: 08/20/97 Work Order: CCCR6101 Date Extracted:08/28/97 Dilution factor: 1 Date Analyzed: 09/10/97

Moisture %:3.2

QC Batch: 7250108

Client Sample Id: T2-SB05-1517

CAS NO.	COMPOUND (ug/L or t	ig/kg) ug/kg	Q
105-67-9	2,4-Dimethylphenol	340	ן די
131-11-3	Dimethyl phthalate	340	ט
117-84-0	Di-n-octyl phthalate	340	ַ
534-52-1	4,6-Dinitro-2-methylphenol	860	ע
51-28-5	2,4-Dinitrophenol	860	<u>"</u>
121-14-2	2,4-Dinitrotoluene	340	<u>"</u>
606-20-2	2,6-Dinitrotoluene	340	ן די
206-44-0	Fluoranthene	340	ן
86-73-7	Fluorene	340	ע
118-74-1	Hexachlorobenzene	340	<u> U </u>
87-68-3	Hexachlorobutadiene	340	<u> </u>
77-47-4	Hexachlorocyclopentadiene	340	ן
67-72-1	Hexachloroethane	340	<u> u</u>
193-39-5	Indeno(1,2,3-cd)pyrene	340	<u> u</u>
78-59-1	Isophorone	340	ן שייין
91-57-6	2-Methylnaphthalene	340	ן ש
95-48-7	2-Methylphenol	340	ן די די
106-44-5	4-Methylphenol	340	ן
91-20-3	Naphthalene	340	<u> U</u>
88-74-4	2-Nitroaniline	860	ן ט
99-09-2	3-Nitroaniline	860	ן
100-01-6	4-Nitroaniline	860	ַ
98-95-3	Nitrobenzene	340	ַ ַ ַ ַ ַ
88-75-5	2-Nitrophenol	340	ן ט
100-02-7	4-Nitrophenol	860	ן ט
621-64-7	N-Nitrosodi-n-propylamine	340	U
86-30-6	N-Nitrosodiphenylamine	340	ע
87-86-5	Pentachlorophenol	860	ן ט
85-01-8	Phenanthrene	340	U

Lab Name: QUANTERRA

SDG Number:

BR334

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 005

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Date Received: 08/20/97

Work Order: CCCR6101

Date Extracted: 08/28/97

Dilution factor: 1

Date Analyzed: 09/10/97

Moisture %:3.2

QC Batch: 7250108

Client Sample Id: T2-SB05-1517

CAS NO.	COMPOUND	(ug/L or ug/kg) ug/kg	Q
108-95-2	Phenol	340	U
129-00-0	Pyrene	340	U
120-82-1	1,2,4-Trichlorob	penzene 340	<u> </u>
95-95-4	2,4,5-Trichloro	phenol 860	<u>U</u>
88-06-2	2,4,6-Trichloro	phenol 340	<u></u>
86-74-8	Carbazole	340	<u></u>

Lab Name: QUANTERRA

SDG Number: BR334

Matrix: (soil/water) SOLID

Lab Sample ID:C7H200116 005

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Date Received: 08/20/97

Work Order: CCCR6101

Date Extracted: 08/28/97

Dilution factor: 1

Date Analyzed: 09/10/97

Moisture %:3.2

QC Batch: 7250108

Client Sample Id: T2-SB05-1517

(ug/L or ug/kg) ug/kg

CAS NUMBER	COMPOU	IND NAME	RT	EST. CONC.	Q
123-42-2	2-Pentanone,	4-Hydroxy-4-Met	2.91	21000	JBA
57-10-3	Hexadecanoic	Acid	11.4	160	JB

Lab Name: QUANTERRA

SDG Number: BR335

Matrix: (soil/water) SOLID

Lab Sample ID:C7H210119 002

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g Work Order: CCDKA103 Dilution factor: 1

Date Received: 08/21/97 Date Extracted: 08/25/97

Date Analyzed: 08/25/97

Moisture %:7.0

QC Batch: 7237146

Client Sample Id: TP3-SB01-1517

CAS NO.	COMPOUND (ug/L or ug	/kg) ug/kg Q	
67-64-1	Acetone]11]	<u> </u>
71-43-2	Benzene	11	<u> </u>
75-27-4	Bromodichloromethane	11	<u> </u>
75-25-2	Bromoform	11	<u>"</u>
74-83-9	Bromomethane	11	<u>"</u>
78-93-3	2-Butanone	11	<u>u</u>
75-15-0	Carbon disulfide	11	<u>U</u>
56-23-5	Carbon tetrachloride	11	<u> </u>
108-90-7	Chlorobenzene	11	<u> </u>
124-48-1	Dibromochloromethane	11	<u>"</u>
75-00-3	Chloroethane	11	<u>"</u>
67-66-3	Chloroform	11	
74-87-3	Chloromethane	11	<u>U</u>
75-34-3	1,1-Dichloroethane	11	<u>U</u>
107-06-2	1,2-Dichloroethane	11	ַןט
75-35-4	1,1-Dichloroethene	11	<u>"</u>
540-59-0	1,2-Dichloroethene (total)	11	
78-87-5	1,2-Dichloropropane	11	<u>U</u>
10061-01-5	cis-1,3-Dichloropropene	11	<u>u</u>
10061-02-6	trans-1,3-Dichloropropene	11	<u> </u>
100-41-4	Ethylbenzene	11	<u>"</u>
591-78-6	2-Hexanone	11	
75-09-2	Methylene chloride	11	
108-10-1	4-Methyl-2-pentanone	11	<u>U</u>
100-42-5	Styrene	11	ַ
79-34-5	1,1,2,2-Tetrachloroethane	11	ַ
127-18-4	Tetrachloroethene	11	<u> </u>
108-88-3	Toluene	11	<u> </u>
71-55-6	1,1,1-Trichloroethane	11	ט

Lab Name:QUANTERRA SDG Number: BR335

Matrix: (soil/water) SOLID Lab Sample ID:C7H210119 002

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g Date Received: 08/21/97 Work Order: CCDKA103 Date Extracted:08/25/97 Dilution factor: 1 Date Analyzed: 08/25/97

Moisture %:7.0

QC Batch: 7237146

Client Sample Id: TP3-SB01-1517

CAS NO.	COMPOUND (ug/L or	ug/kg) ug/kg	Q
79-00-5	1,1,2-Trichloroethane	11	U
79-01-6	Trichloroethene	11	U
75-01-4	Vinyl chloride	11	ט
1330-20-7	Xylenes (total)	11	<u> </u>

Lab Name: QUANTERRA

SDG Number:

Matrix: (soil/water) SOLID

Lab Sample ID:C7H210119 002

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g

Date Received: 08/21/97

Work Order: CCDKA103

Date Extracted: 08/25/97

Dilution factor: 1

Date Analyzed: 08/25/97

Moisture %:7.0

QC Batch: 7237146

Client Sample Id: TP3-SB01-1517

(ug/L or ug/kg) ug/kg EST. CONC. CAS NUMBER COMPOUND NAME RT NO TICS DETECTED

Lab Name:QUANTERRA SDG Number: BR335

Matrix: (soil/water) SOLID Lab Sample ID:C7H210119 002

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Work Order: CCDKA101

Date Extracted: 08/21/97

Dilution factor: 1

Date Analyzed: 09/10/97

Dilution factor: 1
Moisture %:7.0

QC Batch: 7250108

Client Sample Id: TP3-SB01-1517

CAS NO.	COMPOUND (ug/L or ug	/kg) ug/kg (2
83-32-9	Acenaphthene	350	<u> </u>
208-96-8	Acenaphthylene	350	U
120-12-7	Anthracene	350	ן <u>ש</u>
56-55-3	Benzo(a)anthracene	350	<u> </u>
205-99-2	Benzo(b) fluoranthene	350	U
207-08-9	Benzo(k) fluoranthene	350	ט
191-24-2	Benzo(ghi)perylene	350	ַ ַ
50-32-8	Benzo(a)pyrene	350	ַ ַ
111-91-1	bis(2-Chloroethoxy)methane	350	<u> </u>
111-44-4	bis(2-Chloroethyl) ether	350	ַ
108-60-1	2,2'-Oxybis(1-Chloropropane)	350	<u>"</u>
117-81-7	bis(2-Ethylhexyl) phthalate	350	ַ ַ ַ
101-55-3	4-Bromophenyl phenyl ether	350	<u></u> ַ
85-68-7	Butyl benzyl phthalate	350	<u></u>
106-47-8	4-Chloroaniline	350	ט
59-50-7	4-Chloro-3-methylphenol	350	ן <u>ש</u>
91-58-7	2-Chloronaphthalene	350	ן ש
95-57-8	2-Chlorophenol	350	<u> </u>
7005-72-3	4-Chlorophenyl phenyl ether	350	ן <u>ש</u>
218-01-9	Chrysene	350	<u> </u>
53-70-3	Dibenz(a,h)anthracene	350	ש
132-64-9	Dibenzofuran	350	ַ ַ ַ ַ
84-74-2	Di-n-butyl phthalate	350	ע
95-50-1	1,2-Dichlorobenzene	350	U U
541-73-1	1,3-Dichlorobenzene	350	ַ ַ ַ ַ
106-46-7	1,4-Dichlorobenzene	350	U
91-94-1	3,3'-Dichlorobenzidine	350	<u> </u>
120-83-2	2,4-Dichlorophenol	350	ַ [
84-66-2	Diethyl phthalate	350	ט

Lab Name: QUANTERRA

SDG Number: BR335

Matrix: (soil/water) SOLID

Lab Sample ID:C7H210119 002

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g Work Order: CCDKA101

Date Received: 08/21/97 Date Extracted: 08/28/97

Dilution factor: 1

Date Analyzed: 09/10/97

Moisture %:7.0

QC Batch: 7250108

Client Sample Id: TP3-SB01-1517

	COMPOINTS /200/T 02 22	g/kg) ug/kg	0
CAS NO.		350	ן ט
105-67-9	2,4-Dimethylphenol	350	ן ט
131-11-3	Dimethyl phthalate	350	_ U
117-84-0	Di-n-octyl phthalate	_ '	_\ <u> </u>
534-52-1	4,6-Dinitro-2-methylphenol	890	ן די
51-28-5	2,4-Dinitrophenol	890	_ <u> </u>
121-14-2	2,4-Dinitrotoluene	350	_ <u>U</u>
606-20-2	2,6-Dinitrotoluene	350	_
206-44-0	Fluoranthene	350	_ <u>_</u>
86-73-7	Fluorene	350	_
118-74-1	Hexachlorobenzene	350	_ U
87-68-3	Hexachlorobutadiene	350	_ <u> </u>
77-47-4	Hexachlorocyclopentadiene	350	_ <u> </u>
67-72-1	Hexachloroethane	350	<u></u>
193-39-5	Indeno(1,2,3-cd)pyrene	350	
78-59-1	Isophorone	350	ַ
91-57-6	2-Methylnaphthalene	350	_ <u> </u>
95-48-7	2-Methylphenol	350	ַ
106-44-5	4-Methylphenol	350	ן ש
91-20-3	Naphthalene	350	ן ט
88-74-4	2-Nitroaniline	890	U
99-09-2	3-Nitroaniline	890	ט ו
100-01-6	4-Nitroaniline	890	ט ו
98-95-3	Nitrobenzene	350	ָ <u></u>
88-75-5	2-Nitrophenol	350	ָּט
	4-Nitrophenol	890	ט
100-02-7	N-Nitrosodi-n-propylamine	350	"U
621-64-7	N-Nitrosodi-n-propyramine	350	<u>"</u>
86-30-6		890	<u>"</u>
87-86-5	Pentachlorophenol	350	_ <u>U</u>
85-01-8	Phenanthrene	1330	

Lab Name: QUANTERRA

SDG Number: BR335

Matrix: (soil/water) SOLID

Lab Sample ID:C7H210119 002

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Date Received: 08/21/97

Work Order: CCDKA101

Date Extracted:08/28/97

Dilution factor: 1

Date Analyzed: 09/10/97

Moisture %:7.0

QC Batch: 7250108

Client Sample Id: TP3-SB01-1517

CAS NO.	COMPOUND (ug/L o	or ug/kg) ug/kg	Q
108-95-2	Phenol	350	<u>"</u>
129-00-0	Pyrene	350	<u></u>
120-82-1	1,2,4-Trichlorobenzene	350	<u>U</u>
95-95-4	2,4,5-Trichlorophenol 890		<u> </u>
88-06-2	2,4,6-Trichlorophenol 350		U
86-74-8	Carbazole	350	<u></u>

Lab Name: QUANTERRA

SDG Number: BR335

Matrix: (soil/water) SOLID

Lab Sample ID:C7H210119 002

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g Work Order: CCDKA101

Date Received: 08/21/97 Date Extracted: 08/28/97

Dilution factor: 1

Date Analyzed: 09/10/97

Moisture %:7.0

QC Batch: 7250108

Client Sample Id: TP3-SB01-1517

(ug/L or ug/kg) ug/kg

CAS NUMBER	COMPOU	IND NAME	RT	EST.	CONC.	Q
123-42-2	2-Pentanone,	4-Hydroxy-4-Met	2.8983	24000		ABJN
57-10-3	Hexadecanoic	acid	11.406	320		BJN

Lab Name:QUANTERRA SDG Number: BR335

Matrix: (soil/water) SOLID Lab Sample ID:C7H210119 003

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g

Date Received: 08/21/97

Work Order: CCDKC103

Date Extracted: 08/25/97

Dilution factor: 1

Date Analyzed: 08/25/97

Moisture %:4.3

QC Batch: 7237146

Client Sample Id: TP3-SB02-1517

CAS NO.	COMPOUND (ug/L or u	ıg/kg) ug/kg	Q
67-64-1	Acetone	10	U
71-43-2	Benzene	10	U
75-27-4	Bromodichloromethane	10	ן ט
75-25-2	Bromoform	10	U
74-83-9	Bromomethane	10	ט
78-93-3	2-Butanone	10	U
75-15-0	Carbon disulfide	10	_
56-23-5	Carbon tetrachloride	10	ט
108-90-7	Chlorobenzene	10	ן ט
124-48-1	Dibromochloromethane	_ 10	<u> U</u>
75-00-3	Chloroethane	10	<u> </u>
67-66-3	Chloroform	10	יט יי
74-87-3	Chloromethane	10	<u> </u>
75-34-3	1,1-Dichloroethane	10	<u>U</u>
107-06-2	1,2-Dichloroethane	10	ן
75-35-4	1,1-Dichloroethene	10	ן
540-59-0	1,2-Dichloroethene (total)	10	<u>"</u>
78-87-5	1,2-Dichloropropane	10	ן ט
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	ן "
100-41-4	Ethylbenzene	10	U
591-78-6	2-Hexanone	10	ט
75-09-2	Methylene chloride	10	ן די
108-10-1	4-Methyl-2-pentanone	10	ן ט
100-42-5	Styrene	10	ן ט
79-34-5	1,1,2,2-Tetrachloroethane	10	ַ ט
127-18-4	Tetrachloroethene	10	ט נ
108-88-3	Toluene	10	<u>"</u>
71-55-6	1,1,1-Trichloroethane	10	<u>"</u>

Lab Name: QUANTERRA

SDG Number: BR335

Matrix: (soil/water) SOLID

Lab Sample ID:C7H210119 003

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g Work Order: CCDKC103

Date Received: 08/21/97 Date Extracted: 08/25/97

Date Analyzed: 08/25/97

Dilution factor: 1 Moisture %:4.3

QC Batch: 7237146

Client Sample Id: TP3-SB02-1517

CAS NO.	COMPOUND (ug/L	or ug/kg) u	g/kg Q	
79-00-5	1,1,2-Trichloroethane	10		<u> </u>
79-01-6	Trichloroethene	10		U
75-01-4	Vinyl chloride	10		U
1330-20-7	Xylenes (total)	10		<u>ט</u>

Lab Name: QUANTERRA

SDG Number: BR335

Matrix: (soil/water) SOLID

Lab Sample ID:C7H210119 003

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g Work Order: CCDKC103

Date Received: 08/21/97 Date Extracted: 08/25/97

Dilution factor: 1

Date Analyzed: 08/25/97

Moisture %:4.3

QC Batch: 7237146

Client Sample Id: TP3-SB02-1517

		(ug/L or ug/kg) u	ıg/kg	
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
	NO TICS DETECTED			ND

Lab Name:QUANTERRA

SDG Number: BR335

Matrix: (soil/water) SOLID

Lab Sample ID:C7H210119 003

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g Work Order: CCDKC101 Date Received: 08/21/97 Date Extracted: 08/28/97

Dilution factor: 1

Date Analyzed: 09/10/97

Moisture %:4.3

QC Batch: 7250108

Client Sample Id: TP3-SB02-1517

CAS NO.	COMPOUND (ug/L or ug	/kg) ug/kg Q	
83-32-9	Acenaphthene	340	<u>U</u>
208-96-8	Acenaphthylene	340	U
120-12-7	Anthracene	340	<u>U</u>
56-55-3	Benzo(a)anthracene	340	ַ ַ ַ ַ ַ ַ
205-99-2	Benzo(b)fluoranthene	340	ַ
207-08-9	Benzo(k)fluoranthene	340	u
191-24-2	Benzo(ghi)perylene	340	<u>ַ</u>
50-32-8	Benzo(a)pyrene	340	U
111-91-1	bis(2-Chloroethoxy)methane	340	
111-44-4	bis(2-Chloroethyl) ether	340	<u>U</u>
108-60-1	2,2'-Oxybis(1-Chloropropane)	340	<u>U</u>
117-81-7	bis(2-Ethylhexyl) phthalate	340	ע
101-55-3	4-Bromophenyl phenyl ether	340	ַ ַ ַ ַ ַ
85-68-7	Butyl benzyl phthalate	340	ַ ַ ַ ַ
106-47-8	4-Chloroaniline	340	ַ ַ ַ ַ
59-50-7	4-Chloro-3-methylphenol	340	ַ
91-58-7	2-Chloronaphthalene	340	U
95-57-8	2-Chlorophenol	340	U
7005-72-3	4-Chlorophenyl phenyl ether	340	U
218-01-9	Chrysene	340	<u> </u>
53-70-3	Dibenz(a,h)anthracene	340	<u> </u>
132-64-9	Dibenzofuran	340	ַ
84-74-2	Di-n-butyl phthalate	340	U
95-50-1	1,2-Dichlorobenzene	340	U
541-73-1	1,3-Dichlorobenzene	340	U
106-46-7	1,4-Dichlorobenzene	340	U
91-94-1	3,3'-Dichlorobenzidine	340	<u> </u>
120-83-2	2,4-Dichlorophenol	340	<u> </u>
84-66-2	Diethyl phthalate	340	<u> </u>

Lab Name:QUANTERRA SDG Number: BR335

Matrix: (soil/water) SOLID Lab Sample ID:C7H210119 003

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Date Received: 08/21/97

Work Order: CCDKC101

Date Extracted: 08/28/97

Dilution factor: 1 Date Analyzed: 09/10/97 Moisture %:4.3

Client Sample Id: TP3-SB02-1517

CONCENTRATION UNITS:

QC Batch: 7250108

CAS NO.	COMPOUND (ug/L or u	ıg/kg) ug/kg	Q
105-67-9	2,4-Dimethylphenol	340	ע
131-11-3	Dimethyl phthalate	340	ע
117-84-0	Di-n-octyl phthalate	340	ע . ע
534-52-1	4,6-Dinitro-2-methylphenol	870	<u> U</u>
51-28-5	2,4-Dinitrophenol	870	<u> </u>
121-14-2	2,4-Dinitrotoluene	340	ן
606-20-2	2,6-Dinitrotoluene	340	ע
206-44-0	Fluoranthene	340	<u>"</u>
86-73-7	Fluorene	340	<u>"</u>
118-74-1	Hexachlorobenzene	340	ע
87-68-3	Hexachlorobutadiene	340	ַ
77-47-4	Hexachlorocyclopentadiene	340	ט
67-72-1	Hexachloroethane	340	<u> </u>
193-39-5	Indeno(1,2,3-cd)pyrene	340	<u>U</u>
78-59-1	Isophorone	340	<u> </u>
91-57-6	2-Methylnaphthalene	340	<u> </u>
95-48-7	2-Methylphenol	340	<u> </u>
106-44-5	4-Methylphenol	340	<u> </u>
91-20-3	Naphthalene	340	<u> </u>
88-74-4	2-Nitroaniline	870	<u> U</u>
99-09-2	3-Nitroaniline	870	<u> </u>
100-01-6	4-Nitroaniline	870	<u> </u>
98-95-3	Nitrobenzene	340	<u> </u>
88-75-5	2-Nitrophenol	340	<u> </u>
100-02-7	4-Nitrophenol	870	ַ ע
621-64-7	N-Nitrosodi-n-propylamine	340	<u> U</u>
86-30-6	N-Nitrosodiphenylamine	340	ן
87-86-5	Pentachlorophenol	870	ן
85-01-8	Phenanthrene	340	ן ש

· 我我看了一个一个样子,这一个人,

Lab Name:QUANTERRA

SDG Number: BR335

Matrix: (soil/water) SOLID

Lab Sample ID:C7H210119 003

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Date Received: 08/21/97

Work Order: CCDKC101

Date Extracted:08/28/97

Dilution factor: 1

Date Analyzed: 09/10/97

Moisture %:4.3

QC Batch: 7250108

Client Sample Id: TP3-SB02-1517

CAS NO.	COMPOUND (ug/L	or ug/kg) ug/kg	Q
108-95-2	Phenol	340	<u>U</u>
129-00-0	Pyrene	340	U
120-82-1	1,2,4-Trichlorobenzene	340	
95-95-4	2,4,5-Trichlorophenol	870	ן
88-06-2	2,4,6-Trichlorophenol	340	U
86-74-8	Carbazole	340	ַ

Lab Name: QUANTERRA

SDG Number: BR335

Matrix: (soil/water) SOLID

Lab Sample ID:C7H210119 003

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Date Received: 08/21/97 Date Extracted: 08/28/97

Work Order: CCDKC101

Dilution factor: 1

Date Analyzed: 09/10/97

Moisture %:4.3

QC Batch: 7250108

Client Sample Id: TP3-SB02-1517

(ug/L or ug/kg) ug/kg

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
123-42-2	2-Pentanone, 4-hydroxy-4-met	2.9268	22000	ABJN
57-10-3	Hexadecanoic acid	11.398	180	BJN

Lab Name:QUANTERRA SDG Number: BR335

Matrix: (soil/water) SOLID Lab Sample ID:C7H210119 004

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g

Work Order: CCDKD103

Date Extracted: 08/21/97

Dilution factor: 1

Date Analyzed: 08/25/97

Moisture %:2.5

QC Batch: 7237146

Client Sample Id: TP3-SB03-1517

CAS NO	COMPOUND (ug/L or u	g/kg) ug/kg (Q
67-64-1	Acetone	10	<u> U</u>
71-43-2	Benzene	10	<u>u</u>
75-27-4	Bromodichloromethane	10	<u> U · U </u>
75-25-2	Bromoform	10	<u>u</u>
74-83-9	Bromomethane	10	ן <u>ש</u>
78-93-3	2-Butanone	10	<u> U </u>
75-15-0	Carbon disulfide	10	<u> </u>
56-23-5	Carbon tetrachloride	10	<u>U</u>
108-90-7	Chlorobenzene	10	<u>U</u>
124-48-1	Dibromochloromethane	10	<u> U</u>
75-00-3	Chloroethane	10	<u> U</u>
67-66-3	Chloroform	10	ן
74-87-3	Chloromethane	10	<u>U</u>
75-34-3	1,1-Dichloroethane	10	ע
107-06-2	1,2-Dichloroethane	10	<u> U</u>
75-35-4	1,1-Dichloroethene	10	<u>U</u>
540-59-0	1,2-Dichloroethene (total)	10	<u>U</u>
78-87-5	1,2-Dichloropropane	10	<u> </u>
10061-01-5	cis-1,3-Dichloropropene	10	<u> U</u>
10061-02-6	trans-1,3-Dichloropropene	10	ן ד
100-41-4	Ethylbenzene	10	<u> U</u>
591-78-6	2-Hexanone	10	ן ט
75-09-2	Methylene chloride	10	ע
108-10-1	4-Methyl-2-pentanone	10	ן די
100-42-5	Styrene	10	ע
79-34-5	1,1,2,2-Tetrachloroethane	10	ן ט
127-18-4	Tetrachloroethene	10	ט
108-88-3	Toluene	10	ן די
71-55-6	1,1,1-Trichloroethane	10	<u> U</u>

Lab Name: QUANTERRA

SDG Number: BR335

Matrix: (soil/water) SOLID

Lab Sample ID: C7H210119 004

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g

Date Received: 08/21/97 Date Extracted: 08/25/97

Work Order: CCDKD103

Dilution factor: 1

Date Analyzed: 08/25/97

Moisture %:2.5

QC Batch: 7237146

Client Sample Id: TP3-SB03-1517

CAS NO.	COMPOUND	(ug/L or ug/kg)	ug/kg (2
79-00-5	1,1,2-Trichloroet	hane 10		ַ
79-01-6	Trichloroethene	10		ט
75-01-4	Vinyl chloride	10		ש
1330-20-7	Xylenes (total)	10		ט

Lab Name: QUANTERRA

SDG Number:

Matrix: (soil/water) SOLID

Lab Sample ID:C7H210119 004

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g

Date Received: 08/21/97 Date Extracted: 08/25/97

Work Order: CCDKD103

Dilution factor: 1

Date Analyzed: 08/25/97

Moisture %:2.5

QC Batch: 7237146

Client Sample Id: TP3-SB03-1517

		(ug/L or ug/kg)	ug/kg	
CAS NUMBER	COMPOUND NAME	RT	EST. CONC. Q	_
	NO TICS DETECTED		ND	

Lab Name:QUANTERRA SDG Number: BR335

Matrix: (soil/water) SOLID Lab Sample ID:C7H210119 004

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Work Order: CCDKD101

Date Extracted: 08/21/97

Dilution factor: 1

Date Analyzed: 09/11/97

Moisture %:2.5

QC Batch: 7250108

Client Sample Id: TP3-SB03-1517

CAS NO.	COMPOUND (ug/L or ug	/kg) ug/kg	Q
83-32-9	Acenaphthene	340	U
208-96-8	Acenaphthylene	340	<u></u>
120-12-7	Anthracene	340	U
56-55-3	Benzo(a)anthracene	340	ַ
205-99-2	Benzo(b) fluoranthene	82	_ <u>J</u>
207-08-9	Benzo(k) fluoranthene	340	<u></u>
191-24-2	Benzo(ghi)perylene	390	_
50-32-8	Benzo (a) pyrene	36	<u> J </u>
111-91-1	bis(2-Chloroethoxy)methane	340	ן די
111-44-4	bis(2-Chloroethyl) ether	340	U
108-60-1	2,2'-Oxybis(1-Chloropropane)	340	_ U
117-81-7	bis(2-Ethylhexyl) phthalate	340	_ <u>_</u>
101-55-3	4-Bromophenyl phenyl ether	340	<u>"</u>
85-68-7	Butyl benzyl phthalate	340	
106-47-8	4-Chloroaniline	340	
59-50-7	4-Chloro-3-methylphenol	340	
91-58-7	2-Chloronaphthalene	340	<u></u>
95-57-8	2-Chlorophenol	340	
7005-72-3	4-Chlorophenyl phenyl ether	340	<u></u>
218-01-9	Chrysene	340	
53-70-3	Dibenz(a,h)anthracene	340	U
132-64-9	Dibenzofuran	340	
84-74-2	Di-n-butyl phthalate	340	_ <u> </u>
95-50-1	1,2-Dichlorobenzene	340	<u></u>
541-73-1	1,3-Dichlorobenzene	340	<u> </u>
106-46-7	1,4-Dichlorobenzene	340	ו
91-94-1	3,3'-Dichlorobenzidine	340	<u></u>
120-83-2	2,4-Dichlorophenol	340	_ ַ
84-66-2	Diethyl phthalate	340	<u></u>

SDG Number: BR335 Lab Name: QUANTERRA

94 L

Lab Sample ID:C7H210119 004 Matrix: (soil/water) SOLID

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Date Received: 08/21/97 Sample WT/Vol: 30 / g Date Extracted: 08/28/97 Work Order: CCDKD101 Date Analyzed: 09/11/97

Dilution factor: 1

Moisture %:2.5 QC Batch: 7250108

Client Sample Id: TP3-SB03-1517

CAS NO.	COMPOUND (ug/L or u	ıg/kg) ug/kg	Q
105-67-9	2,4-Dimethylphenol	340	<u> U</u>
131-11-3	Dimethyl phthalate	340	ע
117-84-0	Di-n-octyl phthalate	340	ע
534-52-1	4,6-Dinitro-2-methylphenol	850	ע
51-28-5	2,4-Dinitrophenol	850	<u> </u>
121-14-2	2,4-Dinitrotoluene	340	<u>"</u>
606-20-2	2,6-Dinitrotoluene	340	<u>U</u>
206-44-0	Fluoranthene	340	<u> </u>
86-73-7	Fluorene	340	ע
118-74-1	Hexachlorobenzene	340	<u> </u>
87-68-3	Hexachlorobutadiene	340	ן
77-47-4	Hexachlorocyclopentadiene	340	ן
67-72-1	Hexachloroethane	340	<u>u</u>
193-39-5	Indeno(1,2,3-cd)pyrene	480	.
78-59-1	Isophorone	340	ט
91-57-6	2-Methylnaphthalene	340	<u> U</u>
95-48-7	2-Methylphenol	340	ן די
106-44-5	4-Methylphenol	340	U U
91-20-3	Naphthalene	340	<u>U</u>
88-74-4	2-Nitroaniline	850	
99-09-2	3-Nitroaniline	850	<u> </u>
100-01-6	4-Nitroaniline	850	ןן
98-95-3	Nitrobenzene	340	<u> </u>
88-75-5	2-Nitrophenol	340	ןו
100-02-7	4-Nitrophenol	· 850	<u> u</u>
621-64-7	N-Nitrosodi-n-propylamine	340	ע
86-30-6	N-Nitrosodiphenylamine	340	ַ
87-86-5	Pentachlorophenol	850	_ U
85-01-8	Phenanthrene	340	<u> U</u>

Lab Name:QUANTERRA

SDG Number: BR335

Matrix: (soil/water) SOLID Lab Sample ID:C7H210119 004

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Date Received: 08/21/97

Work Order: CCDKD101

Date Extracted: 08/28/97

Dilution factor: 1

Date Analyzed: 09/11/97

Moisture %:2.5

QC Batch: 7250108

Client Sample Id: TP3-SB03-1517

CAS NO	COMPOUND (ug/L or ug/kg) ug/kg Q		
108-95-2	Phenol	340	ַ ַ ַ ַ
129-00-0	Pyrene	340	ַ ט
120-82-1	1,2,4-Trichlorobenzene	340	ַ ַ ַ ַ ַ
95-95-4	2,4,5-Trichlorophenol	850	ַ ַ ַ ַ
88-06-2	2,4,6-Trichlorophenol	340	<u> </u>
86-74-8	Carbazole	340	U

Lab Name: QUANTERRA

SDG Number: BR335

Matrix: (soil/water) SOLID

Lab Sample ID:C7H210119 004

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Date Received: 08/21/97 Date Extracted: 08/28/97

Work Order: CCDKD101

Dilution factor: 1

Date Analyzed: 09/11/97

Moisture %:2.5

QC Batch: 7250108

Client Sample Id: TP3-SB03-1517

(ug/L or ug/kg) ug/kg

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	<u> </u>
123-42-2	2-Pentanone, 4-Hydroxy-4-Met	2.8938	23000	ABJN
57-10-3	Hexadecanoic acid	11.323	210	BJN
41464-42-0	1,1'-Biphenyl, 2,3',5,5'-tet_	11.351	300	JN
	1,1'-Biphenyl, 2,3',5,5'-tet	11.687	89	JN
	1,1'-Biphenyl, 2,3',5,5'-tet	12.3	99	N
	1,1'-Biphenyl, 2,3,3',4',6-p	12.379	440	NC
	1,1'-Biphenyl, 2,3,3',4',6-p	12.636	110	N
	1,1'-Biphenyl, 2,3,3',4',6-p	12.729	1000	JN
·	1,1'-Biphenyl, 2,3,3',4',6-p	12.807	280	JN
		13.064	190	N
· . ———————————————————————————————————		13.143	360	N
	1,1'-Biphenyl, 2,3,3',4',6-p	13.307	730	JN
	1,1'-Biphenyl, 2,3,4,5,6-pen	13.478	90	N
	1,1'-Biphenyl, 2,2',3,3',6,6	13.664	340	N
	1,1'-Biphenyl, 2,2',4,4',6-p	13.692	420	N
52663-72-6	1,1'-Biphenyl, 2,3',4,4',5,5	14.02	280	N
	1,1'-Biphenyl, hexachloro- o	14.085	240	JN
	1,1'-Biphenyl, hexachloro- o	14.449	440	JN
	1,1'-Biphenyl, 2,3,3',4,4',5	14.863	86	JN
	Unknown	15.541	98	J
	Unknown	19.038	72	
	Unknown PAH	19.266	260	J
	Unknown PAH	21.6	98	J

Lab Name:QUANTERRA SDG Number: BR335

Matrix: (soil/water) SOLID Lab Sample ID:C7H210119 005

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g Date Received: 08/21/97 Work Order: CCDKE103 Date Extracted:08/25/97 Dilution factor: 1 Date Analyzed: 08/25/97

Moisture %:3.4

QC Batch: 7237146

Client Sample Id: TP3-SB04-1517

CAS NO.	_	ig/kg) ug/kg	Q
67-64-1	Acetone	10	U
71-43-2	Benzene	10	Ū
75-27-4	Bromodichloromethane	10	U
75-25-2	Bromoform	10	U
74-83-9	Bromomethane	10	U
78-93-3	2-Butanone	10	ט
75-15-0	Carbon disulfide	10	U
56-23-5	Carbon tetrachloride	10	U
108-90-7	Chlorobenzene	10	U
124-48-1	Dibromochloromethane	10	ט
75-00-3	Chloroethane	10	ט
67-66-3	Chloroform	10	ַ
74-87-3	Chloromethane	10	ע
75-34-3	1,1-Dichloroethane	10	<u>ט</u>
107-06-2	1,2-Dichloroethane	10	U
75-35-4	1,1-Dichloroethene	10	<u>"</u>
540-59-0	1,2-Dichloroethene (total)	10	<u>ט</u>
78-87-5	1,2-Dichloropropane	10	<u>ע</u>
10061-01-5	cis-1,3-Dichloropropene	10	U
10061-02-6	trans-1,3-Dichloropropene	10	U
100-41-4	Ethylbenzene	10	ט
591-78-6	2-Hexanone	10	ט
75-09-2	Methylene chloride	10	ט
108-10-1	4-Methyl-2-pentanone	10	U U
100-42-5	Styrene	10	<u> </u>
79-34-5	1,1,2,2-Tetrachloroethane		ַן
127-18-4	Tetrachloroethene	10	ע
108-88-3	Toluene	10	יש ו
71-55-6	1,1,1-Trichloroethane	10	ַ

Lab Name: QUANTERRA

SDG Number: BR335

Matrix: (soil/water) SOLID

Lab Sample ID:C7H210119 005

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g

Date Received: 08/21/97 Date Extracted: 08/25/97

Work Order: CCDKE103 Dilution factor: 1

Date Analyzed: 08/25/97

Moisture %:3.4

QC Batch: 7237146

Client Sample Id: TP3-SB04-1517

CAS NO.	COMPOUND (ug,	/L or ug/kg) ug/kg (2
79-00-5	1,1,2-Trichloroethane	10		<u> </u>
79-01-6	Trichloroethene	10		<u> </u>
75-01-4	Vinyl chloride	10		<u>u</u>
1330-20-7	Xylenes (total)	10		<u> </u>

Lab Name: QUANTERRA

SDG Number:

Matrix: (soil/water) SOLID

Lab Sample ID:C7H210119 005

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g Work Order: CCDKE103

Date Received: 08/21/97 Date Extracted: 08/25/97

Dilution factor: 1

Date Analyzed: 08/25/97

Moisture %:3.4

QC Batch: 7237146

Client Sample Id: TP3-SB04-1517

		(ug/L or ug/kg)	ug/kg	
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
	NO TICS DETECTED			ND

Lab Name: QUANTERRA SDG Number: BR335

Matrix: (soil/water) SOLID Lab Sample ID:C7H210119 005

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Work Order: CCDKE201

Date Extracted: 09/15/97

Dilution factor: 1

Date Analyzed: 09/18/97

Moisture %:3.4

QC Batch: 7258133

Client Sample Id: TP3-SB04-1517 -RE 1

CAS NO	COMPOUND (ug/L or ug	/kg) ug/kg Q	
83-32-9	Acenaphthene	340	<u>"</u>
208-96-8	Acenaphthylene	340	<u>ַ</u> <u></u>
120-12-7	Anthracene	340	ַ ַ ע
56-55-3	Benzo(a) anthracene	340	U
205-99-2	Benzo(b) fluoranthene	340	<u>"</u>
207-08-9	Benzo(k) fluoranthene	340	ַ ַ ַ ַ
191-24-2	Benzo(ghi)perylene	340	ַ ַ ַ ַ
50-32-8	Benzo(a) pyrene	340	U
111-91-1	bis(2-Chloroethoxy)methane	340	U
111-44-4	bis(2-Chloroethyl) ether	340	<u>U</u>
108-60-1	2,2'-Oxybis(1-Chloropropane)	340	U
117-81-7	bis(2-Ethylhexyl) phthalate	340	ן ש
101-55-3	4-Bromophenyl phenyl ether	340	<u>u</u>
85-68-7	Butyl benzyl phthalate	340	U
106-47-8	4-Chloroaniline	340	<u>"</u>
59-50-7	4-Chloro-3-methylphenol	340	U
91-58-7	2-Chloronaphthalene	340	<u> </u>
95-57-8	2-Chlorophenol	340	U
7005-72-3	4-Chlorophenyl phenyl ether	340	U
218-01-9	Chrysene	340	U
53-70-3	Dibenz(a,h)anthracene	340	ע
132-64-9	Dibenzofuran	340	ן ט
84-74-2	Di-n-butyl phthalate	340	<u>U</u>
95-50-1	1,2-Dichlorobenzene	340	<u> </u>
541-73-1	1,3-Dichlorobenzene ·	340	ַ "ט
106-46-7	1,4-Dichlorobenzene	340	ַ ט
91-94-1	3,3'-Dichlorobenzidine	3.40	ַ ַ
120-83-2	2,4-Dichlorophenol	340	ַ ַ ַ ַ ַ ַ
84-66-2	Diethyl phthalate	340	U

Lab Name:QUANTERRA SDG Number: BR335

Matrix: (soil/water) SOLID Lab Sample ID:C7H210119 005

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Date Received: 08/21/97

Work Order: CCDKE201

Date Extracted:09/15/97

Date Analyzed: 09/18/97

Moisture %:3.4

QC Batch: 7258133

Client Sample Id: TP3-SB04-1517 -RE 1

CAS NO.	COMPOUND (ug/L or)	ug/kg) ug/kg	Q
105-67-9	2,4-Dimethylphenol	340	וט
131-11-3	Dimethyl phthalate	340	ָ <u>"</u>
117-84-0	Di-n-octyl phthalate	340	Ū
534-52-1	4,6-Dinitro-2-methylphenol	860	<u>ט</u>
51-28-5	2,4-Dinitrophenol	860	וט
121-14-2	2,4-Dinitrotoluene	340	<u>"</u>
606-20-2	2,6-Dinitrotoluene	340	U
206-44-0	Fluoranthene	340	U
86-73-7	Fluorene	340	ט
118-74-1	Hexachlorobenzene	340	<u></u>
87-68-3	Hexachlorobutadiene	340	Ū
77-47-4	Hexachlorocyclopentadiene	340	ַ <u> </u>
67-72-1	Hexachloroethane	340	U
193-39-5	Indeno(1,2,3-cd)pyrene	340	ָ <u></u>
78-59-1	Isophorone	340	U
91-57-6	2-Methylnaphthalene	340	ש
95-48-7	2-Methylphenol	340	וט
106-44-5	4-Methylphenol	340	וט .
91-20-3	Naphthalene	340	ן ט
88-74-4	2-Nitroaniline	860	<u>"</u>
99-09-2	3-Nitroaniline	860	U
100-01-6	4-Nitroaniline	860	U
98-95-3	Nitrobenzene	340	Ü
88-75-5	2-Nitrophenol	340	Ū
100-02-7	4-Nitrophenol	· 860	U
621-64-7	N-Nitrosodi-n-propylamine	340	ָ <u></u>
86-30-6	N-Nitrosodiphenylamine	340	ָ <u></u> ַ
87-86-5	Pentachlorophenol	860	וט
85-01-8	Phenanthrene	340	וֹט

Lab Name: QUANTERRA

SDG Number: BR335

Matrix: (soil/water) SOLID Lab Sample ID:C7H210119 005

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Date Received: 08/21/97 Date Extracted:09/15/97

Work Order: CCDKE201

Dilution factor: 1

Date Analyzed: 09/18/97

Moisture %:3.4

QC Batch: 7258133

Client Sample Id: TP3-SB04-1517 -RE 1

CAS NO.	COMPOUND (ug/L	or ug/kg) ug/kg	Q
108-95-2	Phenol	340	<u></u>
129-00-0	Pyrene	340	U
120-82-1	1,2,4-Trichlorobenzene	340	<u> </u>
95-95-4	2,4,5-Trichlorophenol	860	<u> </u>
88-06-2	2,4,6-Trichlorophenol	340	lll
86-74-8	Carbazole	340	<u> </u>

Lab Name:QUANTERRA SDG Number:

Matrix: (soil/water) SOLID Lab Sample ID:C7H210119 005

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g Date Received: 08/21/97 Work Order: CCDKE201 Date Extracted:09/15/97

Dilution factor: 1 Date Analyzed: 09/18/97

Moisture %:3.4

QC Batch: 7258133

BR335

Client Sample Id: TP3-SB04-1517 -RE 1

 (ug/L or ug/kg) ug/kg

 CAS NUMBER
 COMPOUND NAME
 RT
 EST. CONC.
 Q

 123-42-2
 2-Pentanone, 4-hydroxy-4-met
 2.96
 44000
 JNBA

Lab Name: QUANTERRA

SDG Number: BR335

Matrix: (soil/water) SOLID

Lab Sample ID:C7H210119 005

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Date Received: 08/21/97 Date Extracted: 08/28/97

Work Order: CCDKE101 Dilution factor: 1

Date Analyzed: 09/10/97

Moisture %:3.4

QC Batch: 7250108

Client Sample Id: TP3-SB04-1517

CAS NO.	COMPOUND (ug/L or ug	/kg) ug/kg Q	
83-32-9	Acenaphthene	340	ַ ַ ַ ַ ַ
208-96-8	Acenaphthylene	340	<u> </u>
120-12-7	Anthracene	340	<u>U</u>
56-55-3	Benzo(a)anthracene	340	<u>"</u>
205-99-2	Benzo(b) fluoranthene	340	ע
207-08-9	Benzo(k)fluoranthene	340	ַ ַ ַ ַ
191-24-2	Benzo(ghi)perylene	340	U
50-32-8	Benzo(a)pyrene	340	ַ
111-91-1	bis(2-Chloroethoxy)methane	340	ַ
111-44-4	bis(2-Chloroethyl) ether	340	ַ ַ ַ ַ
108-60-1	2,2'-Oxybis(1-Chloropropane)	340	ַ ַ ַ ַ
117-81-7	bis(2-Ethylhexyl) phthalate	340	ַ
101-55-3	4-Bromophenyl phenyl ether	340	
85-68-7	Butyl benzyl phthalate	340	U
106-47-8	4-Chloroaniline	340	U
59-50-7	4-Chloro-3-methylphenol	340	
91-58-7	2-Chloronaphthalene	340	U
95-57-8	2-Chlorophenol	340	ַ ַ ַ ַ ַ ַ ַ
7005-72-3	4-Chlorophenyl phenyl ether	340	U
218-01-9	Chrysene	340	U
53-70-3	Dibenz(a,h)anthracene	340	U
132-64-9	Dibenzofuran	340	U
84-74-2	Di-n-butyl phthalate	340	U
95-50-1	1,2-Dichlorobenzene	340	ַ ַ ַ ַ
541-73-1	1,3-Dichlorobenzene	340	U
106-46-7	1,4-Dichlorobenzene	340	
91-94-1	3,3'-Dichlorobenzidine	340	<u>u</u>
120-83-2	2,4-Dichlorophenol	340	U
84-66-2	Diethyl phthalate	340	<u>U</u>

Lab Name:QUANTERRA SDG Number: BR335

Matrix: (soil/water) SOLID Lab Sample ID:C7H210119 005

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Work Order: CCDKE101

Date Extracted: 08/21/97

Dilution factor: 1

Date Analyzed: 09/10/97

Moisture %:3.4

QC Batch: 7250108

Client Sample Id: TP3-SB04-1517

CAS NO.	COMPOUND (ug/L or)	ug/kg) ug/kg	Q
105-67-9	2,4-Dimethylphenol	340	ַ ט
131-11-3	Dimethyl phthalate	340	ט
117-84-0	Di-n-octyl phthalate	340	ט י
534-52-1	4,6-Dinitro-2-methylphenol	860	ַ י
51-28-5	2,4-Dinitrophenol	860	<u>U</u>
121-14-2	2,4-Dinitrotoluene	340	_ <u> U</u>
606-20-2	2,6-Dinitrotoluene	340	ַ
206-44-0	Fluoranthene	340	<u></u>
86-73-7	Fluorene	340	ן די
118-74-1	Hexachlorobenzene	340	<u>U</u>
87-68-3	Hexachlorobutadiene	340	ַ
77-47-4	Hexachlorocyclopentadiene	340	_ U
67-72-1	Hexachloroethane	340	<u> </u>
193-39-5	Indeno(1,2,3-cd)pyrene	340	<u> U</u>
78-59-1	Isophorone	340	ן
91-57-6	2-Methylnaphthalene	340	_ <u> </u>
95-48-7	2-Methylphenol	340	_ <u> </u>
106-44-5	4-Methylphenol	340	ן
91-20-3	Naphthalene	340	U
88-74-4	2-Nitroaniline	860	ן ט
99-09-2	3-Nitroaniline	860	ן די
100-01-6	4-Nitroaniline	860	<u>"</u>
98-95-3	Nitrobenzene	340	ן "
88-75-5	2-Nitrophenol	340	ן "
100-02-7	4-Nitrophenol	860	U
621-64-7	N-Nitrosodi-n-propylamine	340	U
86-30-6	N-Nitrosodiphenylamine	340	U
87-86-5	Pentachlorophenol	860	U
85-01-8	Phenanthrene	340	ט

Lab Name: QUANTERRA

SDG Number: BR335

Matrix: (soil/water) SOLID Lab Sample ID:C7H210119 005

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Date Received: 08/21/97 Date Extracted: 08/28/97

Work Order: CCDKE101

Dilution factor: 1

Date Analyzed: 09/10/97

Moisture %:3.4

QC Batch: 7250108

Client Sample Id: TP3-SB04-1517

CAS NO.	COMPOUND (ug/L	or ug/kg) ug/kg	Q
108-95-2	Phenol	340	<u>"</u>
129-00-0	Pyrene	340	ַ
120-82-1	1,2,4-Trichlorobenzene	340	U
95-95-4	2,4,5-Trichlorophenol	860	ַ
88-06-2	2,4,6-Trichlorophenol	340	<u></u>
86-74-8	Carbazole	340	<u></u>

BROWN & ROOT ENVIRONMENTAL TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: QUANTERRA

SDG Number: BR335

Matrix: (soil/water) SOLID

Lab Sample ID:C7H210119 005

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Date Received: 08/21/97

Work Order: CCDKE101

Date Extracted: 08/28/97

Dilution factor: 1

Date Analyzed: 09/10/97

Moisture %:3.4

QC Batch: 7250108

Client Sample Id: TP3-SB04-1517

(ug/L or ug/kg) ug/kg

	149/2 0	<u> </u>	49/149	
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
000123-42-2	2-PENTANONE, 4-HYDROXY-4-METH	2.91	25000	JNBA

Lab Name:QUANTERRA

SDG Number: BR335

Matrix: (soil/water) SOLID

Lab Sample ID:C7H210119 006

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g Work Order: CCDKF103 Date Received: 08/21/97 Date Extracted: 08/25/97

Dilution factor: 1

Date Analyzed: 08/25/97

Moisture %:3.0

QC Batch: 7237146

Client Sample Id: TP3-SB05-1517

CAS NO.	COMPOUND (ug/L or ug	g/kg) ug/kg 🛛 🔾	
67-64-1	Acetone	10	<u> </u>
71-43-2	Benzene	10	<u></u> <u>U</u>
75-27-4	Bromodichloromethane	10	<u> </u>
75-25-2	Bromoform	10	U
74-83-9	Bromomethane	10	U
78-93-3	2-Butanone	10	<u>ַ</u>
75-15-0	Carbon disulfide	10	<u>U</u>
56-23-5	Carbon tetrachloride	10	<u>U</u>
108-90-7	Chlorobenzene	10	<u> </u>
124-48-1	Dibromochloromethane	_ 10	U
75-00-3	Chloroethane	10	
67-66-3	Chloroform	_ 10	U
74-87-3	Chloromethane	10	<u>U</u>
75-34-3	1,1-Dichloroethane	10	<u>u</u>
107-06-2	1,2-Dichloroethane	10	U
75-35-4	1,1-Dichloroethene	10	<u>U</u>
540-59-0	1,2-Dichloroethene (total)	10	u
78-87-5	1,2-Dichloropropane	10	<u> </u>
10061-01-5	cis-1,3-Dichloropropene	10	<u>U</u>
10061-02-6	trans-1,3-Dichloropropene	10	<u> </u>
100-41-4	Ethylbenzene	10	<u>U</u>
591-78-6	2-Hexanone	10	<u>"</u>
75-09-2	Methylene chloride	10	<u>U</u>
108-10-1	4-Methyl-2-pentanone	10	<u>u</u>
100-42-5	Styrene	10	<u> </u>
79-34-5	1,1,2,2-Tetrachloroethane	10	<u> </u>
127-18-4	Tetrachloroethene	10	<u>"</u>
108-88-3	Toluene	10	U
71-55-6	1,1,1-Trichloroethane	10	ן ט

Lab Name:QUANTERRA SDG Number: BR335

Matrix: (soil/water) SOLID Lab Sample ID:C7H210119 006

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g Date Received: 08/21/97 Work Order: CCDKF103 Date Extracted: 08/25/97

Dilution factor: 1 Date Analyzed: 08/25/97

Moisture %:3.0

QC Batch: 7237146

Client Sample Id: TP3-SB05-1517

CAS NO.	COMPOUND	(ug/L or ug/kg)	ug/kg (2
79-00-5	1,1,2-Trichloroeth	nane 10		ן ט
79-01-6	Trichloroethene	10		ן ט
75-01-4	Vinyl chloride	10		ן ט
1330-20-7	Xylenes (total)	10		<u></u>

BROWN & ROOT ENVIRONMENTAL TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: QUANTERRA

SDG Number: BR335

Matrix: (soil/water) SOLID

Lab Sample ID:C7H210119 006

Method: OCLP OLM03.1

Volatile Organics, GC/MS (CLP -OLM03.1)

Sample WT/Vol: 5 / g Work Order: CCDKF103 Date Received: 08/21/97 Date Extracted:08/25/97

Dilution factor: 1

Moisture %:3.0

Date Analyzed: 08/25/97

QC Batch: 7237146

Client Sample Id: TP3-SB05-1517

		(ug/L or ug/kg)	ug/kg	
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
	NO TICS DETECTED			ND

Lab Name:QUANTERRA SDG Number: BR335

Matrix: (soil/water) SOLID Lab Sample ID:C7H210119 006

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Work Order: CCDKF101

Date Extracted: 08/21/97

Dilution factor: 1

Date Analyzed: 09/11/97

Moisture %:3.0

QC Batch: 7250108

Client Sample Id: TP3-SB05-1517

CAS NO.	COMPOUND (ug/L or ug	g/kg) ug/kg	Q
83-32-9	Acenaphthene	340	ַ ַ ַ ַ ַ ַ ַ ַ ַ ַ ַ ַ ַ
208-96-8	Acenaphthylene	340	U
120-12-7	Anthracene	340	U
56-55-3	Benzo(a)anthracene	340	U
205-99-2	Benzo (b) fluoranthene	50	J
207-08-9	Benzo(k) fluoranthene	340	ע
191-24-2	Benzo(ghi)perylene	280	<u>J</u>
50-32-8	Benzo(a)pyrene	170	<u> </u>
111-91-1	bis(2-Chloroethoxy)methane	340	ט
111-44-4	bis(2-Chloroethyl) ether	340	ע
108-60-1	2,2'-Oxybis(1-Chloropropane)	340	<u>"</u>
117-81-7	bis(2-Ethylhexyl) phthalate	340	<u></u> ע
101-55-3	4-Bromophenyl phenyl ether	340	ע
85-68-7	Butyl benzyl phthalate	340	ע
106-47-8	4-Chloroaniline	340	ן ט
59-50-7	4-Chloro-3-methylphenol	340	ַ ט
91-58-7	2-Chloronaphthalene	340	<u></u>
95-57-8	2-Chlorophenol	340	ן ט
7005-72-3	4-Chlorophenyl phenyl ether	340	ן די
218-01-9	Chrysene	340	ט
53-70-3	Dibenz(a,h)anthracene	340	ן ט
132-64-9	Dibenzofuran	340	ָ <u></u>
84-74-2	Di-n-butyl phthalate	340	
95-50-1	1,2-Dichlorobenzene	340	<u></u> ט
541-73-1	1,3-Dichlorobenzene	340	וט
106-46-7	1,4-Dichlorobenzene	340	ַ
91-94-1	3,3'-Dichlorobenzidine	340	ע
120-83-2	2,4-Dichlorophenol	340	ע
84-66-2	Diethyl phthalate	340	ן די

Lab Name: QUANTERRA

SDG Number:

Matrix: (soil/water) SOLID

Lab Sample ID:C7H210119 006

BR335

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g Work Order: CCDKF101 Date Received: 08/21/97
Date Extracted:08/28/97

Dilution factor: 1

Date Analyzed: 09/11/97

Moisture %:3.0

QC Batch: 7250108

Client Sample Id: TP3-SB05-1517

CAS NO.	COMPOUND (ug/L or u	g/kg) ug/kg	Q
105-67-9	2,4-Dimethylphenol	340	<u>U</u>
131-11-3	Dimethyl phthalate	340	<u> </u>
117-84-0	Di-n-octyl phthalate	340	U
534-52-1	4,6-Dinitro-2-methylphenol	860	<u> U</u>
51-28-5	2,4-Dinitrophenol	860	U
121-14-2	2,4-Dinitrotoluene	340	<u> U</u>
606-20-2	2,6-Dinitrotoluene	340	<u>U</u>
206-44-0	Fluoranthene	340	ש
86-73-7	Fluorene	340	ן ש
118-74-1	Hexachlorobenzene	340	U
87-68-3	Hexachlorobutadiene	340	U
77-47-4	Hexachlorocyclopentadiene	340	<u>"</u>
67-72-1	Hexachloroethane	340	<u>U</u>
193-39-5	Indeno(1,2,3-cd)pyrene	340	_
78-59-1	Isophorone	340	<u> U</u>
91-57-6	2-Methylnaphthalene	340	<u> </u>
95-48-7	2-Methylphenol	340	ן
106-44-5	4-Methylphenol	340	<u>ַ</u> <u></u> <u></u>
91-20-3	Naphthalene	340	ا <u>ت</u> ا_
88-74-4	2-Nitroaniline	860	_ <u></u>
99-09-2	3-Nitroaniline	860	<u> </u>
100-01-6	4-Nitroaniline	860	<u> U</u>
98-95-3	Nitrobenzene	340	ן
88-75-5	2-Nitrophenol	340	ן
100-02-7	4-Nitrophenol	· 860	ט
621-64-7	N-Nitrosodi-n-propylamine	340	ן
86-30-6	N-Nitrosodiphenylamine	340	<u> </u>
87-86-5	Pentachlorophenol	860	_ <u> </u>
85-01-8	Phenanthrene	340	<u> </u>

Lab Name:QUANTERRA SDG Number: BR335

Matrix: (soil/water) SOLID Lab Sample ID:C7H210119 006

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g
Work Order: CCDKF101
Date Received: 08/21/97
Date Extracted: 08/28/97

Dilution factor: 1 Date Analyzed: 09/11/97

Moisture %:3.0

QC Batch: 7250108

Client Sample Id: TP3-SB05-1517

CAS NO.	COMPOUND (ug/L o	r ug/kg) ug/kg	Q
108-95-2	Phenol	340	U
129-00-0	Pyrene	340	ט
120-82-1	1,2,4-Trichlorobenzene	340	ַ
95-95-4	2,4,5-Trichlorophenol	860	U
88-06-2	2,4,6-Trichlorophenol	340	<u> </u>
86-74-8	Carbazole	340	<u> </u>

BROWN & ROOT ENVIRONMENTAL TENTATIVELY IDENTIFIED COMPOUNDS

Lab Name: QUANTERRA

SDG Number: BR335

Matrix: (soil/water) SOLID

Lab Sample ID:C7H210119 006

Method: OCLP OLM03.1

Base/Neutrals and Acids (CLP-OLM03.1)

Sample WT/Vol: 30 / g

Date Received: 08/21/97

Work Order: CCDKF101

Date Extracted: 08/28/97

Dilution factor: 1

Date Analyzed: 09/11/97

Moisture %:3.0

QC Batch: 7250108

Client Sample Id: TP3-SB05-1517

(ug/L or ug/kg) ug/kg

	(49/2-0			
CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
123-42-2	2-Pentanone, 4-Hydroxy-4-Met	2.8624	22000	ABJN
57-10-3	Hexadecanoic acid	11.327	180	BJN
26914-33-0	1,1'-Biphenyl, tetrachloro-	11.348	88	JN
10544-50-0	Sulfur, mol. (s8)	12.219	100	JN
38380-03-9	1,1'-Biphenyl, 2,3,3',4',6-p	12.369	110	JN
38380-01-7	1,1'-Biphenyl, 2,2',4,4',5-p	12.719	250	JN
			170	JN
31508-00-6	1,1'-Biphenyl, 2,3',4,4',5-p	13.682	82	JN
		14.446	92	JN
	Unknown PAH	17.294	79	J
192-97-2	Benzo[e]pyrene	17.572	230	JN
	Unknown PAH	19.264	150	J
	Unknown	21.597	82	J
	Unknown	21.819	84	J
	Unknown	21.926	77	J

APPENDIX B
SAMPLE LOG SHEETS



and the same Page 7 of 7 FD-mw07 Project Site Name: Sample ID No.: Sample Location: Tyel Project No.: Sampled By: S. Putrely □ Domestic Well Data C.O.C. No.: Monitoring Well Data Type of Sample: [] Other Well Type: → ow Concentration [] QA Sample Type: [] High Concentration SAMPLING DATA: 11/14/97 рΗ Date: Calor S.C. Temp. **Turbidity** 00 Salinity Other 1705 Visual Standard mS/cm Degrees C NTU mg/l NA Method: 5.15 10.047 4.58 clear PURGE DATA: Volume S.C. Temp. (C) Turbidity Salinity Other Method: Nand hai 5.09 0.045 0.0 Initial 5.18 0.050 Monitor Reading (ppm): Well Casing Diameter & Material 5.13 0.046 2 4" PVC 5.15 00 3 Total Well Depth (TD): スレ・タオ Static Water Level (WL): 17, 28 One Casing Volume(gayL): 3.70 Start Purge (hrs): 1625 1700 End Purge (hrs): Total Purge Time (min): 35 Total Vol. Purged (gal/L): 15 SAMPLE COLLECTION INFORMATION: **Analysis Preservative** Container Requirements Collected $\mathcal{V}(\mathcal{N})$ 400 40ml vials **OBSERVATIONS / NOTES:** Sample collected approximately 201 below TOC Circle if Applicable: Signature(s): MS/MSD Duplicate ID No.:



Page__/ of _/

Project Site Name:	NWI	P-CA	LVER	RTON	Sample ID No.: FD-GW-05 Sample Location: FWI DLoct			
Project No.:		7399	2	<u></u>	Sampled By: Paul O		COOT	
[] Domestic Well Data [] Monitoring Well Data						C.O.C. No.: Type of Sample:		
Other Well Type: QA Sample Type:	<u>Temp</u>	ocar	المنا ل			Concentra		
SAMPLING DATA:								
Date: /1-12-97	Color	pН	s.c.	Temp.	Turbidity	DO	Salinity	Other
Time: 1640	Visual	Standard	mS/cm	Degrees C	NTU	mg/l	%	NA
Method: PE Wang PURGE DATA:	<u> </u>			<u> </u>	1			
	Volume	₆ µ	s.c.	Temp (C)	Turbidity	DO	Calimity	Other
Date: 11-12-97	ł	pН	3.6.	Temp. (C)	rurbidity	50	Salinity	Other
Method: Peristaltic Pump	Initial			ļ				
Monitor Reading (ppm):	1							
Well Casing Diameter & Material	2			ļ				
Type: 5 tes 1 1/2"	3			1	A.			
Total Well Depth (TD): 21'				N'				
Static Water Level (WL): 19'		 						
One Casing Volume(gal/L): 0.46		ļ						
Start Purge (hrs): 1625					<u> </u>			
End Purge (hrs): 1640								
Total Purge Time (min): 95		1		<u> </u>				
Total Vol. Purged (galL): 1.0								
SAMPLE COLLECTION INFORMAT	TION:	T =						
Analysis		Preserv		(3)	Container Re		10	Collected
VOC'S SVOC'S		40		(2) (2)		Musical States		
		T		- 121				
		<u> </u>				·····		
		<u> </u>						
		<u> </u>				· · · · · · · · · · · · · · · · · · ·		
		<u> </u>						
OBSERVATIONS / NOTES:	talah jerti 🔑			4.0				4.1. Land
collected san	nple	from	19	(-21'	695		_	below
Clear, Not	tursia	1 w	ak/	· PLI	troleum	odor	s.	w lead
Quante	rra La	. 4						
Circle if Applicable:	est.				Signature(s):			
MS/MSD Duplicate ID No.:	47.E				Signature(s):		2	



Page_/ of /

Project Site Name: Project No.:	NWI	7398	LVER	RTON	Sample Sample	ID No.: Location:			
[] Domestic Well Data [] Monitoring Well Data Other Well Type: [] QA Sample Type:		orar.	1 we	:11	C.O.C. If Type of Low	No.:			
SAMPLING DATA:									
Date: 11-12-97	Color	рН	s.c.	Temp.	Turbidity	DO	Salinity	Other	
Time: 1605	Visual	Standard	mS/cm	Degrees C	NTU	mg/l	%	NA	
Method: PE turing					1	·			
PURGE DATA:				1					
Date: 11 - 12 - 97	Volume	рН	s.c.	Temp. (C)	Turbidity	DO	Salinity	Other	
Method: Peristalke Rum	Initial				·			•	
Monitor Reading (ppm):	1								
Well Casing Diameter & Material	2								
Type: Stel 1/2"	3				h /				
Total Well Depth (TD): 21.5 '				N'	'				
Static Water Level (WL): 19,5	1								
One Casing Volume(ga)L): 0.46									
Start Purge (hrs): 1549						** ······ · · · · · · · · · · · · · · ·			
End Purge (hrs): 1605									
Total Purge Time (min): /6									
Total Vol. Purged (pai)L): 2.0									
SAMPLE COLLECTION INFORM	ATION:	<u>'</u>							
Analysis		Preserv	ative		Container Re	quirements		Collected	
VOC'S	,	HLL		(2)	40 m	1 VIa	/5		
SVOCIS		40		(2)	1 L. 1	Ambers	>		
		<u> </u>							
	<u> </u>								
								····	
		 							
									
			•	• 1					
		l							
OBSERVATIONS / NOTES:	e. e	i vilgi		5 s - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5				1,1.	
Collected Sum			-	(- 21.	5' 69.	5	-	helow level	
Clear - not slight petro			a K				3.40	ie me i	
Quan terr									
Circle if Applicable:	1	t diam's		ų i v	Signature(s):				
MS/MSD Duplicate ID No									
). :				Par	Um.	Q		



Page / of /

Project Site Name: Project No.: [] Domestic Well Data [] Monitoring Well Data [] Other Well Type: [] QA Sample Type:	7398	<u> </u>		Sample Sample C.O.C. N Type of S	Location: i By: No.;				
SAMPLING DATA:									
Date: /1-12-97	Color	pН	s.c.	Temp.	Turbidity	DO	Salinity	Other	
Time: 1455	Visual	Standard	mS/cm	Degrees C	NTU	mg/l	%	NA	
Method: PE +Ubing PURGE DATA:	<u>!</u>	<u></u>	!		<u> </u>		<u> </u>		
	Volume	pH	s.c.	Temp. (C)	Turbidity	DO	Salinity	Other	
	Initial	Pri	3.0.	(C)	Idiolaty		Sammy	Other	
Method: Peristaltic Pump	-					<u> </u>			
Monitor Reading (ppm):	1			<u> </u>		$-\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!$			
Well Casing Diameter & Material Type: Steel 1/2"	2						· ·		
	3	 			A:				
Total Well Depth (TD): 2/				N.					
Static Water Level (WL): 19	 	<u> </u>					-		
One Casing Volume(GaDL): 0.46							}		
Start Purge (hrs): 1443				<u> </u>					
End Purge (hrs): 1455							<u> </u>		
Total Purge Time (min): /2	-								
Total Vol. Purged (Gall.): 2,0 SAMPLE COLLECTION INFORMA	Tion	<u> </u>		<u> </u>			<u> </u>		
Analysis	TION:	Presen	vative.	1	Container Re	suirements		Collected	
VOC'S		40		(2)		ol VIa	/<	Conecieu	
SVOC'S		40		(2)		nsers			
		ļ		<u> </u>	***************************************				
	 	1							
		1		<u> </u>		· ••••			
		 							
					· · · · · · · · · · · · · · · · · · ·				
		<u> </u>		<u> </u>					
			***	<u> </u>		,			
petroleum ode Collected Sump	urs IL fro	om	191	to 21'	Loc	J	belo.		
Slightly Worsed	- lesto	+ 12-	•	6-	272.				
1 -				• ~					
Quanterra	us					4			
Circle if Applicable:	cle if Applicable:				Signature(s):				
MS/MSD Duplicate ID No.:			11-1-1-1						
					Pau	Im.	<u>L:</u>	· · · · · · · · · · · · · · · · · · ·	

APPENDIX C CHAIN OF CUSTODY FORMS

CHAIN OF CUSTODY RECORD

COC # 03W

SAMPLERS	98 (SIGNA	"	wx	· · · · · · · · · · · · · · · · · · ·	ENAME: SWIRP-Calverter	NO. OF CON- TAINERS	1	AL LANGE	SA S	7	/	7	REMARKS
		TIME		GRAB	STATION LOCATION	IAMERS	/X	人	7				/
	4/25	0700		×	FT-T8-03W	2	2						TRIP BLANK
	445	0950		X	FT - MWOB-I-062597	2	2						
	6/25	1020		X	FT- MW06-5-062597	7	2						i produce de la companya de la comp
	4/25	6800		X	FT - Dupoa - W	2	a						
	4/25	1115		X	FT-MW05-I-062597	2	2						
	4/2	180		X	FT-MW05-5-062597	2	2						
	425	1330		X	FT-MW08-5-062597	j	2			7.47			
	6/25	1240		X	FT-MW8-I-06597	2	2		,				
	6/25	·		X	PR-6W01-02	a	, ₂						
	6/25	1500		X	PR-61002-02	4	2	2					
	492	1430		X	FD-MW07-162597	2	2						
	1/25	1500		×	PB-GW03-Q3	2	2		22 2				
	665	1800		X	FT-MW025-062597	2	2						
		<u> </u>					<u> </u>		<u> </u>				
ELINGUIS S.	SHED BY	Her	ATURE):	, i	ATE / TIME: RECEIVED BY(SIGNATURE):	RELI	IQUISH	IED B Y	{SIGNA	TURE)	·	DAT	E / TIME: RECEIVED BY(SIGNATURE):
ELINQUIS					ATE / TIME: RECEIVED BY (SIGNATURE):	RELM	IQUISH	IED BY	(SIGNA	TURE)		DAT	E / TIME: RECEIVED BY(SIGNATURE):
ELINQUIS	SHED BY	(SIGN/	ATURE):	D	ATE / TIME: RECEIVED FOR LABORATORY BY (SIGNATURE):	DA	TE / TIO	AE: R	EMARK	(S: S	hipp	ed	FEDEX # 4293610101

CHAIN OF CUSTODY RECORD

COC N

ROJECT N	98			SITI	e name: NTRP Calverton	- Fuel Deput	NO.		- A			7	//	
AMPLERS	(SIGNA	TURE): /c	202		·		OF CON- TAINERS	/.		104 - 15 15 15 15 15 15 15 15 15 15 15 15 15		/ /		REMARKS
TATION NO.	DATE	TIME	COMP	GRAB	STATIC	ON LOCATION		3	130	3				
0	8/18/91	16/5		/	T2-5B	1-1517	2	1	1.	_				of Bus
1	9/1/47	1925		/	TZ-SBO	· · ·	2	1	1	_				NO TK, mly (B)
2	9/9/17	1635		1.	T2-530		2	1	1					tic, my ib)
3	1/9/17	1650		/	T2-5BC		2	1	12					lutz.
4	8/16/97	120			T2-580		2	1	1					/ T((, aly (B)
5	9/9/1	17/5			T2-T	B32	2	_	-	2			Field	powed Trip Blank
														aceton 26 este
					hethod	yale							Nn	TICI.ug
												_		
						·		<u> </u>						· .
	<u> </u>				**************************************									
ELINQUIS	HEDDY	Λ.	TURE):		ATE / TIME: RECEI	VED BY(SIGNATURE):	RELIF	 QUISH	ED BY	(SIGNA	TURE):	DA	E/TIME:	RECEIVED BY(SIGNATURE):
ELINQUIS	_		TURE):			VED BY (SIGNATURE):	RELIF	IQUISH	ED BY	(SIGNA	TURE):	DA	E/TIME:	RECEIVED BY(SIGNATURE):
ELINQUIS	SHED BY	(SIGN/	\TURE):	0	ATE / TIME: RECEI	YESTOR DESORATORY BY		TE/TW	AE: RI	EMARK	is: Fed	Ex 1	tir Bi	11=====================================

roject n 73				Smi	ename: WIRPGolverton — Fuel Deput			\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			7	7	//
AMPLERS	(SIGNA		7 /			NO. OF	/		328	\ \f\ \f\	· /	/	/ /
2	么		松	7		CON- TAINERS				P. /			REMARKS
TATION NO.	DATE	TIME	COMP	GRAB	STATION LOCATION		B	150	3				/
0	8/19/	16/5		/	T2-SB01-1517	2	1	1					
1	9/1/1	1025		/	T2-5B02-1517	2	1	1	(
				1	T2-5303-1517	2	1	1	_			·	·
	4/4/1		1	/	T2-5B04-1517	2	1	1	_				
4	8/18/ ₇₇	120		/	T2-5B05-1517	2	1	1					
5	9/9/1	17,5		/	T2-TB32	2	_	_	2				Field powed Trip Blank
					8/4/17 4 VXXs/SVUC								
											•		
SA	· 1 /	Λ _	ATURE):	L	DATE / TIME: RECEIVED BY (SIGNATURE):	REL	HQUIS	HED BY	(51GN/	ATURE):		DA	TE / TIME: RECEIVED BY(SIGNATURE):
RELINQUI	SHED BY		ATURE):		DATE / TIME: RECEIVED BY (SIGNATURE):	REL	NQUIS	HED BY	(SIGN/	ATURE):	- 	DA	SE / TIME: RECEIVED BY(SIGNATURE):
					The state of the s								
RELINQUI	ISHED B	_		-	DATE / TIME: RECEIVED OR LABORATORY I	\$ 17					dE	X /	4ir 18711#5081400656
der No. 704	40 (0693)		<u> </u>		& Root Frymm		1	4	<u>~</u>		~		Dave Brazuck

** TOTAL PAGE.02

CHAIN OF CUSTODY RECORD

PROJECT N	10:			Citi	NAME:	T		7	7,	11	7	7	7	/
7398					WIRP Culverton - Fuel Report		,	13	18	*/ <i>*</i> /*	/		/ /	
SAMPLER!		TURE):			· · · · · · · · · · · · · · · · · · ·	NO. OF		33						
J.	TI	4		$\leq t$	irros Petielas	OF CON- TAINERS		P3/;		3/				REMARKS
STATION NO.	DATE	TIME	COMP	GRAB	STATION LOCATION		To To	Zo	13				<u>/-</u>	
0	8/19/17	WE)	وه	/	TP3-TB33	2	Z		_				Field	Powed Trip Blank
1	8/1/91	4	3/17/	1	TP3-5801-1517	2	_	1	1				<u>voft</u> (ui.i0)	24.2 14
2	9/19/57	365	· 54,	V .	TP3-5802-1517	2,	_	1	1					Ties mey (B)
3	9/7/57	325		1	TP3-5B03-1517	2		1	1					hita + TIC,
	5/19/91	40		J	TP3-5804-1511	2		1	1					TICING (B)
5	5/19/	13%		1	TP3-5B05-1517	2	<u>پ</u>	1	1				J	hits other
					'slank								are my) Ticonly
					•									
•					•									
•.														
													•	
													<u> </u>	
	<u> </u>						<u> </u>	<u>.</u>						
RELINQU	ISHED B	YISIGN	ATURE):	8. E	PATE / TIME: RECEIVED BY(SIGNATURE):	RELI	NQUIS	HED BY	(SIGN	ATURE):		DAT	E/TIME:	RECEIVED BY(SIGNATURE):
RELINQU					DATE / TIME: RECEIVED BY (SIGNATURE):	REL	NQUIS	HED BY	r (SiGN	ATURE):		DA	E/TIME:	RECEIVED BY(SIGNATURE):
									·					
RELINQU	ISHED I	Y (SIGN	ATURE):		DATE / TIME: RECEIVED FOR MEDRATORY BY	D/	TE/TI	ME:	reman Fed	ks: Ex	Air	3.1	1#	50814W660
• No. 76	7)						14	للكسند						- 1 7

Quanterra - 5 /1 from Test PH 3 Fue | Dep

#3 0 5

DATE / TIME: RECEIVED BY(SIGNATURE):

CHAIN OF CUSTODY RECORD

STATION

NP

M

FD

FD

S

Bown & Knot Environmental Mr. Da Bright PROJECT NO : 2 TO 2 10 SITE NAME: Janen Gullertin NO. SAMPLERS (SIGNATURE): OF REMARKS CON-DATE TIME COMP GRAB **STATION LOCATION** Lib Prilat Trip Rank TB-111-11 NP-MWOG MP. M.J. S FD-60007 FD-6W (6 FD GW . 05 4 RELINQUISHED BY (SIGNATURE): DATE / TIME: RECEIVED BY (SIGNATURE): **RELINQUISHED BY (SIGNATURE):** DATE / TIME: | RECEIVED BY(SIGNATURE):

RELINQUISHED BY (SIGNATURE):

DATE/TIME: REMARKS: FEI EX TOIL # 5081410632

2-4-- No 70440 (0602)

RECINQUISHED BY (SIGNATURE):

RELINOUISHED BY (SIGNATURE):

M11/6 1750

DATE / TIME:

DATE / TIME: | RECEIVED BY (SIGNATURE):

(SIGNATURE):

RECEIVED FOR LABORATORY BY

Chain of Custody Record



QUA-4124 0797																1		1987		77 24
Client Brown & ROST Env	Transenta	Project Mar	L	Jar			ay	<i>α</i> (k				Date /	14/9	77	C	hein of Cust	ody Numbi	Dac	JOIL
600 Andersen Drive	Slde. 7	Telephone (196		37	5/	(4	12	95	2/ 4	104	10	Lab Num		<i>.</i>	•	Page	ه ست		
City Pittsburgh Spin Zboo	de		atse		Lab C	Confact (()(\)	cal	Ber	朴			Analy more	ysis (Atta space is	ach list if needed) 				743 (P) 44 (1 <mark>8</mark> 0)	Ball
Project Name IRP		Carrier/Way	bill Num	ber						125	748						Sia	del Instr		
Contract/Purchase Order/Quote No.			M	atrix		Con Pres	taine erva	ers & tives		3	Egg	\					Cond	litions of	Party	
Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Aqueous Sec.	Sog	Unpres.	HAOS H	Ŧ	NaOH	F SE	Ď,	ğ									
TB-111497	11/14/97	<i>රහ</i>	X				X			2					耋		Lab	Provid	था	708
ECM-MWOI	11/14/97	0940	X_{\perp}						X		1						100	14 14 14	1046	
ECM-MWOZ	11/14/91	6011	X						Tχ		4		T		15.00 15.50 5.50		1	5.10.11		
FC-MW07-S	11/14/97	1425	X				X			2				11	4			77 174	4	
FC-MW08-5	1/4/97	1605	λ				χ			2					Sec.				ra idilig	10.00
FD-MW07	11/14/97	1705	入				X			2				11			3/1/2	111111		
							П			П					1		S. S. S.	* (1.7.9)	1	
																		100		
															1.5			No.		
	·										r				1.4		24 € 3 × 43	A STATE	V (VV)	WEST.
															14 (A)				17	
A September 1 He de Leur 1 He de 日本 日本 日			 Jų							100						, ,	1 (1) 1 (1)			
Possible Hazard Identification Non-Hazard Flammable Skin Irritant			ample D									-1		(A lee	may be	#560E	ed I early).	-	-	7
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Turn Around Time Required	Polson B 🔲	Unknown [Hetur	n To Clie					(Specify		e For		_ Months	longer	then 3	nontha	1	-120-1	40	
24 Hours 48 Hours 7 Days 14 Days	21 Days	Other_								1.00					1	1. 4. 2.40	i de			
1. Relinquished By		Date 1 1 1 1 1 1 1 1 1	1/97	ime 172		i. Rece	ived E	Ву)							1.4 2.4	Date	77	•	
2. Relinquished By		Date		ime	1	2. Rece	ived E	Ву							3.5		Date :	Tan		
3. Relinquished By		Date	7	ime	;	. Rece	lved E	3у	ا قو			<u> </u>			1 1		Date	76		
Comments	7.3				- '	1	-	1								4	Land Andrews			

APPENDIX D MONITORING WELL CONSTRUCTION SHEETS

BORING NO .: D-MOUT



OVERBURDEN MONITORING WELL SHEET

	- M. Misilow
PROJECT NWIPP- Glvertm LOCATION Cabutm, NY PROJECT NO. 7398 BORING FD-MWU7 ELEVATION DATE 619197 FIELD GEOLOGIST TEXESA SPECYER	DRILLER M. Mueller DRILLING METHOD HSA DEVELOPMENT METHOD HB Yung + Suige
GROUND ELEVATION A ELEVATION OF TOP OF SURFACE CASING: TYPE OF SURFACE SEAL: L.D. OF SURFACE CASING:	asing ————————————————————————————————————
TALENT TYPE OF SURFACE CASING	dule 40 PVC
TYPE OF BACKFILL:	AL:
DEPTH TOP OF SAND PACK: ELEVATION / DEPTH TOP OF SO TYPE OF SCREEN: SChoolede	40 NC
SLOT SIZE x LENGTH: O.OW I.D. OF SCREEN: 4" TYPE OF SAND PACK: #1	FILTER SAND
ELEVATION / DEPTH BOTTOM TYPE OF BACKFILL BELOW OB WELL: #1 FILTER SA	OF SAND PACK: 121 SERVATION
ELEVATION / DEPTH OF HOLE:	. 11



BORING LOG

Page<u></u> j' of ____

						MA	TERIAL DESCRIPTION			
Sample No. and Type or RQD	Depth (Ft.) or Run No.	Blows/ 6" or RQD (%)	Semple Recovery/ Semple Length	Lithology Change (Depth/Ft.) or Screened Interval	Soil Density/ Consistency o Rook Hardness	Color	Material Classification	ນ ສ c ສ	Remarks	FID o PID Reads (ppm
κA		Z			10050	yellow	Leavin suijace			0
		/				ļ	MED GRAINED SINTY			
		/				ļ	SAUD	,		0
		/					<u>V</u>			
					100%	ton	MG SILTY SAUT			-0
										6
										0
		/							♥ ≈12′	
		/								0
-		/							***************************************	
		/			-					0
										+
					· · · · · · · · · · · · · · · · · · ·					
							/			
										
				brokenes : <u>X</u> Yo	s. es No <i>Hかみ R</i>); 216	WELL I.D.#: <i>F)) - I</i>	nu	007	

APPENDIX E

IEUBK MODELING

IEUBK MODEL - Exposure to Lead (Page 1 of 2)

SITE NAME: Site 7 - Fuel Depot Area

EXPOSURE SCENARIO: On-Site Child Resident - Average Concentration Of Lead In Groundwater

LOCATION: NWIRP, Calverton, New York

DATE: October 14, 1999

LEAD MODEL Version 0.99d

AIR CONCENTRATION: 0.100 ug Pb/m3 DEFAULT Indoor AIR Pb Conc: 30.0 percent of outdoor.

Other AIR Parameters:

Age	Time Outdoors	(hr)	Vent. Rate	(m3/day)	Lung Abs.	(%)
0-1	1.0		2.0		32.0	
1-2	2.0		3.0		32.0	
2-3	3.0		5.0		32.0	
3-4	4.0		5.0		32.0	
4-5	4.0		5.0		32.0	
5-6	4.0		7.0		32.0	
6-7	4.0		7.0		32.0	

DIET: DEFAULT

DRINKING WATER Conc: 7.50 ug Pb/L WATER Consumption: DEFAULT

SOIL & DUST:

Soil: constant conc.
Dust: constant conc.

Age	Soil (ug Pb/g)	House Dust	(ug Pb/g)
0-1	0.0	0.0	
1-2	0.0	0.0	
2-3	0.0	0.0	
3-4	0.0	0.0	
4-5	0.0	0.0	
5-6	0.0	0.0	
6-7	0.0	0.0	

Additional Dust Sources: None DEFAULT

PAINT Intake: 0.00 ug Pb/day DEFAULT

MATERNAL CONTRIBUTION: Infant Model
Maternal Blood Conc: 2.50 ug Pb/dL

CALCULATED BLOOD Pb and Pb UPTAKES:


YEAR	Blood Level (ug/dL)	Total Uptake (ug/day)	Soil+Dust Uptake (ug/day)
0.5-1:	1.9	3.40	0.00
1-2:	1.9	4.61	0.00
2-3:	1.9	5.07	0.00
3-4:	1.8	5.02	0.00
4-5:	1.7	5.00	0.00
5-6:	1.6	5.31	0.00
6-7:	1.6	5.67	0.00

YEAR	Diet Uptake (ug/day)	Water Uptake (ug/day)	Paint Uptake (ug/day)	Air Uptake (ug/day)
	0.66	0.70		
0.5-1:	2.66	0.72	0.00	0.02
1-2:	2.78	1.80	0.00	0.03
2-3:	3.13	1.88	0.00	0.06
3-4:	3.02	1.93	0.00	0.07
4-5:	2.93	2.01	0.00	0.07
5-6:	3.09	2.12	0.00	0.09
6-7:	3 41	2.16	0.00	0.09

IEUBK MODEL - Exposure to Lead (Page 2 of 2) SITE NAME: Site 7 - Fuel Depot Area

EXPOSURE SCENARIO: On-Site Child Resident - Average Concentration Of Lead In Groundwater

LOCATION: NWIRP, Calverton, New York DATE: October 14, 1999



IEUBK MODEL - Exposure to Lead (Page 1 of 2)

SITE NAME: Site 7 - Fuel Depot Area

EXPOSURE SCENARIO: On-Site Child Resident - Maximum Concentration Of Lead In Groundwater

LOCATION: NWIRP, Calverton, New York

DATE: October 14, 1999

LEAD MODEL Version 0.99d

AIR CONCENTRATION: 0.100 ug Pb/m3 DEFAULT Indoor AIR Pb Conc: 30.0 percent of outdoor.

Other AIR Parameters:

Age	Time Outdoors	(hr)	Vent. I	Rate	(m3/day)	Lung Abs.	(%)
0-1	1.0		2	2.0	_	32.0	
1-2	2.0			3.0		32.0	
2-3	3.0			5.0		32.0	
3-4	4.0		:	5.0		32.0	
4-5	4.0		:	5.0		32.0	
5-6	4.0			7.0		32.0	
6-7	4.0		•	7.0		32.0	

DIET: DEFAULT

DRINKING WATER Conc: 25.00 ug Pb/L WATER Consumption: DEFAULT

SOIL & DUST:

Soil: constant conc. Dust: constant conc.

Age	Soil (ug Pb/g)	House Dust (ug Pb/g))
0-1	0.0	0.0	
1-2	0.0	0.0	
2-3	0.0	0.0	
3-4	0.0	0.0	
4-5	0.0	0.0	
5-6	0.0	0.0	
6-7	0.0	0.0	

Additional Dust Sources: None DEFAULT

PAINT Intake: 0.00 ug Pb/day DEFAULT

MATERNAL CONTRIBUTION: Infant Model
Maternal Blood Conc: 2.50 ug Pb/dL

CALCULATED BLOOD Pb and Pb UPTAKES:

YEAR	Blood Level (ug/dL)	Total Uptake (ug/day)	Soil+Dust Uptake (ug/day)
0.5-1:	2.7	5.00	0.00
1-2:	3.5	8.52	0.00
2-3:	3.4	9.17	0.00
3-4:	3.2	9.26	0.00
4-5:	3.1	9.45	0.00
5-6:	3.0	10.02	0.00
6-7:	2.9	10.48	0.00

YEAR	Diet Uptake (ug/day)	Water Uptake (ug/day)	Paint Uptake (ug/day)	Air Uptake (ug/day)	
0.5-1:	2.61	2.36	0.00	0.02	
1-2:	2.68	5.80	0.00	0.03	
2-3:	3.03	6.07	0.00	0.06	
3-4:	2.94	6.25	0.00	0.07	
4-5:	2.85	6.53	0.00	0.07	
5-6:	3.02	6.91	0.00	0.09	
6-7:	3.34	7.04	0.00	0.09	

IEUBK MODEL - Exposure to Lead (Page 2 of 2)

SITE NAME: Site 7 - Fuel Depot Area

EXPOSURE SCENARIO: On-Site Child Resident - Maximum Concentration Of Lead In Groundwater

LOCATION: NWIRP, Calverton, New York DATE: October 14, 1999

